

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Sissy's Family Restaurant	Facility Type Food Service Establishment	
Licensee Name Darla Stanley	Facility Telephone # 304 262-4646	
Facility Address 55 Meadow Lane Plaza, Suite 4 Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/21/2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Condiment fridge/Prep	41
Pie fridge	33
Salad prep	34
Fridge	36
Wait fridge-right	30
Wait fridge-left	35
Downstairs fridges	38
Hot Bar	145
Juice machine	41
Small Fridge Basement	40

Food Temperatures	
Description	Temperature (Fahrenheit)
sausage gravy	155

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Buckets3bay	Chemical		10050		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 0</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Old food stuffs on inside of all 3 microwaves, needs cleaned</p>

Observed Non-Critical Violations
Total # 1 Repeated # 0
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Gaskets on main fridge near grill and pie fridge need replaced, ripped

Inspection Outcome


Comments

Disclaimer

Person in Charge



Sanitarian



Luke Hartley