

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Mountain Ridge Middle School	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 229-8833	
Facility Address 2771 Gerrardstown Rd Gerrardstown , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 04/23/2018	Total Time Spent 1.60

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk-In	39
Continental Warmer #1	157
Continental Warmer #2	161
Continental Refrigerator	41
Milk 1(left)	39
Milk 2(right)	41

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Apples	147
Hash browns	153

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
BucketDishmachine	ChemicalHeat		50-100	bleach	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b> <b>Repeated # 0</b></p> <p><b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Walk in cooler shelves need cleaned</p>

**Observed Non-Critical Violations**

**Total # 2**

**Repeated # 0**

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Tops of high pieces of equipment need dusted, ovens, can racks ect,

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Metal shelf in laundry room needs repaired, rust

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



darla rutherford

Sanitarian



Glenn GCO Ondick