

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Martins-Bakery	Facility Type Food Service Establishment	
Licensee Name Giant Food Stores, LLC	Facility Telephone # 304 267-8448	
Facility Address 901 Foxcroft Ave Martinsburg, WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/12/2017	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-in cooler	41
Cake Display Cooler	39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
ThreebaysinkDishmachin eVegetableWash	ChemicalTemperat ureChemical	160	3006	SumaEden	Quat

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 4 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE <i>This is a critical violation</i> OBSERVATION: Donut speed racks in walk-in refrigerator need cleaned more frequently (large build up of icing on tray rails turning dark in corners and the trays need washed between batches.)</p> <p>7-204.12 - CHEMICALS FOR WASHING FRUITS AND VEGETABLES, CRITERIA <i>This is a critical violation</i> REPEAT OBSERVATION Fruit & Vegetable wash concentration is too strong from dispenser (should be 3ppm reading 6ppm).</p>

Observed Non-Critical Violations

Total # 15

Repeated # 4

4-202.12 - CIP EQUIPMENT (CHARACTERISTICS)

REPEAT OBSERVATION Milk crates are not approved as walk-in shelving (back walk-in freezer).

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Ice build up in back walk-in freezer

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Cake decorating table facings in poor repair.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Need to clean paper towel holder and fruit/vegetable wash dispenser.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Mixer guard needs cleaned better

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Walk-in door gaskets and door need cleaned.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelving in walk-in refrigerator and walk-in freezer needs cleaned.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Need to clean under roll shelving display

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Door to walk-in refrigerator not getting closed.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Coving in cart storage area cracked.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Need to clean fan covers in walk-in refrigerator and freezer.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor drains need cleaned.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling air vents need cleaned throughout bakery.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Hood and exhausts need cleaned.

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: Need to clean the floor in the walk-in cooler and walk-in freezer under shelving.

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Jennifer Beamer