

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

<b>Establishment Information</b>	
Facility Name Martinsburg High Band boosters	Facility Type Food Service Establishment
Licensee Name Martinsburg High School Band Boosters	Facility Telephone # 304
Facility Address 701 Bull Dog Way Martinsburg, WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 08/16/2017	Total Time Spent 1.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Soda cooler 1	40
Cooler	38

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 2</b>
<b>Repeated # 0</b>
<b>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION</b> <i>OBSERVATION: Drain on Pepsi Cooler by window needs repaired (water laying in bottom)</i>
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <i>OBSERVATION: Drain on ice machine needs repaired (leaking)</i>

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge

Sanitarian

  
Michael Williams

  
Keith Allison