



**Stream-Flo USA Inc.**  
**Valve Business Unit**  
 12777 Jones Road Suite 332  
 Houston Texas 77070  
 Tel 832.912.1022  
 Fax 832.912.1151

**Canadian Sales**  
 400 Bow Valley Square One  
 202 - 6 Avenue SW  
 Calgary Alberta Canada  
 T2P 2R9  
 Tel 403.269.5531  
 Fax 403.266.3307

**Head Office  
 and Manufacturing Facility**  
 4505 - 74 Avenue  
 Edmonton Alberta Canada  
 T6B 2H5  
 Tel 780.468.6789  
 Fax 780.469.7724

**International Sales**  
 Indonesia  
 62.21.7918.1234  
 United Arab Emirates  
 971.2.676.0130  
 Algeria  
 213.29.738.910  
 United Kingdom  
 353.87.798.3582


[www.streamflo.com](http://www.streamflo.com)  
[info@streamflo.com](mailto:info@streamflo.com)



## Crown-Judd Swing Check Valves



**Weld End Fig. 70**



**Weld End - Parts List**

No.	Part	Material
1	Body <sup>(1)</sup>	ASTM A-216-WCB/WCC <sup>(1)</sup>
2	Cover	ASTM A-516 Gr. 70/ASTM A-105/ ASTM A-216-WCB
3	Vent plug	ASTM A-105
4	Lifting eye <sup>(2)</sup>	carbon steel
5	Cover nut	ASTM A-194-2H (2"-12") <sup>(4)</sup>
6	Cover stud	ASTM A-193-B7 (2"-12") <sup>(4)</sup>
7	Cover seal	Viton® (2"-12") <sup>(4)</sup>
8	Clapper bushing	stainless steel
9	Clapper pin	stainless steel
10	Clapper	ASTM A-351/CF8M A-182-F316 (1" - 4") ASTM A-105 (6" and larger)
11	Clapper seal	Viton® (2"-12") <sup>(4)</sup>
12	Drain plug <sup>(3)</sup>	carbon steel

**Notes:**

- (1) ASTM A-352-LCC for low temperature service; ASTM A-487-4C for high pressure valves.
- (3) For valves 6" and larger.
- (4) Optional drain plug is for valves 6" and larger.
- (5) Consult factory for 14" and larger.

*Viton is a registered trademark of DuPont Dow Elastomers*



**Weld End Fig. 70**

**Schedule of Dimensions**

Valve Size in. (mm.)	ANSI Class	"A" in. (mm.)	"H" in. (mm.)	"W" in. (mm.)	Weight lbs. (kg.)
2 (50)	150	7.25 (184.2) *	5.31 (134.9)	6.50 (165.1)	25 (11)
	300	7.25 (184.2) *	5.31 (134.9)	6.50 (165.1)	25 (11)
	600	7.25 (184.2) *	5.51 (134.9)	6.50 (165.1)	25 (11)
	900	7.25 (184.2) *	5.56 (141.2)	8.50 (215.9)	25 (11)
3 (80)	150	8.75 (222.3) *	6.50 (165.1)	8.25 (209.6)	54 (24)
	300	8.75 (222.3) *	6.50 (165.1)	8.25 (209.6)	54 (24)
	600	8.75 (222.3) *	6.50 (165.1)	8.25 (209.6)	54 (24)
	900	8.75 (222.3) *	6.50 (165.1)	8.25 (209.6)	54 (24)
4 (100)	150	10.75 (273.1) *	8.25 (209.6)	10.13 (257.3)	79 (36)
	300	10.75 (273.1) *	8.25 (209.6)	10.13 (257.3)	79 (36)
	600	10.75 (273.1) *	8.25 (209.6)	10.13 (257.3)	79 (36)
	900	10.75 (273.1) *	8.25 (209.6)	10.13 (257.3)	79 (36)
6 (150)	150	18.50 (469.9) *	11.94 (303.3)	12.88 (327.2)	185 (84)
	300	18.50 (469.9) *	11.94 (303.3)	12.88 (327.2)	185 (84)
	600	18.50 (469.9) *	11.94 (303.3)	12.88 (327.2)	185 (84)
	900	19.25 (488.9) *	12.50 (317.5)	13.38 (339.9)	235 (107)
	1500	20.75 (527.1) *	14.31 (363.5)	14.63 (371.6)	310 (141)
8 (200)	150	24.00 (609.6) *	15.25 (387.4)	16.00 (406.4)	425 (193)
	300	24.00 (609.6) *	15.25 (387.4)	16.00 (406.4)	425 (193)
	600	24.00 (609.6) *	15.25 (387.4)	16.00 (406.4)	425 (193)
	900	24.00 (609.6) *	15.75 (400.1)	16.25 (412.8)	450 (204)
10 (250)	150	26.00 (660.4) *	17.13 (435.1)	18.13 (508.0)	600 (272)
	300	26.00 (660.4) *	17.13 (435.1)	18.13 (508.0)	600 (272)
	600	26.00 (660.4) *	17.13 (435.1)	18.13 (508.0)	600 (272)
	900	27.00 (685.8) *	17.88 (454.2)	19.38 (492.3)	725 (329)
12 (300)	150	29.00 (736.6) *	20.13 (511.3)	21.25 (539.8)	860 (390)
	300	29.00 (736.6) *	20.13 (511.3)	21.25 (539.8)	860 (390)
	600	29.00 (736.6) *	20.13 (511.3)	21.25 (539.8)	860 (390)
	900	29.00 (736.6) *	20.75 (527.1)	22.00 (558.8)	940 (426)
14 (350)	150	35.00 (889.0) *	22.38 (568.5)	26.25 (666.8)	1640 (744)
	300	35.00 (889.0) *	22.38 (568.5)	26.25 (666.8)	1640 (744)
	600	35.00 (889.0)	22.38 (568.5)	26.25 (666.8)	1640 (744)
	900	40.50 (1028.7)	23.94 (608.1)	28.63 (727.2)	1825 (827)
	1500	49.50 (1257.3)	26.94 (684.3)	31.88 (809.8)	2675 (1213)

Weight and dimensional information is for reference only and subject to change without notice. Weights and dimensions can be confirmed at time of order.  
 \* Indicates dimensions not in accordance with ANSI B16.10 and/or API 6D.



**Weld End Fig. 70**

**Schedule of Dimensions**

Valve Size in. (mm.)	ANSI Class	"A" in. (mm.)	"H" in. (mm.)	"W" in. (mm.)	Weight lbs. (kg.)
16 (400)	150	34.50 (876.3) *	24.25 (615.9)	29.50 (749.3)	1640 (743)
	300	34.50 (876.3) *	24.25 (615.9)	29.50 (749.3)	1640 (743)
	600	34.50 (876.3) *	24.25 (615.9)	29.50 (749.3)	1640 (743)
	900	37.50 (952.5) *	25.75 (654.1)	31.75 (806.5)	1935 (877)
18 (450)	150	34.25 (870.0) *	24.88 (631.9)	26.00 (660.4)	2000 (907)
	300	34.25 (870.0) *	24.88 (631.9)	26.00 (660.4)	2000 (907)
	600	34.25 (870.0) *	24.88 (631.9)	26.00 (660.4)	2000 (907)
20 (500)	150	34.75 (882.7) *	28.13 (714.5)	30.63 (778.0)	3470 (1573)
	300	34.75 (882.7) *	28.13 (714.5)	30.63 (778.0)	3470 (1573)
	600	34.75 (882.7) *	28.13 (714.5)	30.63 (778.0)	3470 (1573)
	900	52.00 (1320.8)	32.50 (825.5)	38.25 (971.6)	4135 (1874)
24 (600)	150	43.00 (1092.2) *	33.63 (854.2)	35.50 (907.7)	5190 (2353)
	300	43.00 (1092.2) *	33.63 (854.2)	35.50 (907.7)	5190 (2353)
	600	43.00 (1092.2) *	33.63 (854.2)	35.50 (907.7)	5190 (2353)
	900	61.00 (1549.4)	37.31 (947.7)	41.25 (1047.8)	6500 (2947)
26 (650)	150	57.00 (1447.8) *	38.13 (968.5)	43.25 (1098.6)	consult factory
	300	57.00 (1447.8) *	38.13 (968.5)	43.25 (1098.6)	
	600	57.00 (1447.8)	38.13 (968.5)	43.25 (1098.6)	
30 (750)	150	57.00 (1447.8) *	39.50 (1003.3)	45.00 (1143.0)	consult factory
	300	57.00 (1447.8) *	39.50 (1003.3)	45.00 (1143.0)	
	600	57.00 (1447.8) *	41.38 (1051.1)	45.00 (1143.0)	10460 (4742)
	900	68.00 (1727.2) *	43.88 (1114.6)	49.50 (1257.3)	15250 (6913)
36 (900)	150	70.00 (1778.0) *	46.44 (1179.6)	55.50 (1409.7)	consult factory
	300	70.00 (1778.0) *	46.44 (1179.6)	55.50 (1409.7)	
	600	70.00 (1778.0) *	48.63 (1235.2)	55.50 (1409.7)	16200 (7344)
	900	86.25 (2190.8) *	52.81 (1341.4)	63.38 (1609.8)	consult factory
42 (1050)	150	88.00 (2235.2) *	58.13 (1476.5)	66.13 (1679.7)	consult factory
	300	88.00 (2235.2) *	58.13 (1476.5)	66.13 (1679.7)	
	600	88.00 (2235.2) *	58.13 (1476.5)	66.13 (1679.7)	
48 (1200)	150	106.00 (2692.4) *	62.75 (1593.9)	70.00 (1778.0)	consult factory
	300	106.00 (2692.4) *	62.75 (1593.9)	70.00 (1778.0)	
	600	106.00 (2692.4) *	62.75 (1593.9)	70.00 (1778.0)	