

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Sissy's Family Restaurant	Facility Type Food Service Establishment	
Licensee Name Darla Stanley	Facility Telephone # 304 262-4646	
Facility Address 55 Meadow Lane Plaza, Suite 4 Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 08/22/2018	Total Time Spent 0.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Condiment fridge/Prep	
Pie fridge	
Salad prep	
Fridge	
Wait fridge-right	
Wait fridge-left	
Downstairs fridges	
Hot Bar	
Juice machine	
Small Fridge Basement	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Buckets3bay	ChemicalChemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 0
Repeated # 0

Inspection Outcome

Comments
Inspected basement. Water did not rise in basement. Water covered the floor. No food stores were touched. Thoroughly Bleach floor.

Disclaimer

Person in Charge

Sanitarian

Keith Allison