

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name The Woods Clubhouse Grille	Facility Type Food Service Establishment	
Licensee Name Woods Resort	Facility Telephone # 304 754-3484	
Facility Address P.O.Box5 Hedgesville , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/15/2019	Total Time Spent 1.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Front Fridge	37
Back Fridge	35
Cold Drawers	34
Walkin	38
Prep unit	39
Server Fridge	38
Bar Juice Fridge	35
Beer Cooler	40
Keg Coolers	41
Hot Holds	145
Sanswich cooler	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishMachineBuck etsServerBucketB arBucketBar3Bay	ChemicalChemic alChemicalChemi calChemical		50200		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 4</p> <p>3-302.11 - PACKAGED AND UNPACKAGED FOOD - SEPARATION, PACKAGING, AND SEGREGATION This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Several dented cans found in back stock room</p>

Observed Non-Critical Violations

Total # 9

Repeated # 4

3-305.12 - FOOD STORED IN PROHIBITED AREAS.

REPEAT OBSERVATION Meat in walk in cooler stored on baking pans on floor

4-501.12 - CUTTING SURFACES

REPEAT OBSERVATION Cutting boards need replaced, unable to clean deep cuts and scratches

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Sides of grill and walls near it need cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Inside top of microwave needs cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Floor of keg cooler needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Tops of equipment in kitchen need cleaned, dust

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors behind and under equipment need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor of walk in cooler needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor or small closet near dish room needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Luke Hartley