

## Track Performance Data

STYLE	DESCRIPTION	HEADING STYLE	MOUNT	DRAW	MAX. TRACK LENGTH (FT.)	MAX. FABRIC WEIGHT (LBS.)	LBS. PER FT.		
	<b>83611</b> 1½" Estate™ Manual or Motorized Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	4		
				Two-Way	16	64	4		
	<b>93601</b> 2" Estate™ Manual or Motorized Draw	Pleated Ripplefold™	Ceiling Wall	One-Way	16	64	4		
				Two-Way	16	64	4		
	<b>83601 2" Estate™ for Chroma &amp; Varia Fascia</b> Manual or Motorized Draw	Pleated Ripplefold™	Ceiling Wall	One-Way	16	64	4		
				Two-Way	16	64	4		
	<b>84003</b> 1½" K-Rail Manual Draw	Pleated Ripplefold™	Ceiling Wall	One-Way	16	64	4		
				Two-Way	16	64	4		
	<b>94001 Manual or Motorized Draw</b> can be angular bent using 12" radius or circular curved (94001 cannot be convex curved or convex bent and AMP rods cannot be bent or curved)	Pleated Ripplefold™	Ceiling Wall Recessed	One-Way	Hand/Baton/Duplex 20	AMP™ 16	Hand/Baton/Duplex 80	AMP™ 64	4
				Two-Way	40	16	160	64	4
	<b>94003 Cubicle Manual Draw</b> can be angular bent using 12" radius or circular curved	Pleated Ripplefold™	Ceiling Wall Recessed	One-Way	20	80	4		
				Two-Way	40	160	4		
	<b>94004 Cubicle Manual Draw</b> cannot be curved or bent	Pleated Ripplefold™	Ceiling Recessed	One-Way	16	64	4		
				Two-Way	32	128	4		
	<b>94005 Cubicle Manual Draw</b> can be angular bent using 12" radius or circular curved	Pleated Ripplefold™	Ceiling Recessed	One-Way	16	64	4		
				Two-Way	32	128	4		
	<b>9046 Cubicle Manual Draw</b> can be angular bent using 8" or 12" radius or circular curved	Pleated	Ceiling Recessed	One-Way	16	64	4		
				Two-Way	32	128	4		
	<b>9600 Cubicle Manual Draw</b> can be angular bent using 12" or 14" radius or circular curved	Pleated	Ceiling Wall Recessed Suspended	One-Way	20	80	4		
				Two-Way	40	160	4		

\*Maximum track lengths and maximum fabric weight do not apply to curved track. Check with customer service for feasibility. Send complete specifications and fabric weight.