

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Berkeley Plaza Theatre	Facility Type Food Service Establishment	
Licensee Name Robert Elliott	Facility Telephone # 304 263-9303	
Facility Address 267 Monroe St Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 05/31/2018	Total Time Spent 0.88

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Tum-E Yummies coolers	39
Nacho Cheese Machines	139
Fridge	39
Hot Dog Rollers	177
Back cheese machine	136
Back cooler	40

Food Temperatures	
Description	Temperature (Fahrenheit)
Cheese	138

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3bayBucket	ChemicalChemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 0</p> <p>4-703.11 - HOT WATER AND CHEMICAL This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): No sanitizer made at time of inspection</p>

Observed Non-Critical Violations

Total # 3

Repeated # 0

3-305.12 - FOOD STORED IN PROHIBITED AREAS.

OBSERVATION: Boxes of soda and food stuffs need stored off the floor 6 inches in back storage room.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Top of the refrigerator and soda stands need dusted

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Stained ceiling tiles and area around some vents in the bathrooms need repaired or replaced..

Inspection Outcome

Comments

Disclaimer

Person in Charge



carly elliott

Sanitarian



Glenn GCO Ondick