



If you liked our service, please tell a friend. If you didn't, please tell us!
FDA Registration #2000040668

8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com

Test Certificate


Sample Description:	Reef Frenzy Probiotic	Client Name	Larry DuPont
Sample ID:	RF-PB #1	and Address:	Larry's Reef Services LLC
Sample Lot No:	RF-PB #1		████████████████████
Location:			Advance, NC 27006
Received Date:	8/6/13 12:24		
Completed Date:	8/12/2013	Lab No:	28337-01
PO No:	2603		

Analysis	Result	Per Unit	Method
Lactobacilli count	2,600,000	CFU/g	APHA 17th Ed

****NOTE**** Our initial testing resulted in an active count well beyond our expectations! Our foods contain a minimum of 1,000,000 Colony Forming Units per gram. Our submitted test sample was frozen for 30 days before testing, which confirms our delivery method ensures optimal counts in our food products. ****** This statement was added by LRS and not on the original test certificate.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: 
Barbara Taylor-Technical Manager

Dated: 8/12/2013

Printed: 8/12/2013 12:42:25 PM



If you liked our service, please tell a friend. If you didn't, please tell us!
FDA Registration #2000040668

8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com

Test Certificate

Sample Description:	Reef Frenzy Probiotic2	Client Name	Larry DuPont
Sample ID:	RF-PB #2	and Address:	Larry's Reef Services LLC
Sample Lot No:	RF-PB #2		██████████
Location:			Advance, NC 27006
Received Date:	8/6/13 12:24		
Completed Date:	8/12/2013	Lab No:	28337-02
PO No:	2603		


Analysis	Result	Per Unit	Method
Lactobacilli count	4,000,000	CFU/g	APHA 17th Ed

During initial testing we found large amounts of our probiotic blend were not needed to reach a desirable "active culture" count in the final food product. This test at 4 Mil CFU/Gram shows just how potent our additives were, so we were able to reduce the amounts added.

****The above statement was added by LRS and not on the original.*****

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: 
Barbara Taylor-Technical Manager

Dated: 8/12/2013

Printed: 8/12/2013 12:42:25 PM