

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name <b>New Beginnings Childcare</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Shelley Heironimus</b>	Facility Telephone # <b>304 229-8823</b>	
Facility Address <b>1544 Middleway Pike Inwood , WV</b>	Licensee Address <b>,</b>	
<b><i>Inspection Information</i></b>		
Inspection Type <b>Routine</b>	Inspection Date <b>05/18/2018</b>	Total Time Spent <b>1.07</b>

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Whirlpool cooler	<b>41</b>
Small white cooler	<b>41</b>

<b><i>Warewashing Info</i></b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem		<b>+200</b>	bleach	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<p><b>Total # 1</b> <b>Repeated # 1</b></p> <p><b>4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER</b></p> <p><b>This is a critical violation</b></p> <p><b>OBSERVATION:</b> 3 bay sink +200 ppm bleach needs to be between 50-100 ppm</p>

**Observed Non-Critical Violations**

**Total # 3**

**Repeated # 1**

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Black wire shelf needs dusted

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** White kitchen tables need bleached or resurfaced, deep cuts in table tops holding unclean substance.

**6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER**

**REPEAT OBSERVATION** Old microwave and ac unit needs to be repaired and stored correctly or removed and thrown out

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Sanitarian



Glenn GCO Ondick