

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information

Facility Name Moose	Facility Type Food Service Establishment
Licensee Name (Owner Not Set)	Facility Telephone #
Facility Address 593 North Washington St Berkeley Springs, WV	Licensee Address

Inspection Information

Inspection Type Routine	Inspection Date January 25, 2018	Total Time Spent 2.00
----------------------------	-------------------------------------	--------------------------

Equipment Temperatures

Description	Temperature (Fahrenheit)
Freezer	-10.5
Walk-In Cooler	36
Freezer	17
Cooler	41
Freezer	-2.5
Freezer	-10
Cooler	39
Bar Cooler	43

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 0
Repeated # 2

Observed Non-Critical Violations

Total # 12
Repeated # 2

4-501.17 - WAREWASHING EQUIPMENT, CLEANING AGENTS

Observation: The dish washer does not use the proper cleaning agent or other approved chemical for washing purposes.

Corrective Action(s): Provide and use a cleaning agent for the wash solution when warewashing.

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Microwave needs cleaned.

Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Pizza oven needs cleaned.

Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

REPEAT OBSERVATION Fryer needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Cooler needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Counter tops need cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Shelves in walk-in cooler need cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Freezer needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Walk-In cooler needs cleaned (vents; floors; walls).

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Shelves in freezer need cleaned.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Freezer needs defrosted.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Kitchen floors need cleaned.


Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian

Tim Zeigler