Practice Tests and Answer Keys **Practice Test**





Name_

Date _

① Which group of individuals has a higher risk of foodborne illness?

- A Teenagers
- B Elderly people
- C Women
- D Vegetarians

2 Parasites are commonly associated with

- A seafood.
- B eggs.
- C potatoes.
- D ready-to-eat food.

3 Ciguatera toxin is commonly found in

- A amberjack.
- B pollock.
- C tuna.
- D cod.

④ Which is a TCS food?

- A Saltines
- B Bananas
- C Baked potato
- D Coffee

5 What type of toxin is ciguatera toxin?

- A Biological
- B Physical
- C Bacterial
- D Microbial

6 What should foodservice operators do to prevent the spread of hepatitis A?

- A Cook food to minimum internal temperatures
- B Freeze fish for 36 hours before serving
- C Exclude staff with jaundice from the operation
- D Purchase mushrooms from approved, reputable suppliers

⑦ To wash hands correctly, a food handler must first

A apply soap.

- B wet hands and arms.
- C scrub hands and arms vigorously.
- D use a single-use paper towel to dry hands.

^(®) What should foodservice operators do to prevent customer illness from Shigella spp.?

- A Freeze food at temperatures below 0°
- B Exclude food handlers diagnosed with jaundice
- C Purchase shellfish from approved suppliers
- D Control flies inside and outside the operation

(9) What must a food handler with a hand wound do to safely work with food?

- A Bandage the wound with an impermeable cover and wear a single-use glove
- B Bandage the wound and avoid contact with food for the rest of the shift
- C Wash the wound and wear a single-use glove
- D Apply iodine solution and a permeable bandage

(10) What item is considered acceptable work attire for a food handler?

- A False eyelashes
- B Nail polish
- C Plain-band ring
- D Antimicrobial plastic watch band

(1) What task requires food handlers to wash their hands before and after doing it?

- A Taking out garbage
- B Touching clothing or aprons
- C Handling raw meat, poultry, or seafood
- D Using chemicals that might affect food safety

(12) Which action requires a food handler to change gloves?

- A The food handler is working with raw seafood at temperatures above 41°F (5°C)
- B The food handler is prepping raw chicken on a yellow cutting board
- C The food handler has been working with raw ground beef for an hour
- D The food handler is wearing gloves that have been torn

^(B) How should the temperature of a shipment of cottage cheese be taken when it arrives at an operation?

- A Use an air probe to check the temperature of the delivery truck
- B Hold an infrared thermometer to the outside of the case or carton
- C Place the thermometer stem between shipping boxes for a reading
- D Place the thermometer stem into an opened container

(14) When should a shipment of fresh chicken be rejected?

- A The flesh of the chicken appears moist.
- B Shellstock identification tags are not attached to the container.
- C The flesh of the chicken is firm and springs back when touched.
- D The receiving temperature is 50°F (10°C).

(15) Where should ground fish be stored in a cooler?

- A Above shellfish
- B Below ground poultry
- C Above ready-to-eat food
- D Below pork roasts

(b) What is the maximum number of days that ready-to-eat food prepared on-site can be stored if held at 41°F (5°C)?

- A 3 days
- B 5 days
- C 7 days
- D 10 days

In top-to-bottom order, how should a fresh beef roast, fresh halibut, lettuce, and a pan of ground chicken be stored in a cooler?

- A Lettuce, fresh beef roast, ground chicken, fresh halibut
- B Lettuce, fresh halibut, fresh beef roast, ground chicken
- C Fresh halibut, lettuce, ground chicken, fresh beef roast
- D Fresh halibut, fresh beef roast, ground chicken, lettuce

(18) What organization requires Material Safety Data Sheets?

- A Food and Drug Administration
- B Occupational Safety and Health Administration
- C Environmental Protection Agency
- D National Restaurant Association

(19) What is the minimum internal cooking temperature for rice that is hot-held for service?

- A 165°F(74°C)
- B 155°F (68°C)
- C 145°F (63°C)
- D 135°F (57°C)

²⁰ What food item does the Food and Drug Administration advise against offering on a children's menu?

- A Rare cheeseburgers
- B Egg salad
- C Peanut butter and jelly sandwiches
- D Fried shrimp

(2) TCS food reheated for hot-holding must reach what temperature?

- A 135° (57°C) for 15 seconds
- B 145° (63°C) for 15 seconds
- C 155° (68°C) for 15 seconds
- D 165° (74°C) for 15 seconds

22 What method should never be used to thaw food?

- A Place the item in a cooler
- B Place the item on a prep counter
- C Microwave the item
- D Cook the item

⁽³⁾ Food that is partially cooked and then finished just before service must be heated to what temperature?

- A 165°F (74°C) for 15 seconds
- B 155°F (68°C) for 15 seconds
- C 145°F (63°C) for 15 seconds
- D 135°F (57°C) for 15 seconds

⁽²⁾ Food held at 41°F (5°C) or lower before being removed from refrigeration can be held without temperature control for up to how many hours?

- A 2
- Β4
- C 6
- D 8

(25) Hot TCS food can be held without temperature control for a maximum of

- A 2 hours.
- B 4 hours.
- C 6 hours.
- D 8 hours.

26 Which food may be re-served to customers?

- A Unused, uncovered condiments
- B Uneaten bread
- C Unopened pre-packaged food
- D Unused whole fruit garnish

(2) What is the purpose of setting critical limits in a HACCP plan?

- A To identify potential hazards
- B To identify where hazards can be eliminated
- C To reduce hazards to safe levels
- D To determine if the HACCP plan is working

⁽²⁸⁾ What is the minimum water temperature required when using hot water to sanitize objects?

- A 171°F(77°C)
- B 173°F(78°C)
- C 176°F (80°C)
- D 179°F (81°C)

⁽²⁾ What HACCP principle is being practiced when food handlers rewash melons that have surface dirt?

- A Monitoring
- B Corrective action
- C Critical limit
- D Critical control point

³⁰ What is the final step in cleaning and sanitizing a prep table?

- A Sanitizing the surface
- B Allowing the surface to air-dry
- C Washing the surface
- D Rinsing the surface

(3) What is the minimum time an iodine sanitizer solution must be in contact with the object being sanitized?

- A 15 seconds
- B 30 seconds
- C 45 seconds
- D 60 seconds

3 If a food-contact surface is in constant use, how often should it be cleaned and sanitized?

- A Every 2 hours
- B Every 4 hours
- C Every 6 hours
- D Every 8 hours

⁽³⁾ What is the third step in cleaning and sanitizing items in a three-compartment sink?

- A Sanitizing
- B Air-drying
- C Rinsing
- D Washing

³What type of thermocouple probe should be used to check the internal temperature of a beef roast?

- A Air
- B Surface
- C Immersion
- D Penetration

35 What food safety practice can prevent cross-contact?

- A Using only food-grade equipment
- B Washing, rinsing, and sanitizing utensils before each use
- C Keeping food frozen until use
- D Purchasing food from approved, reputable suppliers

³⁶ What is the most likely cause of wheezing and hives?

- A Food allergies
- B Norovirus
- C Shigella spp.
- D Hepatitis A

37 What is a basic characteristic of a virus?

- A Destroyed by cooking
- B Grows in food
- C Requires a living host to grow
- D Commonly found in cattle intestines

3 Where should staff members eat, drink, smoke, or chew gum?

- A Where customers eat
- B In dishwashing areas
- C Outside the kitchen door
- D In designated areas

⁽³⁾ When can a food handler with a sore throat and a fever return to work with or around food?

- A The fever is gone for 24 hours.
- B The sore throat is gone.
- C A written medical release is provided.
- D No symptoms are experienced for 24 hours.

(4) What should a foodservice operator do when responding to a foodborne-illness outbreak?

- A Notify the media
- B Segregate the product
- C Close the operation for the day
- D Ask customers for proof of their symptoms