

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Moler Ave. ROCS Food	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 260-0322	
Facility Address 1100 Shepherdstown Rd Martinsburg , WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date 07/27/2017	Total Time Spent 1.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Sandwich cooler	41
Walk in cooler	39
Half and half cooler	41
Hot cheese dispenser	136
Hot food roller	145
Hot food holder	152
Hot dog roller	151
Salad chicken case	159
Chicken hot holder	40
True cooler	39
Virtofrigo cooler	36
2 door true cooler	39
Chicken walk in cooler	38
Hot dog condiment holder	150
Henny Penny warmer	

Food Temperatures	
Description	Temperature (Fahrenheit)
Fried chicken	185
Mashed potatoes	148
Baked beans	145
Mac and Cheese	118
Roller Meat	139

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 2

Repeated # 2

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Freal shake equipment needs cleaned

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Soda ice shoots on retail side needs cleaned, mold

Observed Non-Critical Violations

Total # 3

Repeated # 2

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Top of the oven needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Tops of the dispenser equipment needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Hood filters need cleaned, dust

Inspection Outcome

Comments

Disclaimer

Person in Charge



Ashley Parsons

Sanitarian



Glenn GCO Ondick