




Roller Reamers




APT roller reamers are manufactured as a heavy duty, any condition tool whether the formation is soft, medium, or hard. All our roller reamers are designed for easy replacement of the rollers at the rig site. This eliminates the need for extra trucking or reamers on site. There are three types of cutters for the different drilling formations.



APT roller reamers are supplied with redress kits and can be stocked for your convenience. All of our near bit reamers come standard with float bores per API specification. We have six point and dual size reamer bodies in larger sizes for those conditions that require more cutters.



Roller Reamers



Hole Size in - (mm)	A Body OD in - (mm)	B Body ID in - (mm)	C Overall Length in - (mm)	D Fishing Neck Length in - (mm)	E Nominal Fishing Neck Dia. in - (mm)
5-7/8 - (149)	4-3/4 - (120)	1-1/4 - (32)	80 - (2032)	37 - (940)	4-3/4 - (120)
6 - (152)	4-3/4 - (120)	1-1/4 - (32)	80 - (2032)	37 - (940)	4-3/4 - (120)
6-1/8 - (155)	4-3/4 - (120)	1-1/4 - (32)	80 - (2032)	37 - (940)	4-3/4 - (120)
6-1/8 - (155)	4-3/4 - (120)	1-1/2 - (38)	80 - (2032)	37 - (940)	4-3/4 - (120)
6-1/4 - (159)	4-3/4 - (120)	1-3/4 - (45)	80 - (2032)	37 - (940)	4-3/4 - (120)
6-1/2 - (165)	4-3/4 - (120)	1-3/4 - (45)	80 - (2032)	37 - (940)	4-3/4 - (120)
7-7/8 - (200)	6-1/2 - (165)	2-1/4 - (57)	95 - (2413)	37 - (940)	6-1/2 - (165)
8-1/2 - (216)	6-1/2 - (165)	2-1/4 - (57)	95 - (2413)	37 - (940)	6-1/2 - (165)
8-3/4 - (222)	6-1/2 - (165)	2-1/4 - (57)	95 - (2413)	37 - (940)	6-1/2 - (165)
9-7/8 - (251)	6-1/2 - (165)	2-1/4 - (57)	98 - (2490)	48 - (1220)	6-1/2 - (165)
9-7/8 - (251)	8 - (203)	2-1/4 - (57)	98 - (2490)	48 - (1220)	8 - (203)
11 - (279)	8 - (203)	2-13/16 - (71)	98 - (2490)	48 - (1220)	8 - (203)
12-1/8 - (308)	8 - (203)	2-13/16 - (71)	126 - (3200)	55 - (1398)	8 - (203)
12-1/8	9-1/2 - (241)	2-13/16 - (71)	126 - (3200)	55 - (1398)	9-1/2 - (241)
12-1/4 - (311)	8 - (203)	2-13/16 - (71)	126 - (3200)	55 - (1398)	8 - (203)
12-1/4	9-1/2 - (241)	2-13/16 - (71)	126 - (3200)	55 - (1398)	9-1/2 - (241)
14-3/4 - (375)	9-1/2 - (241)	2-13/16 - (71)	126 - (3200)	55 - (1398)	9-1/2 - (241)
16 - (406)	9-1/2 - (241)	2-13/16 - (71)	126 - (3200)	55 - (1398)	9-1/2 - (241)
17-1/2 - (444)	9-1/2 - (241)	2-13/16 - (71)	126 - (3200)	55 - (1398)	9-1/2 - (241)
20 - (508)	9-1/2 - (241)	2-13/16 - (71)	126 - (3200)	55 - (1398)	9-1/2 - (241)
26 - (660)	9-1/2 - (241)	2-13/16 - (71)	126 - (3200)	55 - (1398)	9-1/2 - (241)