

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Big Apple Lounge	Facility Type Food Service Establishment	
Licensee Name J-Bird, LLC	Facility Telephone # 304 821-1137	
Facility Address 187 Sadler Lane Inwood , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/25/2019	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Kitchen refrigerator	
Sandwich cooler top	41
Sandwich cooler bottom	40
Glass door cooler	40
Beer mug cooler(no food)	39

Food Temperatures	
Description	Temperature (Fahrenheit)
Soup	148

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
SanitizerbucketBar3baysink3baysink	chemchemchemical		300-4003 00-400		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 1</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Several utensils and sharp kitchen knives need recleaned, stored with dried foodstuffs still on equipment</p>

Observed Non-Critical Violations

Total # 6

Repeated # 1

3-304.14 - WIPING CLOTHS AND WORKING CONTAINERS, USE LIMITATION

OBSERVATION: In-use wet sanitized towels need to be stored in sanitizer when not in use, not sitting on equipment in between uses

4-501.12 - CUTTING SURFACES

REPEAT OBSERVATION Sandwich cutting board needs replaced or resurfaced, cuts and melted areas not smooth and easily cleanable

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Back standup freezer door needs repaired, rust.

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Inside of the white refrigerator needs repaired, rust

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Sandwich case gaskets need repaired torn

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors under some equipment and harder to reach areas need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



katie Largent

Sanitarian



Glenn GCO Ondick