

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name T.J.'s Place	Facility Type Food Service Establishment	
Licensee Name T.J.'s Place	Facility Telephone # 304 274-0552	
Facility Address 30 Forever Green Drive Falling Waters , WV	Licensee Address 30 Forever Green Drive Falling Waters , WV 25419	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 12/14/2018	Total Time Spent 1.30

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
prep unit	38
Continental refrigerator	40
bar coolers	34
beer walkin	38
back room refrigerator	35

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkspraybottle	chemical		300400	quatquat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b> <b>Repeated # 0</b></p> <p><b>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Salad Dressing (11/29) and fried onions (12/6) found in prep unit</p>

**Observed Non-Critical Violations**

**Total # 6**

**Repeated # 0**

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Under plastic bar mats used to hold glasses need cleaned in bar

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Fans in continental fridge need cleaned, dust

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): Grill utensils found not clean in drawer

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Sides of fryer and floor around fryer need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Ceiling vents in mens and womens bathrooms need cleaned, dust

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floor behind the bar needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**Timothy Ryan Kisner**



**Luke Hartley**