



HONEYCOMB

SHADES

Effective May 8, 2017 (Revised 7/5/17)

design simplified™

TABLE OF CONTENTS

Product Overview

• What's New for 2017	2
• Features & Benefits	2
• Pattern Information	3
• Fabric and Rail Color Charts	4-10

Pricing for Standard Rectangular, Options, Remotelift 2.0, Simplicity Surcharges

• Price Groups 1-5	11-15
• Price Groups 6M-9M	16-19
• Price Groups 10-12 – SoftStyle Semi-Opaque	20-22
• Price Group 13 – SoftStyle Blackout	23
• Price Group 14 – 2" Hybrid Pleat – Semi-Opaque	24
• Price Group 15 – 2" Hybrid Pleat - Blackout	25

Product Configuration Specifications

• Standard Cordlock	26
• Two-on-One Headrail	27
• Top-Down or Top-Down/Bottom-Up	28
• Two-Fabric Combination	29
• Cut-Outs	29
• Cordless Lift	30
• Cordless Lift & Lock	31
• Cordless Lift & Lock Top-Down/Bottom-Up	31
• Continuous Cord Loop	32-33

Versatile Innovations™

TriLight Shades®

• Features & Benefits	34
• Selecting a TriLight Shade	34
• Sheer Pleated Color Chart	35
• Pricing Groups and Options	36
• Configuration Specifications	37-39
• Stacking Information	37-39

Tandem™ Shades

• Features & Benefits	40
• Selecting a Tandem Shade	40
• Back Liner Color Chart	41
• Pricing and Options	41
• Configuration Specifications	41-43
• Stacking and Loop Specifications	44

Product Configuration Specifications

• RemoteLift™ 2.0 Motorization	45-49
• Simplicity Motorization	50-51
• Vertical Application	52-55
• Classic Skylight	56-59
• Skylight with Simplicity Motorization	60
• Arches	61-63
• Specialty Shapes	64-65
• Size Standards Summary	66-68
• Product Components Diagrams	69-79

WHAT'S NEW FOR 2017

- Color Coordinated rails can be ordered at no charge. Fabric wrapped rails can be ordered for a surcharge. Rail option must now be selected at the time the order is placed.
- Cordless Lift Handle – Cordless shades now come with the color coordinated or clear cordless handle pre-installed.
- Simplicity battery operated motorization. Simple RF motorization system available on Honeycomb and Hybrid Pleat shades.
- RemoteLift 2.0 specifications have been updated. Please review the size chart when ordering.

FEATURES & BENEFITS



- Their distinctive cellular construction helps insulate homes and reduce heating and cooling bills.
- Their superior sound absorption helps make surroundings quieter and more comfortable.
- 100% stain-resistant polyester fabric is wrinkle-resistant and easy to clean and maintain – most fabric styles are completely washable.
- Color choices include over 200 options from neutrals and bold colors to exclusive prints and wovens.
- Multiple cell size choices, including 2" Hybrid Pleat, cover small- to large-scale windows, plus sliding glass doors.
- Fabric opacities range from sheer and semi-sheer to blackout, offering privacy and light control versatility. FR fabrics are also available.
- The neutral white backing on most fabric styles provides a consistent appearance to the outside of the home.
- Offered with a wide selection of control options, including top-down/bottom-up, continuous loop, cordless lift, vertical application and motorized control, to fit any need.
- Cordless lift, cordless lift & lock, continuous cord loop, RemoteLift 2.0 shades, and Simplicity shades are available with Fabric Covered rails for a surcharge.
- Optional color-coordinated rails are available at no additional cost.
- Features Versatile Innovations™ Tandem™ and TriLight Shades® for enhanced versatility.
- Limited lifetime warranty ensures your customers' satisfaction.

PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name		# of Cells	Price Group (Standard)	Winter R-Values	Summer Solar Heat Gain Coefficient	Care Code	Light Control	Hardware Restrictions	Hardware Options
3/8" Essence	H11	Single	1	4.92	0.41	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	• Standard Cordlock • Continuous Cord Loop System • Continuous Cord Loop Top-Down/ Bottom-Up • Cordless Lift System • Cordless Lift & Lock • Two-Fabric Combination • Top-Down • Top-Down/ Bottom-Up • Two-On-One Headrail • Vertical Application • Classic Skylight • Arches • Angles • Specialty Shapes • Battery Operated Motorization • TriLight • Tandem
3/8" Marcella	H44	Single	6-M	4.92	0.41	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	
3/8" Opulence	H40	Single	1	4.45	0.35	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	
3/8" Opulence Blackout	H41	Single	4	5.89	0.21	1, 2 & 3	E	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	
3/8" Paisley	H17	Single	1	4.92	0.41	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	
3/8" Serenity Blackout	H12	Single	4	5.89	0.21	1, 2 & 3	E	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	
3/8" Texture	H18	Single	1	4.92	0.41	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	
3/4" Elite Woven	H50	Single	5	5.16	0.36	1, 2 & 3	C	—	
3/4" Elite Woven Blackout	H51	Single	5	5.74	0.25	1, 2 & 3	E	—	
3/4" Essence	H21	Single	2	4.49	0.43	1, 2 & 3	C	—	
3/4" Linen	H27	Single	2	4.49	0.36	1, 2 & 3	C	—	
3/4" Marcella	H45	Single	7-M	5.00	0.41	1, 2 & 3	C	—	
3/4" Marcella Blackout	H46	Single	9-M	5.88	0.20	1, 2 & 3	E	—	
3/4" Opulence	H28	Single	2	4.49	0.36	1, 2 & 3	C	—	
3/4" Opulence Blackout	H29	Single	4	4.87	0.25	1, 2 & 3	E	—	
3/4" Serene FR*	H62	Single	2	5.16	0.36	1, 2 & 3	C	—	
3/4" Serene FR Blackout*	H60	Single	4	5.74	0.25	1, 2 & 3	E	—	
3/4" Serenity Blackout	H22	Single	4	5.78	0.26	1, 2 & 3	E	—	
3/4" Tiffany Sheer	H25	Single	4	3.72	0.22	1, 2 & 3	A	TriLight	
3/4" Tranquility Semi-Sheer	H24	Single	4	4.07	0.41	1, 2 & 3	B	TriLight, Vertical Application	
1/2" Harmony Double Cell	H31	Double	3	4.78	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
1/2" Marcella Double Cell	H47	Double	8-M	5.26	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
1/2" Opulence Double Cell	H39	Double	3	4.78	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
3/8" Tricella Triple Cell	H58	Triple	4	5.78	0.20	1, 2 & 3	C	Cordless, Cordless Lift & Lock, Cordless TDBU, Cordless Two-Fabric Combo, Vertical App, Skylight, Top-Down Arch, Motorization, TriLight, Tandem	
SoftStyle Semi-Opaque – Small Single Cell	S11	Single	10	**	N/A	1, 2 & 3	C	Vertical Application, Two-Fabric Combo	
SoftStyle Semi-Opaque – Large Single Cell	S21	Single	11	**	N/A	1, 2 & 3	C	Two-Fabric Combo	
SoftStyle Semi-Opaque – Double Cell	S31	Double	12	**	N/A	1, 2 & 3	C	Vertical Application, Two-Fabric Combo	
SoftStyle Blackout – Small Single Cell	S13	Single	13	**	N/A	1 & 3	E	Vertical Application, Two-Fabric Combo	
SoftStyle Blackout – Large Single Cell	S23	Single	13	**	N/A	1 & 3	E	Two-Fabric Combo	
SoftStyle Blackout – Double Cell	S32	Double	13	**	N/A	1 & 3	E	Vertical Application, Two-Fabric Combo	
2" Hybrid Pleat – Semi-Opaque	HPF	Single	14	4.53	N/A	1, 2 & 3	C	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes	
2" Hybrid Pleat – Blackout	HPR	Singe	15	4.78	N/A	1, 2 & 3	E	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes	

* Flame Resistant – Passes Flame Test NFPA 701

** Comparable test data on SoftStyle shades is not available.

Winter R-Values

R-Value measures resistance to heat loss. The higher the R-Value, the more insulation the product provides. In winter, higher insulation means less heat loss and a warmer room. (Double glaze window.)

Summer Solar Heat Gain Coefficient

Coefficient measures the products ability to reduce heat gain from the sun. The lower the number, the less solar energy it transmits. In summer, less heat transmitted means a cooler room. (Double glaze window.)

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Honeycomb Shade surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Honeycomb Shade surfaces which need spot cleaning.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Honeycomb Shade surfaces which are heavily soiled.



A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).



E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

FABRIC AND RAIL COLOR CHART

3/8" Single Cell Fabrics (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
ESSENCE Semi-Opaque (Price Group 1)				
H11	102	Cotton	661	N/A
H11	104	Cream	320	
H11	170	French Vanilla	882	
H11	365	Gray Clouds	018*	
H11	108	Honey	630	
H11	110	Mocha	954	
H11	109	Mushroom	882	
H11	103	Natural	320	
H11	181	Vanilla Nut Cream	862	
H11	171	Wheat	882	
MARCELLA Semi-Opaque (Price Group 6-M)				
H44	807	Almond Glaze	630	N/A
H44	808	Brown Sugar	083	
H44	804	Crepe Souffle	882	
H44	803	Jasmine Wisp	674	
H44	802	Mountain Mist	862	
H44	801	Sugar Cane	661	

*H11-365 Standard Cordlock, rail color will be 885. For all other Lifting Systems, rail color will be 018. Please refer to Hardware Color Card to view samples of these colors.

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Blackout (Price Group 4)				
H41	628	Cloud Puff	661	N/A
H41	703	Doe	862	
H41	702	Soft White	785	
H41	632	Tranquil Tea	954	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 1)				
H40	606	Biscuit	882	N/A
H40	636	Chocolate Bliss	083	
H40	608	Cocoa	810	
H40	603	Doe	862	
H40	604	Fallen Snow	882	
H40	612	Gentle White	661	
H40	615	Sagebrush	621	
H40	629	Soft Linen	862	
H40	601	Soft White	661	
H40	617	Sunbeam	862	
H40	632	Tranquil Tea	954	
H40	637	Warm Cocoa	361	
PAISLEY Semi-Opaque (Price Group 1)				
H17	190	Cotton	661	N/A
H17	192	French Vanilla	882	
H17	195	Mocha	954	
H17	191	Natural	862	
TEXTURE Semi-Opaque (Price Group 1)				
H18	102	Eggshell	674	N/A
H18	103	Fields Of Wheat	630	
H18	101	White Birch	661	
H18	104	Woodgrain	810	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SERENITY Blackout (Price Group 4)				
H12	150	Coconut Cream	862	N/A
H12	141	Delta	127	
H12	140	Dune	674	
H12	138	Glacier	661	
H12	365	Gray Clouds	018*	
H12	364	Ocean Dreams	685	
H12	139	Swan	785	

**H12-365 Standard Cordlock, rail color will be 885. For all other Lifting Systems, rail color will be 018. Please refer to Hardware Color Card to view samples of these colors.

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Continuous Cord Loop, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Semi-Opaque, Semi-Sheer & Sheer)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
ELITE WOVEN Semi-Opaque (Price Group 5)				
H50	902	Beige Khacki	862	862
H50	901	Blanched Almond	862	862
H50	905	Blue Pearl	685	661
H50	960	Cityscape	765	276
H50	903	Lion Grey	862	810
H50	962	Mountain Sunset	960	862
H50	904	Pale Taupe	127	810
H50	961	Prairie	630	841
H50	900	Snow White	661	661
ESSENCE Semi-Opaque (Price Group 2)				
H21	214	Cameo	127	862
H21	202	Cotton	661	661
H21	204	Cream	320	862
H21	270	French Vanilla	882	882
H21	365	Gray Clouds	018	276
H21	208	Honey	630	082
H21	205	Jute	674	862
H21	210	Mocha	954	882
H21	301	Morning Mist	862	862
H21	209	Mushroom	882	882
H21	203	Natural	320	862
H21	207	Straw	630	882
H21	300	Swiss Chocolate	361	810
H21	288	Vanilla Nut Cream	785	785
H21	271	Wheat	882	882
LINEN Semi-Opaque (Price Group 2)				
H27	454	Dried Sage	621	862
H27	451	French Vanilla	882	882
H27	452	Harvest	630	841
H27	453	Khaki	630	841
MARCELLA Semi-Opaque (Price Group 7-M)				
H45	807	Almond Glaze	630	862
H45	825	Ashen Green	640	661
H45	808	Brown Sugar	083	083
H45	804	Crepe Souffle	882	882
H45	822	Grey Linen	765	276
H45	803	Jasmine Wisp	674	862
H45	824	Lavender Blue	741	661
H45	802	Mountain Mist	862	862
H45	826	Pastel Purple	465	661
H45	823	Peachy Pink	979	661
H45	821	Pearly Beige	862	862
H45	801	Sugar Cane	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 2)				
H28	651	Accent Grey	765	276
H28	606	Biscuit	882	882
H28	656	Blue Shale	450	661
H28	663	Bluebird	685	661
H28	636	Chocolate Bliss	083	083
H28	608	Cocoa	810	810
H28	622	Country Road	621	862
H28	603	Doe	862	862
H28	604	Fallen Snow	882	882
H28	635	Fudge Truffle	954	082
H28	621	Gentle White	661	661
H28	653	Golden Sage	630	841
H28	652	Grey Stone	765	276
H28	631	Pristine Beach	954	082
H28	634	Renaissance Clay	956	862
H28	615	Sagebrush	621	785
H28	654	Slate Green	640	661
H28	629	Soft Linen	862	862
H28	601	Soft White	661	661
H28	617	Sunbeam	862	862
H28	607	Taupe	127	862
H28	632	Tranquil Tea	954	082
H28	655	Violet Grey	465	661
H28	637	Warm Cocoa	361	810
H28	618	White Azalea	661	661
SERENE FR Semi-Opaque (Price Group 2)				
H62	263	Blanched Almond	862	N/A
H62	261	Lemon Chiffon	785	
H62	262	Pearl Shell	882	
H62	260	Snow White	661	

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TIFFANY Sheer (Price Group 4)				
H25	102	Almond Veil	882	882
H25	103	Soft Sand	862	862
H25	100	White Veil	661	661
TRANQUILITY Semi-Sheer (Price Group 4)				
H24	273	Desert Sand	882	N/A
H24	272	Pale Rose	320	
H24	274	Soft Buttercup	674	
H24	271	White Linen	661	

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
ELITE WOVEN Blackout (Price Group 5)				
H51	911	Blanched Almond	320	862
H51	910	Cool White	661	661
H51	915	Dark Berry	465	661
H51	968	Deep Blue Seas	415	661
H51	913	Enchanted Earth	810	785
H51	912	Golden Lion	630	841
H51	914	Grey Green	135	661
H51	967	Spanish Olive	958	785
MARCELLA Blackout (Price Group 9-M)				
H46	807	Almond Glaze	630	862
H46	825	Ashen Green	640	661
H46	808	Brown Sugar	954	083
H46	804	Crepe Souffle	882	882
H46	822	Grey Linen	765	276
H46	803	Jasmine Wisp	674	862
H46	824	Lavender Blue	741	661
H46	802	Mountain Mist	862	862
H46	826	Pastel Purple	465	661
H46	823	Peachy Pink	979	661
H46	821	Pearly Beige	862	862
H46	801	Sugar Cane	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Blackout (Price Group 4)				
H29	663	Bluebird	685	661
H29	662	Butternut	952	785
H29	654	Charcoal Black	048	048
H29	628	Cloud Puff	661	661
H29	652	Deep Slate	450	661
H29	603	Doe	862	862
H29	661	Palm Frond	958	785
H29	626	Roasted Caramel	956	785
H29	651	Serene Sage	621	785
H29	601	Soft White	785	785
H29	607	Taupe	127	862
H29	632	Tranquil Tea	954	082
H29	653	Vintage Vinyard	465	661
H29	637	Warm Cocoa	849	810
H29	618	White Azalea	885	661
SERENE FR Blackout (Price Group 2)				
H60	163	Blanched Almond	862	N/A
H60	160	Cool White	661	
H60	161	Lemon Chiffon	785	
H60	162	Pearl Shell	882	
SERENITY Blackout (Price Group 4)				
H22	250	Coconut Cream	862	862
H22	241	Delta	127	862
H22	240	Dune	674	785
H22	238	Glacier	661	661
H22	365	Gray Clouds	018	276
H22	301	Morning Mist	862	862
H22	364	Ocean Dreams	685	661
H22	239	Swan	785	862
H22	300	Swiss Chocolate	849	810

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

CODE KEY: HEADRAIL	
STD	= Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)
VA	= Vertical Application shades

FABRIC AND RAIL COLOR CHART

1/2" Double Cell & 3/8" Triple Cell Fabrics

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
HARMONY Double Cell (Price Group 3)				
H31	302	Cotton	661	N/A
H31	304	Cream	320	
H31	370	French Vanilla	882	
H31	310	Mocha	954	
H31	309	Mushroom	882	
H31	303	Natural	320	
H31	371	Wheat	882	
H31	381	White Frosting	862	
MARCELLA Double Cell (Price Group 8-M)				
H47	807	Almond Glaze	630	N/A
H47	825	Ashen Green	640	
H47	808	Brown Sugar	083	
H47	804	Crepe Souffle	882	
H47	822	Grey Linen	765	
H47	803	Jasmine Wisp	674	
H47	824	Lavender Blue	741	
H47	802	Mountain Mist	862	
H47	826	Pastel Purple	465	
H47	823	Peachy Pink	979	
H47	821	Pearly Beige	862	
H47	801	Sugar Cane	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Double Cell (Price Group 3)				
H39	651	Accent Grey	765	N/A
H39	606	Biscuit	882	
H39	663	Bluebird	685	
H39	656	Casual Black	048	
H39	636	Chocolate Bliss	083	
H39	608	Cocoa	810	
H39	603	Doe	862	
H39	604	Fallen Snow	882	
H39	635	Fudge Truffle	954	
H39	654	Grey & Blue	741	
H39	652	Grey Stone	765	
H39	653	Mellow Gold	952	
H39	626	Milk Chocolate	083	
H39	621	Polar White	661	
H39	615	Sagebrush	621	
H39	629	Soft Linen	862	
H39	601	Soft White	661	
H39	617	Sunbeam	862	
H39	632	Tranquil Tea	954	
H39	637	Warm Cocoa	361	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TRICELLA Triple Cell (Price Group 4)				
H58	100	Cotton Bloom	661	N/A
H58	108	Dreamy Sunset	952	
H58	110	Foxy Gray	765	
H58	106	Malibu Coast	630	
H58	104	Sand Castle	862	
H58	102	Sun Glow	862	

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

SOFTSTYLE Small Single, Large Single & Double Cell Fabrics (Semi-Opaque)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Semi-Opaque (Price Group 10)				
S11	589	Afternoon Light	127	N/A
S11	511	Brown Bear	849	
S11	522	Cake Batter	320	
S11	586	Cantaloupe	127	
S11	515	Cavern	361	
S11	581	Coastal Eddy	018	
S11	528	Daisy White	320	
S11	587	Dried Rose	127	
S11	524	Gold Treasure	952	
S11	513	Graystone	810	
S11	580	Guava Smoothie	979	
S11	526	Ice Age	862	
S11	529	Lemon Frost	882	
S11	500	Marshmallow	661	
S11	584	Ocean Blue	450	
S11	527	Pale White	785	
S11	520	Pure Honey	952	
S11	585	Riverstone	450	
S11	588	Rocking Chair	083	
S11	517	Rye	630	
S11	503	Scone	320	
S11	509	Silver Dollar	405	
S11	582	Steel	018	
S11	521	Trail	810	
S11	501	Veil	320	
LARGE SINGLE CELL - Semi-Opaque (Price Group 11)				
S21	589	Afternoon Light	127	862
S21	511	Brown Bear	849	810
S21	522	Cake Batter	320	862
S21	586	Cantaloupe	127	083
S21	515	Cavern	361	862
S21	581	Coastal Eddy	018	276
S21	528	Daisy White	320	785
S21	587	Dried Rose	127	661
S21	524	Gold Treasure	952	082
S21	513	Graystone	810	810
S21	580	Guava Smoothie	979	661
S21	526	Ice Age	862	862
S21	529	Lemon Frost	882	882
S21	500	Marshmallow	661	661
S21	584	Ocean Blue	450	661
S21	527	Pale White	785	785
S21	520	Pure Honey	952	082
S21	585	Riverstone	450	661
S21	588	Rocking Chair	083	083
S21	517	Rye	630	841
S21	503	Scone	320	862
S21	509	Silver Dollar	405	276
S21	582	Steel	018	276
S21	521	Trail	810	810
S21	501	Veil	320	862

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Semi-Opaque (Price Group 12)				
S31	589	Afternoon Light	127	N/A
S31	511	Brown Bear	849	
S31	522	Cake Batter	320	
S31	586	Cantaloupe	127	
S31	515	Cavern	361	
S31	581	Coastal Eddy	018	
S31	528	Daisy White	320	
S31	587	Dried Rose	127	
S31	524	Gold Treasure	952	
S31	513	Graystone	810	
S31	580	Guava Smoothie	979	
S31	526	Ice Age	862	
S31	529	Lemon Frost	882	
S31	500	Marshmallow	661	
S31	584	Ocean Blue	450	
S31	527	Pale White	785	
S31	520	Pure Honey	952	
S31	585	Riverstone	450	
S31	588	Rocking Chair	083	
S31	517	Rye	630	
S31	503	Scone	320	
S31	509	Silver Dollar	405	
S31	582	Steel	018	
S31	521	Trail	810	
S31	501	Veil	320	

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

SOFTSTYLE Small Single, Large Single & Double Cell Fabrics (Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Blackout (Price Group 13)				
S13	760	Blue	685	N/A
S13	762	Blush	127	
S13	709	Buttercream	320	
S13	781	Coastal Eddy	018	
S13	703	Crème Brulee	882	
S13	706	Goose Down	661	
S13	710	Ice Princess	885	
S13	702	Irish Coffee	862	
S13	711	Moon Dust	320	
S13	700	Pebble	361	
S13	701	Pitch Black	048	
S13	707	Pristine Palace	785	
S13	704	Richwood	849	
S13	763	Silver Dollar	405	
S13	705	Stone Path	630	
LARGE SINGLE CELL - Blackout (Price Group 13)				
S23	760	Blue	685	661
S23	762	Blush	127	862
S23	709	Buttercream	320	862
S23	781	Coastal Eddy	018	276
S23	703	Crème Brulee	882	882
S23	706	Goose Down	661	661
S23	710	Ice Princess	885	785
S23	702	Irish Coffee	862	862
S23	711	Moon Dust	320	785
S23	700	Pebble	361	810
S23	701	Pitch Black	048	048
S23	707	Pristine Palace	785	785
S23	704	Richwood	849	810
S23	763	Silver Dollar	405	276
S23	705	Stone Path	630	841

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Blackout (Price Group 13)				
S32	760	Blue	685	N/A
S32	762	Blush	127	
S32	709	Buttercream	320	
S32	781	Coastal Eddy	018	
S32	703	Crème Brulee	882	
S32	706	Goose Down	661	
S32	710	Ice Princess	885	
S32	702	Irish Coffee	862	
S32	711	Moon Dust	320	
S32	700	Pebble	361	
S32	701	Pitch Black	048	
S32	707	Pristine Palace	785	
S32	704	Richwood	849	
S32	763	Silver Dollar	405	
S32	705	Stone Path	630	

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

2" Hybrid Pleat (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque (Price Group 14)				
<i>Coordinates with Opulence colors of the same name</i>				
HPF	851	Accent Gray	765	276
HPF	806	Biscuit	882	882
HPF	808	Cocoa	810	810
HPF	803	Doe	862	862
HPF	853	Golden Sage	630	841
HPF	852	Grey Stone	765	276
HPF	831	Pristine Beach	954	082
HPF	829	Soft Linen	862	862
HPF	801	Soft White	661	661
HPF	817	Sunbeam	862	862
HPF	807	Taupe	127	862
HPF	832	Tranquil Tea	954	082

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout (Price Group 15)				
<i>Coordinates with Opulence colors of the same name</i>				
HPR	828	Cloud Puff	661	661
HPR	812	Deep Slate	450	661
HPR	803	Doe	862	862
HPR	807	Taupe	127	862
HPR	832	Tranquil Tea	954	082
HPR	837	Warm Cocoa	361	810

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque (Price Group 14)				
<i>Coordinates with SoftStyle colors of the same name</i>				
HPF	715	Cavern	361	862
HPF	729	Lemon Frost	882	882
HPF	700	Marshmallow	661	661
HPF	727	Pale White	785	785
HPF	717	Rye	630	841
HPF	709	Silver Dollar	405	276

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout (Price Group 15)				
<i>Coordinates with SoftStyle colors of the same name</i>				
HPR	903	Crème Brulee	882	882
HPR	910	Ice Princess	885	785
HPR	909	Silver Dollar	405	276

CODE KEY: HEADRAIL	
OPTION	= Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.
VA	= Vertical Application shades

GROUP 1 (Standard Rectangular)

• 3/8" Essence (H11) • 3/8" Paisley (H17)
• 3/8" Opulence (H40) • 3/8" Texture (H18)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$126	143	161	181	200	217	235	253	271	311	350	391	431	472	509	608
42"	134	153	175	199	217	237	260	279	299	343	386	432	478	521	564	677
48"	145	166	188	211	235	260	280	304	328	376	424	473	523	573	621	743
54"	152	176	203	229	253	278	303	330	355	408	461	515	571	624	678	809
60"	162	186	217	242	269	298	325	353	382	440	497	557	615	675	730	877
66"	173	200	231	261	290	320	348	379	409	472	537	596	662	724	787	945
72"	181	209	242	275	308	339	372	405	437	505	573	639	709	775	842	1010
78"	188	220	256	289	327	358	396	430	466	536	608	681	753	826	897	
84"	197	232	268	304	342	376	413	451	487	561	640	715	795	869	948	
90"	205	241	281	320	358	398	436	477	516	595	677	756	838	921	1002	
96"	211	252	294	335	375	414	456	497	540	623	710	794	880	964		
108"	232	272	318	364	410	453	500	545	592	684	778	869	966			
120"	246	295	346	396	447	493	544	594	644	743	846	949				
132"	263	315	369	423	481	534	587	641	694	805	917					
144"	279	337	397	453	514	572	628	687	746	865						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349	354	360

- **Remote Control #2984495100**add \$52
- **Wireless Wall Switch #2986350100**add \$72
- **RemoteLift Top-Down***add \$43
- **Satellite Battery Pack #KIT2520** – select with wire length below:
 - **Satellite Battery Pack (15" Wire) #2989899000**add \$61
 - **Satellite Battery Pack (4' Wire) #2989900000**add \$66
 - **Satellite Battery Pack (10' Wire) #2989901000**add \$77
 - **Satellite Battery Pack (20' Wire) #2989902000**add \$85
- **18V DC Power Supply #7806000000** – select with wire length below:
 - **DC Power Supply (15" Wire) #2989899000**add \$89
 - **DC Power Supply (4' Wire) #2989900000**add \$91
 - **DC Power Supply (10' Wire) #2989901000**add \$95
 - **DC Power Supply (20' Wire) #2989902000**add \$98
- **Daisy Chain cable option requires DC Power Supply**
- **Daisy Chain Adapter** (Select with wire length below) #2989875000
 - (with 15" cable) #2989899000add \$44
 - (with 4' cable) #2989900000add \$50
 - (with 10' cable) #2989901000add \$54
 - (with 20' cable) #2989902000add \$59
- **Momenta App Bridge Kit #2920072100** (must be submitted as part order)add \$128 NET Cost
- **Momenta Extender Kit #2920075100** (must be submitted as part order)add \$47 NET Cost

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

GROUP 2 (Standard Rectangular)

• 3/4" Essence (H21) • 3/4" Opulence (H28)
• 3/4" Linen (H27) • 3/4" Serene FR (H62)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$131	148	169	188	208	225	243	264	282	322	365	403	444	483	520	623
42"	143	162	183	208	229	251	271	295	316	362	407	452	500	544	590	700
48"	150	174	199	224	246	268	294	317	343	392	441	490	543	593	641	766
54"	158	182	209	237	264	289	315	341	368	420	477	530	588	639	694	830
60"	171	197	228	254	284	312	340	371	400	458	518	578	640	697	757	903
66"	181	210	241	272	306	338	369	401	433	497	563	627	694	758	825	985
72"	192	219	254	289	323	355	390	423	458	526	597	667	736	806	872	1046
78"	203	237	274	311	349	383	421	458	497	572	650	724	802	878	953	1142
84"	211	249	289	329	369	407	447	486	526	606	687	768	853	930	1011	1214
90"	220	262	304	346	391	431	473	516	558	645	729	816	903	989	1075	1291
96"	231	272	317	364	409	451	496	542	587	678	770	861	953	1042	1134	1308
108"	249	295	346	396	447	493	542	593	644	741	840	942	1042	1142	1245	1494
120"	272	323	380	436	491	545	599	655	711	820	931	1042	1157	1266	1377	1655
132"	294	352	413	476	539	595	656	717	778	900	1024	1146	1272	1391	1514	
144"	310	375	441	508	573	637	700	767	834	964	1095	1227	1362	1492	1620	
156"	330	402	477	544	620	688										
168"	351	428	509	584	662											
174"	370	453	540	621	700											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS.
CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Two-Fabric Combination** – price as 2 separate shades
– maximum width for 3/4" cell shades is 72"
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift Two-Fabric Combination***
– price as 2 and add Cordless Lift surcharge
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349	354	360
• Remote Control #2984495100	add \$52														
• Wireless Wall Switch #2986350100	add \$72														
• RemoteLift Top-Down*	add \$43														
• Satellite Battery Pack #KIT2520 – select with wire length below:															
– Satellite Battery Pack (15' Wire) #2989899000	add \$61														
– Satellite Battery Pack (4' Wire) #2989900000	add \$66														
– Satellite Battery Pack (10' Wire) #2989901000	add \$77														
– Satellite Battery Pack (20' Wire) #2989902000	add \$85														
• 18V DC Power Supply #7806000000 – select with wire length below:															
– DC Power Supply (15' Wire) #2989899000	add \$89														
– DC Power Supply (4' Wire) #2989900000	add \$91														
– DC Power Supply (10' Wire) #2989901000	add \$95														
– DC Power Supply (20' Wire) #2989902000	add \$98														
• Daisy Chain cable option requires DC Power Supply															
Daisy Chain Adapter (Select with wire length below) #2989875000															
– (with 15' cable) #2989899000	add \$44														
– (with 4' cable) #2989900000	add \$50														
– (with 10' cable) #2989901000	add \$54														
– (with 20' cable) #2989902000	add \$59														
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost														
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost														

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

GROUP 3 (Standard Rectangular)

• 1/2" Harmony Double Cell (H31) • 1/2" Opulence Double Cell (H39)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$140	157	180	201	221	238	260	280	300	342	385	427	472	513	552	660
42"	151	172	194	221	242	266	288	312	337	382	433	480	529	577	626	743
48"	160	185	210	237	263	285	311	338	365	416	468	520	576	629	679	813
54"	168	193	224	252	280	307	336	363	390	446	506	562	623	677	735	880
60"	182	208	241	269	301	331	362	394	423	486	550	614	678	739	803	959
66"	192	225	258	289	324	358	391	424	458	527	597	666	735	804	874	1044
72"	204	233	269	307	343	377	413	449	486	558	633	709	783	855	926	1110
78"	215	252	291	330	371	407	447	486	527	607	689	767	851	931	1010	1211
84"	226	265	307	348	391	433	475	516	558	643	729	816	904	986	1072	1288
90"	234	278	323	368	414	456	502	548	592	683	773	865	959	1049	1141	1369
96"	244	289	338	384	435	479	526	575	622	718	818	913	1010	1106	1201	1388
108"	265	312	368	419	475	523	575	629	682	787	892	1000	1106	1211	1319	1583
120"	289	343	404	462	521	578	637	695	754	869	987	1106	1227	1342	1461	1755
132"	311	375	439	505	572	631	696	760	825	954	1086	1216	1349	1474	1607	
144"	329	399	468	539	608	676	743	815	886	1023	1162	1301	1443	1582	1719	

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Two-Fabric Combination** – price as 2 separate shades – maximum width for 1/2" double cell shades is 60"
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124 – not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift Two-Fabric Combination*** – price as 2 and add **Cordless Lift surcharge**
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349
• Remote Control #2984495100	add \$52												
• Wireless Wall Switch #2986350100	add \$72												
• RemoteLift Top-Down*	add \$43												
• Satellite Battery Pack #KIT2520 – select with wire length below:													
– Satellite Battery Pack (15' Wire) #2989899000	add \$61												
– Satellite Battery Pack (4' Wire) #2989900000	add \$66												
– Satellite Battery Pack (10' Wire) #2989901000	add \$77												
– Satellite Battery Pack (20' Wire) #2989902000	add \$85												
• 18V DC Power Supply #7806000000 – select with wire length below:													
– DC Power Supply (15' Wire) #2989899000	add \$89												
– DC Power Supply (4' Wire) #2989900000	add \$91												
– DC Power Supply (10' Wire) #2989901000	add \$95												
– DC Power Supply (20' Wire) #2989902000	add \$98												
• Daisy Chain cable option requires DC Power Supply Daisy Chain Adapter (Select with wire length below) #2989875000													
– (with 15" cable) #2989899000	add \$44												
– (with 4' cable) #2989900000	add \$50												
– (with 10' cable) #2989901000	add \$54												
– (with 20' cable) #2989902000	add \$59												
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost												
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost												

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

- 3/8" Opulence Blackout (H41)
- 3/8" Serenity Blackout (H12)
- 3/4" Tranquility Semi-Sheer (H24)
- 3/4" Opulence Blackout (H29)
- 3/4" Serenity Blackout (H22)
- 3/8" Tricella Triple Cell (H58)
- 3/4" Serene FR Blackout (H60)
- 3/4" Tiffany Sheer (H25)

GROUP 4 (Standard Rectangular)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$168	188	212	237	262	286	309	335	358	409	465	516	571	621	671	805
42"	181	204	232	261	288	316	341	369	398	456	516	575	634	694	753	901
48"	197	225	258	289	318	350	380	414	447	513	582	650	720	785	853	1023
54"	209	238	274	311	345	379	413	451	485	559	633	710	785	859	932	1118
60"	229	254	294	335	370	408	444	486	526	606	687	767	849	932	1010	1217
66"	238	269	312	353	397	437	477	520	563	650	739	828	917	1002	1091	1312
72"	254	290	337	381	427	473	516	565	610	707	805	899	998	1093	1189	1432
78"	267	304	353	403	453	502	548	600	650	751	856	958	1064	1164	1267	1529
84"	278	320	373	427	478	528	578	634	687	797	905	1014	1127	1236	1347	1624
90"	294	340	398	452	509	564	619	679	735	853	969	1088	1208	1325	1445	1745
96"	304	353	414	474	535	592	650	713	773	895	1021	1146	1273	1400	1525	1841
108"	329	384	453	519	587	652	715	785	851	986	1126	1264	1405	1544	1685	2033
120"	352	418	490	563	634	709	781	858	929	1078	1229	1383	1539	1691	1865	2256
132"	381	453	536	616	715	775	855	936	1017	1181	1349	1515	1688	1857	2051	
144"	406	485	572	658	775	835	922	1007	1095	1272	1454	1636	1808	1993	2195	
156"	438	523	619	714	837	903										
168"	467	559	660	766	897											
174"	493	591	699	809	950											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR 3/8" FABRIC SIZES TO THE RIGHT OF THE THICK GRAY LINE.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR 3/4" SHEER, SEMI-SHEER AND TRIPLE CELL FABRIC SIZES WITHIN THE THICK BLACK LINE.
 3/8" BLACKOUT AND TRIPLE CELL FABRICS ARE NOT AVAILABLE WITH CORDLESS LIFT CONTROL.
 REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock*** – not available with 3/8" and triple cell fabrics
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Two-Fabric Combination** – price as 2 separate shades
– maximum width for 3/4" cell shades is 72"
– maximum width for triple cell shades is 60"
Note: Two-Fabric Combination shades not available with 3/8" single cell fabrics
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift Two-Fabric Combination***
– price as 2 and add Cordless Lift surcharge
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
– not available with 3/8" and triple cell fabrics
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349	354	360
• Remote Control #2984495100	add \$52														
• Wireless Wall Switch #2986350100	add \$72														
• RemoteLift Top-Down*	add \$43														
• Satellite Battery Pack #KIT2520 – select with wire length below:															
– Satellite Battery Pack (15" Wire) #2989899000	add \$61														
– Satellite Battery Pack (4' Wire) #2989900000	add \$66														
– Satellite Battery Pack (10' Wire) #2989901000	add \$77														
– Satellite Battery Pack (20' Wire) #2989902000	add \$85														
• 18V DC Power Supply #7806000000 – select with wire length below:															
– DC Power Supply (15" Wire) #2989899000	add \$89														
– DC Power Supply (4' Wire) #2989900000	add \$91														
– DC Power Supply (10' Wire) #2989901000	add \$95														
– DC Power Supply (20' Wire) #2989902000	add \$98														
• Daisy Chain cable option requires DC Power Supply															
Daisy Chain Adapter (Select with wire length below) #2989875000															
– (with 15" cable) #2989899000	add \$44														
– (with 4' cable) #2989900000	add \$50														
– (with 10' cable) #2989901000	add \$54														
– (with 20' cable) #2989902000	add \$59														
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost														
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost														

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

GROUP 5 (Standard Rectangular)

• 3/4" Elite Woven (H50) • 3/4" Elite Woven Blackout (H51)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$316	354	400	446	492	538	582	630	674	770	874	972	1074	1170	1264	1518
42"	340	384	436	490	542	596	642	694	748	860	972	1082	1196	1308	1418	1698
48"	370	422	484	544	600	660	716	780	842	966	1096	1224	1356	1478	1606	1928
54"	394	448	516	586	650	714	778	850	914	1054	1194	1336	1478	1618	1756	2106
60"	430	478	552	630	696	768	836	916	992	1140	1294	1446	1600	1756	1904	2294
66"	448	506	588	666	746	822	898	980	1062	1224	1392	1560	1728	1888	2056	2472
72"	478	546	634	718	804	890	972	1066	1148	1332	1518	1694	1880	2060	2240	2698
78"	502	572	666	758	854	944	1032	1132	1224	1414	1612	1804	2004	2194	2388	2880
84"	524	602	702	804	900	996	1088	1196	1294	1502	1706	1910	2124	2330	2538	3062
90"	552	640	748	852	958	1064	1166	1278	1386	1606	1826	2050	2276	2496	2724	3288
96"	572	666	780	892	1006	1116	1224	1342	1456	1686	1924	2160	2400	2638	2874	3468
108"	618	724	854	978	1106	1228	1346	1478	1602	1858	2122	2382	2648	2910	3176	3832
120"	664	788	924	1062	1232	1334	1470	1616	1750	2032	2316	2606	2900	3188	3516	4252
132"	718	854	1008	1160	1346	1460	1610	1764	1916	2226	2542	2856	3182	3500	3866	
144"	764	914	1076	1240	1460	1574	1736	1898	2064	2398	2740	3082	3406	3756	4136	
156"	824	986	1166	1344	1578	1702										
168"	878	1054	1244	1444	1690											
174"	930	1114	1318	1524	1790											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Two-Fabric Combination** – price as 2 separate shades – maximum width for 3/4" cell shades is 72"
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift Two-Fabric Combination***
– price as 2 and add Cordless Lift surcharge
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349
• Remote Control #2984495100	add \$52												
• Wireless Wall Switch #2986350100	add \$72												
• RemoteLift Top-Down*	add \$43												
• Satellite Battery Pack #KIT2520 – select with wire length below:													
– Satellite Battery Pack (15" Wire) #2989899000	add \$61												
– Satellite Battery Pack (4' Wire) #2989900000	add \$66												
– Satellite Battery Pack (10' Wire) #2989901000	add \$77												
– Satellite Battery Pack (20' Wire) #2989902000	add \$85												
• 18V DC Power Supply #7806000000 – select with wire length below:													
– DC Power Supply (15" Wire) #2989899000	add \$89												
– DC Power Supply (4' Wire) #2989900000	add \$91												
– DC Power Supply (10' Wire) #2989901000	add \$95												
– DC Power Supply (20' Wire) #2989902000	add \$98												
• Daisy Chain cable option requires DC Power Supply													
Daisy Chain Adapter (Select with wire length below) #2989875000													
– (with 15" cable) #2989899000	add \$44												
– (with 4' cable) #2989900000	add \$50												
– (with 10' cable) #2989901000	add \$54												
– (with 20' cable) #2989902000	add \$59												
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost												
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost												

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

GROUP 6-M (Standard Rectangular)

• 3/8" Marcella (H44)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$108	122	137	155	170	185	201	215	232	265	299	334	367	402	433	517
42"	115	131	150	170	185	202	220	238	255	293	330	368	407	445	481	576
48"	124	143	161	181	201	220	239	260	279	320	363	402	446	487	528	632
54"	130	151	173	196	215	237	259	281	302	347	393	439	485	533	577	688
60"	138	159	185	207	230	254	276	301	327	375	423	475	522	574	621	746
66"	148	170	197	221	246	272	297	323	348	402	456	508	563	616	670	803
72"	155	179	207	235	263	289	316	345	372	430	487	543	603	658	716	860
78"	161	188	218	245	278	306	337	366	397	455	517	579	641	702	763	
84"	168	198	229	260	291	320	351	383	414	478	544	608	677	739	806	
90"	175	206	239	272	306	339	371	406	439	508	576	644	714	784	852	
96"	181	214	251	285	320	352	390	423	458	530	604	677	750	821		
108"	198	233	271	309	349	385	424	465	505	583	661	739	822			
120"	210	252	296	337	380	420	464	507	547	632	721	808				
132"	225	269	314	362	409	453	501	545	590	685	781					
144"	238	287	338	385	438	486	536	585	633	735						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS.
CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.
REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349	354	360
• Remote Control #2984495100	add \$52														
• Wireless Wall Switch #2986350100	add \$72														
• RemoteLift Top-Down*	add \$43														
• Satellite Battery Pack #KIT2520 – select with wire length below:															
– Satellite Battery Pack (15' Wire) #2989899000	add \$61														
– Satellite Battery Pack (4' Wire) #2989900000	add \$66														
– Satellite Battery Pack (10' Wire) #2989901000	add \$77														
– Satellite Battery Pack (20' Wire) #2989902000	add \$85														
• 18V DC Power Supply #7806000000 – select with wire length below:															
– DC Power Supply (15' Wire) #2989899000	add \$89														
– DC Power Supply (4' Wire) #2989900000	add \$91														
– DC Power Supply (10' Wire) #2989901000	add \$95														
– DC Power Supply (20' Wire) #2989902000	add \$98														
• Daisy Chain cable option requires DC Power Supply															
Daisy Chain Adapter (Select with wire length below) #2989875000															
– (with 15' cable) #2989899000	add \$44														
– (with 4' cable) #2989900000	add \$50														
– (with 10' cable) #2989901000	add \$54														
– (with 20' cable) #2989902000	add \$59														
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost														
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost														

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

GROUP 7-M (Standard Rectangular)

• 3/4" Marcella (H45)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$113	127	145	161	178	191	207	226	240	274	310	343	377	411	444	530
42"	122	138	157	178	196	214	232	252	270	308	346	384	424	464	503	595
48"	128	149	170	190	210	229	251	270	293	334	376	418	462	506	545	652
54"	134	156	179	202	226	245	269	290	313	357	406	451	502	543	590	706
60"	146	168	194	216	241	266	289	315	340	391	441	491	544	593	645	768
66"	155	180	206	233	261	288	314	341	369	423	480	535	590	646	701	838
72"	164	187	216	245	275	302	332	362	391	448	509	569	626	686	742	891
78"	173	202	234	265	298	327	358	391	423	486	552	616	683	748	811	971
84"	181	212	245	280	314	346	380	413	448	515	585	654	726	791	861	1033
90"	188	224	260	296	334	367	402	439	476	548	620	694	768	842	915	1098
96"	197	233	270	309	348	383	422	461	501	577	656	732	811	888	964	1113
108"	212	252	296	337	380	420	461	506	547	630	715	802	888	971	1058	1269
120"	233	275	324	371	419	465	511	558	605	697	792	888	984	1076	1172	1407
132"	251	301	351	405	457	508	558	611	661	765	870	975	1083	1182	1289	
144"	264	320	376	433	487	542	595	653	710	821	932	1043	1158	1268	1377	
156"	281	342	406	464	527	586										
168"	300	365	433	496	563											
174"	314	385	458	528	595											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS.
CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.
REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Two-Fabric Combination** – price as 2 separate shades
– maximum width for 3/4" cell shades is 72"

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift Two-Fabric Combination***
– price as 2 and add Cordless Lift surcharge
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349	354	360
• Remote Control #2984495100add \$52															
• Wireless Wall Switch #2986350100add \$72															
• RemoteLift Top-Down*add \$43															
• Satellite Battery Pack #KIT2520 – select with wire length below:															
– Satellite Battery Pack (15" Wire) #2989899000add \$61															
– Satellite Battery Pack (4' Wire) #2989900000add \$66															
– Satellite Battery Pack (10' Wire) #2989901000add \$77															
– Satellite Battery Pack (20' Wire) #2989902000add \$85															
• 18V DC Power Supply #7806000000 – select with wire length below:															
– DC Power Supply (15" Wire) #2989899000add \$89															
– DC Power Supply (4' Wire) #2989900000add \$91															
– DC Power Supply (10' Wire) #2989901000add \$95															
– DC Power Supply (20' Wire) #2989902000add \$98															
• Daisy Chain cable option requires DC Power Supply															
Daisy Chain Adapter (Select with wire length below) #2989875000															
– (with 15" cable) #2989899000add \$44															
– (with 4' cable) #2989900000add \$50															
– (with 10' cable) #2989901000add \$54															
– (with 20' cable) #2989902000add \$59															
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)															
.....add \$128 NET Cost															
• Momenta Extender Kit #2920075100 (must be submitted as part order)															
.....add \$47 NET Cost															

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

GROUP 8-M (Standard Rectangular)

• 1/2" Marcella Double Cell (H47)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$119	133	152	171	188	203	220	238	255	291	329	364	401	436	470	562
42"	129	147	165	188	206	227	244	266	286	325	368	408	450	490	534	631
48"	135	158	180	202	224	242	265	287	310	352	399	444	489	536	577	692
54"	143	164	190	214	238	262	285	308	332	379	431	479	530	575	625	749
60"	155	178	205	230	256	282	307	335	362	413	468	521	576	628	683	816
66"	163	191	218	245	275	304	334	363	391	449	509	565	625	684	745	889
72"	173	199	230	262	293	321	351	382	413	475	540	603	664	727	787	945
78"	183	214	247	281	315	346	380	413	449	515	586	653	724	792	860	1030
84"	192	226	262	297	334	368	404	439	475	546	620	694	768	838	913	1095
90"	200	236	274	313	352	388	426	466	505	582	657	734	816	893	970	1164
96"	208	245	287	328	370	407	448	488	529	612	695	776	860	940	1021	1179
108"	226	266	313	356	404	446	488	536	580	668	758	849	940	1030	1122	1346
120"	245	293	343	393	444	491	542	591	642	739	839	940	1043	1142	1242	1494
132"	265	318	373	430	485	538	592	647	701	812	924	1034	1146	1254	1366	
144"	280	339	399	457	516	574	631	693	753	869	987	1107	1227	1345	1461	

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS.
CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.
REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Two-Fabric Combination** – price as 2 separate shades
– maximum width for 1/2" double cell is 60"

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift Two-Fabric Combination***
– price as 2 and add Cordless Lift surcharge
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349
• Remote Control #2984495100	add \$52												
• Wireless Wall Switch #2986350100	add \$72												
• RemoteLift Top-Down*	add \$43												
• Satellite Battery Pack #KIT2520 – select with wire length below:													
– Satellite Battery Pack (15" Wire) #2989899000	add \$61												
– Satellite Battery Pack (4' Wire) #2989900000	add \$66												
– Satellite Battery Pack (10' Wire) #2989901000	add \$77												
– Satellite Battery Pack (20' Wire) #2989902000	add \$85												
• 18V DC Power Supply #7806000000 – select with wire length below:													
– DC Power Supply (15" Wire) #2989899000	add \$89												
– DC Power Supply (4' Wire) #2989900000	add \$91												
– DC Power Supply (10' Wire) #2989901000	add \$95												
– DC Power Supply (20' Wire) #2989902000	add \$98												
• Daisy Chain cable option requires DC Power Supply													
Daisy Chain Adapter (Select with wire length below) #2989875000													
– (with 15" cable) #2989899000	add \$44												
– (with 4' cable) #2989900000	add \$50												
– (with 10' cable) #2989901000	add \$54												
– (with 20' cable) #2989902000	add \$59												
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost												
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost												

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

GROUP 9-M (Standard Rectangular)

• 3/4" Marcella Blackout (H46)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$144	161	182	202	224	243	264	285	306	348	396	439	485	528	571	685
42"	155	174	198	221	244	270	290	314	339	390	439	488	541	590	641	766
48"	168	191	219	245	271	299	324	352	380	437	494	552	613	667	726	870
54"	179	203	234	265	295	323	351	383	413	477	540	604	667	730	793	951
60"	196	216	251	285	314	347	377	413	448	515	585	653	723	793	860	1035
66"	203	230	266	301	338	372	406	444	480	552	628	705	781	852	928	1115
72"	216	246	287	325	365	402	439	482	518	600	685	764	848	930	1010	1218
78"	228	260	301	343	385	427	467	512	552	640	728	815	904	989	1078	1300
84"	237	272	317	365	407	450	491	541	585	679	769	863	959	1052	1145	1383
90"	251	289	339	384	433	481	526	577	626	726	824	926	1028	1126	1229	1482
96"	260	301	352	403	454	505	552	607	657	761	869	975	1084	1191	1296	1565
108"	280	328	385	442	501	555	608	667	724	839	958	1075	1196	1314	1433	1728
120"	301	356	418	480	557	603	664	729	790	917	1045	1176	1308	1439	1586	1919
132"	325	385	455	523	608	658	727	796	865	1005	1147	1290	1435	1579	1745	
144"	345	413	486	560	658	711	784	858	932	1083	1236	1391	1537	1694	1865	
156"	373	446	526	608	713	768										
168"	398	477	562	652	763											
174"	420	504	595	688	808											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS.
CONTINUOUS CORD LOOP SYSTEM RECOMMENDED FOR SIZES WITHIN THE THICK BLACK LINE.

REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Two-Fabric Combination** – price as 2 separate shades
– maximum width for 3/4" cell shades is 72"
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up or Two-Fabric Combination
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift Two-Fabric Combination***
– price as 2 and add Cordless Lift surcharge
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
All Sizes	235	240	248	255	265	278	290	299	312	321	326

- **Remote Control #2984495100**add \$52
- **Wireless Wall Switch #2986350100**add \$72
- **RemoteLift Top-Down***add \$43
- **Satellite Battery Pack #KIT2520** – select with wire length below:
 - **Satellite Battery Pack (15" Wire) #2989899000**add \$61
 - **Satellite Battery Pack (4' Wire) #2989900000**add \$66
 - **Satellite Battery Pack (10' Wire) #2989901000**add \$77
 - **Satellite Battery Pack (20' Wire) #2989902000**add \$85
- **18V DC Power Supply #7806000000** – select with wire length below:
 - **DC Power Supply (15" Wire) #2989899000**add \$89
 - **DC Power Supply (4' Wire) #2989900000**add \$91
 - **DC Power Supply (10' Wire) #2989901000**add \$95
 - **DC Power Supply (20' Wire) #2989902000**add \$98
- **Daisy Chain cable option requires DC Power Supply**
Daisy Chain Adapter (Select with wire length below) #2989875000
 - (with 15" cable) #2989899000add \$44
 - (with 4' cable) #2989900000add \$50
 - (with 10' cable) #2989901000add \$54
 - (with 20' cable) #2989902000add \$59
- **Momenta App Bridge Kit #2920072100** (must be submitted as part order)add \$128 NET Cost
- **Momenta Extender Kit #2920075100** (must be submitted as part order)add \$47 NET Cost

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

SOFTSTYLE GROUP 10 (Standard Rectangular)

• Semi-Opaque - Small Single Cell (S11)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$94	106	121	135	148	162	176	187	203	232	261	291	320
42"	101	114	131	148	162	176	193	208	222	255	287	321	355
48"	108	125	140	158	176	193	209	227	244	279	316	351	389
54"	113	132	151	171	187	207	226	246	264	304	343	383	424
60"	121	139	162	181	201	222	241	263	285	328	371	415	456
66"	130	148	172	194	215	238	260	282	305	351	399	444	492
72"	135	157	181	205	230	252	277	302	324	375	426	474	526
78"	140	165	191	214	243	268	295	319	346	399	452	506	559
84"	147	173	200	227	254	279	307	335	362	417	475	530	591
90"	153	180	209	238	268	297	324	354	383	444	503	562	623
96"	158	186	219	249	279	308	341	371	401	464	527	591	655
108"	173	204	237	270	306	337	371	406	441	510	578	646	718
120"	184	220	259	295	333	368	405	443	478	553	630	706	775

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM RECOMMENDED FOR SIZES WITHIN THE THICK BLACK LINE.

REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349
• Remote Control #2984495100	add \$52												
• Wireless Wall Switch #2986350100	add \$72												
• RemoteLift Top-Down*	add \$43												
• Satellite Battery Pack #KIT2520 – select with wire length below:													
– Satellite Battery Pack (15' Wire) #2989899000	add \$61												
– Satellite Battery Pack (4' Wire) #2989900000	add \$66												
– Satellite Battery Pack (10' Wire) #2989901000	add \$77												
– Satellite Battery Pack (20' Wire) #2989902000	add \$85												
• 18V DC Power Supply #7806000000 – select with wire length below:													
– DC Power Supply (15' Wire) #2989899000	add \$89												
– DC Power Supply (4' Wire) #2989900000	add \$91												
– DC Power Supply (10' Wire) #2989901000	add \$95												
– DC Power Supply (20' Wire) #2989902000	add \$98												
• Daisy Chain cable option requires DC Power Supply													
Daisy Chain Adapter (Select with wire length below) #2989875000													
– (with 15' cable) #2989899000	add \$44												
– (with 4' cable) #2989900000	add \$50												
– (with 10' cable) #2989901000	add \$54												
– (with 20' cable) #2989902000	add \$59												
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost												
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost												

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

SOFTSTYLE GROUP 11 (Standard Rectangular)

• Semi-Opaque - Large Single Cell (S21)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$99	111	127	140	156	167	181	197	210	240	271	300	330
42"	106	121	137	156	171	186	203	220	236	269	303	336	371
48"	111	130	148	166	184	200	219	236	255	291	329	366	404
54"	117	136	157	176	197	214	235	253	274	312	354	394	438
60"	128	147	169	188	211	232	252	276	297	342	385	430	475
66"	135	158	180	204	228	251	275	298	322	371	419	467	516
72"	143	164	188	214	241	264	289	315	342	391	445	496	547
78"	151	176	204	232	260	285	313	342	371	425	482	538	596
84"	158	185	214	245	275	303	333	362	391	450	511	572	634
90"	165	195	227	259	291	320	351	383	416	479	542	607	672
96"	172	204	236	270	305	335	370	403	437	504	574	640	709
108"	185	220	259	295	333	368	403	442	478	551	624	701	776
120"	204	241	283	324	367	406	446	488	528	610	692	776	860

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS.
CONTINUOUS CORD LOOP SYSTEM RECOMMENDED FOR SIZES WITHIN THE THICK BLACK LINE.

REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349
• Remote Control #2984495100	add \$52												
• Wireless Wall Switch #2986350100	add \$72												
• RemoteLift Top-Down*	add \$43												
• Satellite Battery Pack #KIT2520 – select with wire length below:													
– Satellite Battery Pack (15' Wire) #2989899000	add \$61												
– Satellite Battery Pack (4' Wire) #2989900000	add \$66												
– Satellite Battery Pack (10' Wire) #2989901000	add \$77												
– Satellite Battery Pack (20' Wire) #2989902000	add \$85												
• 18V DC Power Supply #7806000000 – select with wire length below:													
– DC Power Supply (15' Wire) #2989899000	add \$89												
– DC Power Supply (4' Wire) #2989900000	add \$91												
– DC Power Supply (10' Wire) #2989901000	add \$95												
– DC Power Supply (20' Wire) #2989902000	add \$98												
• Daisy Chain cable option requires DC Power Supply													
Daisy Chain Adapter (Select with wire length below) #2989875000													
– (with 15" cable) #2989899000	add \$44												
– (with 4' cable) #2989900000	add \$50												
– (with 10' cable) #2989901000	add \$54												
– (with 20' cable) #2989902000	add \$59												
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost												
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost												

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

SOFTSTYLE GROUP 12 (Standard Rectangular)

• Semi-Opaque - Double Cell (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$104	116	133	149	165	177	193	208	222	254	287	317	350
42"	112	129	144	165	180	198	213	232	250	284	321	356	393
48"	118	138	158	176	195	212	232	250	271	308	348	388	427
54"	125	143	166	186	208	229	249	269	289	332	376	418	464
60"	135	156	179	201	224	247	269	293	315	362	408	455	503
66"	142	167	191	214	241	266	291	316	342	392	445	494	547
72"	151	174	201	229	255	280	307	334	362	415	472	526	581
78"	160	186	216	246	276	303	333	362	392	450	512	571	632
84"	167	197	229	260	291	321	352	383	415	477	542	607	672
90"	175	206	240	274	308	340	372	407	441	509	575	642	713
96"	182	214	250	286	323	355	391	426	464	535	608	678	751
108"	197	232	274	311	352	389	426	468	507	584	662	742	822
120"	214	255	300	343	388	430	473	517	560	646	733	822	912

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS.
CONTINUOUS CORD LOOP SYSTEM RECOMMENDED FOR SIZES WITHIN THE THICK BLACK LINE.
REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Top-Down & Top-Down/Bottom-Up**add \$53
- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
– not available in Top-Down/Bottom-Up
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Top-Down/Bottom-Up***add \$95
- **Angle Cut**add \$112
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349
• Remote Control #2984495100add \$52 • Wireless Wall Switch #2986350100.....add \$72 • RemoteLift Top-Down*add \$43 • Satellite Battery Pack #KIT2520 – select with wire length below: – Satellite Battery Pack (15" Wire) #2989899000add \$61 – Satellite Battery Pack (4' Wire) #2989900000add \$66 – Satellite Battery Pack (10' Wire) #2989901000add \$77 – Satellite Battery Pack (20' Wire) #2989902000add \$85 • 18V DC Power Supply #7806000000 – select with wire length below: – DC Power Supply (15" Wire) #2989899000add \$89 – DC Power Supply (4' Wire) #2989900000add \$91 – DC Power Supply (10' Wire) #2989901000add \$95 – DC Power Supply (20' Wire) #2989902000add \$98 • Daisy Chain cable option requires DC Power Supply Daisy Chain Adapter (Select with wire length below) #2989875000 – (with 15" cable) #2989899000add \$44 – (with 4' cable) #2989900000add \$50 – (with 10' cable) #2989901000add \$54 – (with 20' cable) #2989902000add \$59 • Momenta App Bridge Kit #2920072100 (must be submitted as part order) add \$128 NET Cost • Momenta Extender Kit #2920075100 (must be submitted as part order)add \$47 NET Cost													

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

SOFTSTYLE GROUP 13 (Standard Rectangular)

- Blackout - Small Single Cell (S13)
- Blackout - Large Single Cell (S23)
- Blackout - Double Cell (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$126	140	159	176	195	213	231	249	268	305	345	383	424
42"	135	152	173	194	213	236	253	275	297	341	383	426	473
48"	147	167	192	214	237	261	283	308	333	381	433	482	536
54"	157	177	204	232	258	282	307	335	362	417	472	527	584
60"	171	188	219	249	275	304	330	362	391	450	511	571	631
66"	177	201	232	263	296	324	354	388	419	482	549	616	682
72"	188	215	250	284	318	351	383	421	453	525	598	667	742
78"	199	227	263	300	337	373	408	447	482	558	637	712	790
84"	207	238	278	318	355	393	430	473	511	593	673	754	837
90"	219	252	297	336	378	420	460	504	547	634	720	809	898
96"	227	263	308	352	398	441	482	529	575	665	760	853	947
108"	245	286	337	386	437	485	530	584	632	733	836	939	1045
120"	263	311	366	419	487	526	581	638	690	801	914	1028	1139

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM RECOMMENDED FOR SIZES WITHIN THE THICK BLACK LINE.

REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 29 for details)
- **Two-On-One Headrail** – price as 2 separate shades
- **Special Cord Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Top-Down & Top-Down/Bottom-Up**add \$53
 - **Cordless Lift System***add \$62
 - **Cordless Lift Two-On-One Headrail***add \$124 – not available in Top-Down/Bottom-Up
 - **Cordless Lift Top-Down/Bottom-Up***add \$115
 - **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
 - **Cordless Extension Pole**\$34 (#400036-81511)
 - **Continuous Cord Loop***add \$42
 - **Continuous Cord Top-Down/Bottom-Up***add \$95
 - **Angle Cut**add \$112
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
 - **TriLight Shades** – see pages 34-39
 - **Tandem Shades** – see pages 40-44
 - **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
All Sizes	235	240	248	255	265	278	290	299	312	321	326	343	349
• Remote Control #2984495100	add \$52												
• Wireless Wall Switch #2986350100	add \$72												
• RemoteLift Top-Down*	add \$43												
• Satellite Battery Pack #KIT2520 – select with wire length below:													
– Satellite Battery Pack (15" Wire) #2989899000	add \$61												
– Satellite Battery Pack (4' Wire) #2989900000	add \$66												
– Satellite Battery Pack (10' Wire) #2989901000	add \$77												
– Satellite Battery Pack (20' Wire) #2989902000	add \$85												
• 18V DC Power Supply #7806000000 – select with wire length below:													
– DC Power Supply (15" Wire) #2989899000	add \$89												
– DC Power Supply (4' Wire) #2989900000	add \$91												
– DC Power Supply (10' Wire) #2989901000	add \$95												
– DC Power Supply (20' Wire) #2989902000	add \$98												
• Daisy Chain cable option requires DC Power Supply													
Daisy Chain Adapter (Select with wire length below) #2989875000													
– (with 15" cable) #2989899000	add \$44												
– (with 4' cable) #2989900000	add \$50												
– (with 10' cable) #2989901000	add \$54												
– (with 20' cable) #2989902000	add \$59												
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)	add \$128 NET Cost												
• Momenta Extender Kit #2920075100 (must be submitted as part order)	add \$47 NET Cost												

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

// 2" Hybrid Pleat Shades

NOTE: A control option must be selected.

ALTA
WINDOW FASHIONS

GROUP 14 (Standard Rectangular)

• 2" Hybrid Pleat – Semi-Opaque (HPF)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$135	139	153	160	166	186	197	212	222	267	282	299	313	326	341	408	476
36"	139	142	159	166	175	194	209	224	238	285	301	319	334	349	365	436	508
42"	142	155	165	172	184	203	218	236	250	302	319	339	354	371	388	464	541
48"	147	160	170	181	191	213	243	249	264	317	338	359	376	393	411	494	573
54"	150	166	176	187	198	221	249	259	278	336	355	378	396	417	436	519	604
61"	153	171	185	197	208	233	264	275	289	354	374	402	423	445	463	550	639
66"	166	184	199	212	221	242	266	283	304	371	390	418	438	463	485	577	670
73"	167	189	204	217	228	252	272	298	319	388	411	441	465	491	510	607	
78"	194	219	236	253	271	295	320	350	376	402	427	456	481	509	533	634	
84"	199	225	243	260	278	305	334	365	390	418	446	476	502	531	558		
90"	204	233	250	271	287	316	344	377	407	435	464	497	524	554	581		
96"	209	239	258	278	297	326	357	391	421	452	482	515	544	575			
108"	227	263	286	310	334	369	407	446	482	517	555	594					
120"	244	286	315	342	370	411	454	500	542	585	627						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS. REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Special Cord Loop Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified
- **Color-Coordinated Rails**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Loop Top-Down/Bottom-Up***add \$95
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
All Sizes	235	240	248	255	265	278	290	299	312	321	326
• Remote Control #2984495100	add \$52										
• Wireless Wall Switch #2986350100	add \$72										
• RemoteLift Top-Down*	add \$43										
• Satellite Battery Pack #KIT2520 – select with wire length below:											
– Satellite Battery Pack (15' Wire) #2989899000	add \$61										
– Satellite Battery Pack (4' Wire) #2989900000	add \$66										
– Satellite Battery Pack (10' Wire) #2989901000	add \$77										
– Satellite Battery Pack (20' Wire) #2989902000	add \$85										
• 18V DC Power Supply #7806000000 – select with wire length below:											
– DC Power Supply (15' Wire) #2989899000	add \$89										
– DC Power Supply (4' Wire) #2989900000	add \$91										
– DC Power Supply (10' Wire) #2989901000	add \$95										
– DC Power Supply (20' Wire) #2989902000	add \$98										
• Daisy Chain cable option requires DC Power Supply											
Daisy Chain Adapter (Select with wire length below) #2989875000											
– (with 15' cable) #2989899000	add \$44										
– (with 4' cable) #2989900000	add \$50										
– (with 10' cable) #2989901000	add \$54										
– (with 20' cable) #2989902000	add \$59										
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)											
.....	add \$128 NET Cost										
• Momenta Extender Kit #2920075100 (must be submitted as part order)											
.....	add \$47 NET Cost										

SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

GROUP 15 (Standard Rectangular)

• 2" Hybrid Pleat – Blackout (HPR)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$169	182	192	200	210	233	246	267	281	336	355	376	394	412	427	512	598
36"	174	188	199	209	220	244	261	282	298	359	377	400	419	439	458	549	641
42"	179	195	206	219	230	256	273	297	316	379	399	426	445	468	488	586	681
48"	183	200	216	226	238	267	287	313	332	399	423	450	472	497	518	620	721
54"	188	208	224	235	251	279	301	326	349	421	445	476	499	525	549	655	761
61"	192	217	232	246	259	292	316	344	362	445	471	505	531	559	581	693	803
66"	208	230	252	265	278	303	326	358	382	463	494	525	553	582	610	727	842
73"	213	236	257	273	286	316	341	374	399	488	516	556	585	617	642	764	
78"	244	276	297	318	341	371	403	441	472	505	537	575	607	638	671	796	
84"	261	298	323	349	373	412	448	494	531	568	607	649	685	724	762		
90"	287	328	356	383	412	451	496	541	583	623	669	712	755	796	838		
96"	307	360	395	430	463	517	570	631	681	736	789	846	899	953			
108"	356	428	472	518	567	635	707	783	851	920	994	1066					
120"	392	479	534	591	650	736	822	913	997	1080	1170						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 26-33 FOR ANY FABRIC AND SIZE RESTRICTIONS. REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE VERIFY SIZE RESTRICTIONS ON PAGE 47 PRIOR TO ORDERING.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift & Lock***
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Special Cord Loop Lengths** – standard cord is approximately 3/4 the height of the shade unless otherwise specified

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Cordless Lift System***add \$62
- **Cordless Lift Two-On-One Headrail***add \$124
- **Cordless Lift Top-Down/Bottom-Up***add \$115
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$53
- **Cordless Extension Pole**\$34 (#400036-81511)
- **Continuous Cord Loop***add \$42
- **Continuous Cord Loop Top-Down/Bottom-Up***add \$95
- **TriLight Shades** – see pages 34-39
- **Tandem Shades** – see pages 40-44
- **Fabric-Wrapped Rail Option**add \$13

*NOTE: FABRIC-WRAPPED RAILS ARE AVAILABLE FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

REMOTELIFT 2.0 SURCHARGE AND OPTIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
All Sizes	235	240	248	255	265	278	290	299	312	321	326
• Remote Control #2984495100	add \$52										
• Wireless Wall Switch #2986350100	add \$72										
• RemoteLift Top-Down*	add \$43										
• Satellite Battery Pack #KIT2520 – select with wire length below:											
– Satellite Battery Pack (15' Wire) #2989899000	add \$61										
– Satellite Battery Pack (4' Wire) #2989900000	add \$66										
– Satellite Battery Pack (10' Wire) #2989901000	add \$77										
– Satellite Battery Pack (20' Wire) #2989902000	add \$85										
• 18V DC Power Supply #7806000000 – select with wire length below:											
– DC Power Supply (15' Wire) #2989899000	add \$89										
– DC Power Supply (4' Wire) #2989900000	add \$91										
– DC Power Supply (10' Wire) #2989901000	add \$95										
– DC Power Supply (20' Wire) #2989902000	add \$98										
• Daisy Chain cable option requires DC Power Supply											
– Daisy Chain Adapter (Select with wire length below) #2989875000											
– (with 15' cable) #2989899000	add \$44										
– (with 4' cable) #2989900000	add \$50										
– (with 10' cable) #2989901000	add \$54										
– (with 20' cable) #2989902000	add \$59										
• Momenta App Bridge Kit #2920072100 (must be submitted as part order)											
.....	add \$128 NET Cost										
• Momenta Extender Kit #2920075100 (must be submitted as part order)											
.....	add \$47 NET Cost										


SIMPLICITY SURCHARGE AND OPTIONS

- **Simplicity Motorization**add \$241
- **5 Channel Remote Control (White or Black)**add \$40
- **48" Extension Wire**add \$7
- **DC Power Supply**add \$33

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK



- Features snap-in bracket
- Headrail Color – color coordinated with fabric.
- End mount brackets also available

2" Hybrid Pleat is not available with standard cordlock.

STANDARD RECTANGULAR – SIZE STANDARDS

	Honeycomb							SoftStyle		
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes
Min. Width (net)*	8"	8"	8"	8"	8"	8"	8"	8"	8"	8"
Max. Width	174"	174"	174"	174"	174"	174"	142"	120"	120"	120"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	12"
Max. Height*	144"	144"	144"	174"	174"	144"	120"	120"	120"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	40	50	40	60

* For shades under 12" widths, the maximum height is 80"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 3/16"
End (EB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
2 on 1 Headrail	
Gap between panels	– 1/4"

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Pleat
Minimum mounting depth:		
Standard installation bracket		1"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-1/2"
Swivel bracket		1-1/8"
End mount bracket		1-1/8"
Outside (OB) Mount		3/8" Pleat
Minimum flat vertical surface		5/8"
Inside (IB) Mount 3/4", 1/2" Double & 3/8" Triple Pleats, All SoftStyle		
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
Swivel bracket		2"
End mount bracket		2"
Outside (OB) Mount 3/4", 1/2" Double & 3/8" Triple Pleats, All SoftStyle		
Minimum flat vertical surface		1"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

2 ON 1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

Finished Dimensions & Mounting Requirements:

see "Standard Rectangle" or "Continuous Cord" section.

STANDARD TWO-ON-ONE – SIZE STANDARDS

	Honeycomb							SoftStyle		
	All 3/8" Semi- Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi- Sheer Fabrics	All 3/4" Semi- Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Single Cell Semi-Opaque	All Double Cell Semi- Opaque	All Blackout Cell Sizes
Min. Width (per panel)	8"	8"	8"	8"	8"	8"	8"	8"	8"	8"
Min. Width (overall)	16"	16"	16"	16"	16"	16"	16"	16"	16"	16"
Max. Width (per panel)	162"	162"	162"	162"	162"	162"	142"	100"	100"	100"
Max. Width (overall)	192"	192"	192"	192"	192"	192"	184"	120"	120"	120"
Max. Width (end mount)	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	12"
Max. Height	144"	144"	144"	174"	174"	144"	120"	120"	120"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	60	50	40	60

Controls must be on opposite ends of the headrail.

RECTANGULAR CONFIGURATION SPECIFICATIONS



NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

TOP-DOWN OR TOP-DOWN/BOTTOM-UP

(2-cell fabric insert)

(2-cell fabric insert)

Conveniently open shades from the top down or from both top and bottom.



Top-Down/Bottom-Up features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTES:

- The standard control positions for TD/BU are:
RIGHT operates the center moving rail and LEFT operates the bottomrail. REVERSE CONTROLS also are available (operate opposite as described above). Specify REVERSE CONTROLS when ordering.
- On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

TOP-DOWN – SIZE STANDARDS

	Honeycomb							SoftStyle		
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes
Min. Width (net)*	10"	10"	10"	10"	10"	10"	10"	10"	10"	10"
Max. Width	60"	60"	60"	60"	60"	60"	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	12"
Max. Height*	144"	144"	144"	174"	174"	144"	120"	96"	96"	96"
Max. Area (sq. ft.)	60	40	60	60	40	40	60	50	40	60

* For shades under 12" widths, the maximum height is 80"

TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb							SoftStyle		
	All 3/4" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes
Min. Width (net)*	10"	10"	10"	10"	10"	10"	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	72"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	12"
Max. Height*	108"	108"	108"	108"	108"	108"	108"	96"	96"	96"
Max. Area (sq. ft.)	48	40	48	48	40	40	48	50	40	60


* For shades under 12" widths, the maximum height is 80"

Cut-outs are not available on Top-Down or Top-Down/Bottom-Up shades.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

TWO-FABRIC COMBINATION (PRICE AS 2 SEPARATE SHADES)



Headrail, Middle Rail, and Bottomrail will coordinate with the bottom fabric unless otherwise specified.

Combines two fabrics in the same shade for function, beauty and total versatility. Consider a sheer shade to filter light, combined with a blackout shade for maximum darkness. Easily adjust shade to cover the window with one fabric or with some of each fabric.

Shade features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.


TWO-FABRIC COMBO – SIZE STANDARDS

	Honeycomb					
	All 3/4" Semi-Opaque Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"
Max. Height*	96"	96"	96"	96"	90"	90"
Max. Area (sq. ft.)	48	48	48	40	40	40

* For shades under 12" widths, the maximum height is 80"

Not available with 3/8" single cell fabrics, SoftStyle or 2" Hybrid Pleat fabrics.

CUT-OUTS



The portion of the shade below the obstacle will not stack when the shade is raised.

Available on standard cordlock, continuous cord loop and RemoteLift bottom-up shades only.

Not available on 2" Hybrid Pleat shades.


CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.



- All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.
- Cordless honeycomb shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.
Shades over 42" in width will have 2 handles.
- Cut-outs are not available on Cordless Lift shades.
- Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates and magnets comes standard on shades ordered with color-coordinated rails.
Striker plate & magnet placement:
Shades under 42" Wide – one magnet on each end of the shade
Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord
Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.
Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT – SIZE STANDARDS

	Honeycomb	SoftStyle			2" Hybrid Pleat
	All Honeycomb Fabrics *	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes	All Fabrics
Min. Width (net)	16"	16"	16"	16"	16"
Max. Width	120"	120"	120"	96"	120"
Max. Width – End Mount	48"	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"
Max Area (sq. ft.)	70	70	70	56	60

* Cordless Lift not available with any 3/8" blackout or triple cell fabrics

CORDLESS LIFT TWO-FABRIC COMBO – SIZE STANDARDS

	All Honeycomb Fabrics *
Min. Width (net)	16"
Max. Width	84"
Max. Width – End Mount	36"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

* Cordless Lift Two-Fabric Combination is not available with any 3/8", 3/8" blackout, 1/2" double cell, triple cell, SoftStyle, or 2" Hybrid Pleat fabrics

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb	SoftStyle			2" Hybrid Pleat
	All Honeycomb Fabrics *	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes	All Fabrics
Min. Width (net)	16"	16"	16"	16"	16"
Max. Width	120"	96"	96"	96"	120"
Max. Width – End Mount	48"	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"
Max Area (sq. ft.)	70	56	56	56	60

* Cordless Lift Top-Down/Bottom-Up is not available with any 3/8" blackout or triple cell fabrics

CORDLESS TWO-ON-ONE – SIZE STANDARDS

	Honeycomb	SoftStyle			2" Hybrid Pleat
	All Honeycomb Fabrics *	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes	All Fabrics
Min Width (per panel)	16"	16"	16"	16"	16"
Min Width (overall)	32"	32"	32"	32"	32"
Max Width (per panel)	120"	100"	100"	100"	104"
Max Width (overall)	174"	120"	120"	120"	120"
Min Height	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"
Max Area (Sq/Ft)	70	70	70	56	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout or triple cell fabrics

Note: End mount not available.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"
2 on 1 Headrail		
Gap between panels	–1/4"	–1/4"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.


	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless Lift & Lock shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.



CORDLESS LIFT & LOCK – SIZE STANDARDS

	Honeycomb		SoftStyle			2" Hybrid Pleat
	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes	All Fabrics
Min. Width (net)	9.5"	9.5"	9.5"	9.5"	9.5"	9.5"
Max. Width	84"	84"	84"	84"	84"	84"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	49	49	49	49	49	49

* Cordless Lift & Lock is not available with any 3/8" or triple cell fabrics

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb		SoftStyle			2" Hybrid Pleat
	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes	All Fabrics
Min. Width (net)	16"	16"	16"	16"	16"	16"
Max. Width	84"	84"	84"	84"	84"	84"
Max. Width – End Mount	48"	48"	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	49	49	49	49	49	49

* Cordless Lift & Lock is not available with any 3/8" or triple cell fabrics

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.



	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (EB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:
 Headrail -1/2"
 Fabric -5/8"
 Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

- All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.
- On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Honeycomb							SoftStyle			2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes	All Fabrics
Min. Width (net)*	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"
Max. Width	144"	144"	174"	174"	144"	144"	142"	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	48"	48"	48"	48"	42"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	12"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"	120"	120"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	100	100	100	60

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Honeycomb							SoftStyle			2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes	2" Hybrid Pleat
Min. Width (per panel)	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"
Min. Width (overall)	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"
Max. Width (per panel)	144"	144"	144"	144"	144"	144"	142"	100"	100"	96"	102"
Max. Width (overall)	174"	174"	174"	174"	174"	174"	174"	120"	120"	120"	120"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	12"	12"
Max. Height	96"	96"	144"	144"	144"	144"	120"	120"	120"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	83	83	80	60

Note: End mount not available.

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb							SoftStyle			2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	All Blackout Cell Sizes	2" Hybrid Pleat
Min. Width (net)*	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"
Max. Width	144"	144"	144"	144"	144"	144"	142"	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	48"	48"	48"	48"	42"
Min. Height	8"	8"	8"	8"	8"	8"	8"	12"	12"	12"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"	120"	120"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	100	100	100	60

Right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:
 Headrail -1/2"
 Fabric -5/8"
 Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

CORD LOOP DROP

SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
 Headrail -1/2"
 Fabric -5/8"
 Bottomrail -1/2"

FEATURES & BENEFITS



- The beautiful combination of a sheer pleated shade on top and honeycomb or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors and exclusive prints.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Honeycomb fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade – even large or hard-to-reach – and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock option provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade. Note: TriLight Shades are not available with 3/8" single cell, 3/4" sheer/semi-sheer or triple cell fabrics.
 2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
 3. Refer to the honeycomb and 2" Hybrid Pleat price grids on pages 12-25 to determine your bottom shade price.
 4. Refer to the sheer pleated grids on page 36 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price.
- TriLight Shades are available as standard rectangle only.
 - Continuous cord loop system – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon
Carousel Sheer	P32-805	Tea

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Carousel	96"	60
Lyssa	96"	50
Nova	96"	60
Willa	83"	60

Determine the top shade price by using the charts below. Add the sheer pleated, bottom shade, and control option prices together to determine your final price.

GROUP A (Sheer Pleated)

- Nova Sheer (96")
- Willa Sheer (83")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$41	46	51	58	64	70	75	80	87	99	111
42"	44	50	56	64	70	75	82	89	95	109	123
48"	47	53	61	68	75	82	89	97	104	120	135
54"	50	56	65	73	80	88	97	104	113	129	147
60"	52	60	70	77	86	95	103	112	122	140	158
66"	55	64	74	82	93	101	110	121	130	149	170
72"	58	67	77	88	99	108	118	128	138	159	181
78"	61	71	82	92	104	114	125	136	148	170	192
84"	63	74	85	97	109	120	131	143	154	177	202
90"	66	77	89	101	114	126	138	151	164	189	214
96"	68	80	94	106	120	131	145	158	171	197	224

GROUP B (Sheer Pleated)

- Carousel Sheer (96")
- Lyssa Sheer (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$49	55	63	70	77	84	91	97	105	119	135
42"	52	59	68	77	84	91	100	108	115	132	149
48"	56	64	73	82	91	100	108	117	126	145	164
54"	59	68	78	88	97	107	117	127	136	157	178
60"	63	72	84	94	103	115	125	136	147	169	191
66"	67	77	89	100	112	123	134	146	157	181	206
72"	70	81	94	106	119	131	143	156	168	194	220
78"	73	85	98	111	126	138	152	165	179	206	234
84"	76	89	103	117	131	145	159	173	187	215	245
90"	80	94	108	123	138	153	167	183	198	229	259
96"	82	97	113	129	145	159	175	191	207	239	272

OPTIONS: NO EXTRA CHARGE

- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color-Coordinated Rails

CONTROL OPTIONS


A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System.....No Charge
- Cordless Lift System.....add \$62
- Continuous Cord Loopadd \$42
- Fabric-Wrapped Rail optionadd \$13

TRILIGHT CONFIGURATION SPECIFICATIONS



TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails - no extra charge
 - rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrap, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- TriLight Shades with the Continuous Cord Loop option feature a hidden middle rail.
- Right loop control operates the middle rail, left loop control operates the bottomrail.
- TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, or Triple Cell fabrics

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS						
	Honeycomb			SoftStyle		2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Semi-Opaque Fabrics	All Blackout Fabrics	All Fabrics
Min. Width (net)	24"	24"	24"	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	96"	96"	96"	96"	96"	96"
Max. Area (sq. ft.)	64	50	50	50-64	50-64	60

* The bottom panel fabric width can be reduced by the ordered sheer fabric (top panel), if the sheer max width is less than the bottom panel max width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"


FABRIC AND HARDWARE STACKING

- **HONEYCOMB CONTINUOUS CORD LOOP TRILIGHT:** Take 2" for headrail/bottomrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CONTINUOUS CORD LOOP TRILIGHT:** Take 2" for headrail/bottomrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS



TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
– Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
– Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail.

Cut-outs are not available on TriLight Shades.



CORDLESS LIFT SIZE STANDARDS				
	Honeycomb	SoftStyle		2" Hybrid Pleat
	All Fabrics*	All Semi-Opaque Fabrics	All Blackout Fabrics	All Fabrics
Min. Width (net)	16"	16"	16"	16"
Max. Width**	84" - 96"	84" - 96"	84"	84" - 96"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	70	56	49	60

* 3/8" single, sheer/semi-sheer and triple cell fabrics are not available with TriLight.

**The bottom panel max. width can be reduced by the ordered sheer fabric (top panel), if the sheer max. width is less than the bottom panel max. width. Willa Sheer maximum width is 83".

See sheer pleated maximum width limitations.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"


FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS TRILIGHT:** Take 2" for headrail/bottomrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS TRILIGHT:** Take 2" for headrail/bottomrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS



TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK SIZE STANDARDS

	Honeycomb			SoftStyle		2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Semi-Opaque Fabrics	All Blackout Fabrics	All Fabrics
Min. Width (net)	12"	12"	12"	12"	12"	12"
Max. Width	84"	84"	84"	84"	84"	84"
Max. Width - End Mount	48"	48"	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max. Area (sq. ft.)	49	49	49	49	49	49

* 3/8" single, 3/4" sheer/semi-sheer and triple cell fabrics are not available with TriLight.

** Willa Sheer max. width is 83".

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	-1/4"	-1/4"
Shade height	Ordered Height	Ordered Height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	Ordered Height	Ordered Height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	Ordered Width	Ordered Width
Shade height	Ordered Height	Ordered Height
Fabric width	-1/8"	-1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

Note: Inside mount with hold down brackets deductions:
Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

FEATURES AND BENEFITS



- Innovative design allows choice of honeycomb or 2" Hybrid Pleat shade fabric for the front shade to achieve just the right style and color desired.
- Rails are fabric wrapped for a soft appearance top to bottom.
- The back liner roller shade offers total flexibility when controlling light and privacy.
- The back liner also provides an extra layer of insulation to help reduce energy costs.
- Liners are available in light-filtering, blackout and screen styles to fit varying needs.
- Optional side seals eliminate light leaks from the sides of shades. They fit neatly inside the window frame and are hidden behind the front shade so they don't detract from the beauty of the shade.
- Optional side seals provide additional energy efficiency. Together with the back liner, they form a complete barrier between the window and the room — keeping rooms cooler in summer and warmer in winter.

SELECTING A TANDEM SHADE

1. Choose a front shade fabric, cell size and color.
Note: Tricella triple cell fabric is not available with Tandem.
 2. Choose a liner (back roller shade) style and color.
See Color Chart.
 3. Refer to the price grids on pages 11-25 to determine your front shade price. Add in the Tandem option pricing to determine the final shade price.
- Tandem is available with the following control options:
 - Standard Cordlock
 - Cordless Lift & Lock
 - Standard Cordlock – right cordlock operates the front shade; cord loop operates the back liner. Shades operate independently of each other. Reverse controls available; no grouped controls.
 - Shades install with snap-in brackets.
 - Side seals are available as a surcharge option.
Mounting rail installation.
Note: Available colors 973 Oyster and 661 White.

BACK LINER COLOR CHART

DESCRIPTION	MAX. WIDTH	COLOR #	COLOR NAME
Light Filtering	72"	R7202	Oyster
Light Filtering	72"	R7201	White
Blackout	72"	R4004	Black
Blackout	72"	R4014	Golden Leather
Blackout	72"	R4016	Milk Chocolate
Blackout	72"	R4018	Mocha
Blackout	72"	R4006	Oyster
Blackout	72"	R4001	White
Screen	78"	R6204	Dark Roast
Screen	78"	R6201	Ivory
Screen	78"	R6202	Parchment

TANDEM OPTION PRICING

Find your shade width on the price grids below. Add the surcharge to the price of each shade(s). If ordering optional side seals, include the additional **\$34 surcharge** to the price of each shade(s).

Light Filtering and Blackout (Max. Width 72")

WIDTH UP TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
	\$92	102	118	134	149	164	179	196	212

Optional Side Seals: Add \$34

Available colors 973 Oyster and 661 White.

Screen (Max. Width 78")

WIDTH UP TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"
	\$108	121	139	158	176	195	210	231	250	286

Optional Side Seals: Add \$34

Available colors 973 Oyster and 661 White.

PRODUCT CONFIGURATION SPECIFICATIONS

Standard, Cordlock, Cordless Lift & Lock

SIZE STANDARDS	
Minimum Width	
All liners	12"
Maximum Width	
Light Filtering	72"
Blackout	72"
Screen	78"
Minimum Height	
All liners	12"
Maximum Height	
Light Filtering	84"
Blackout	82"
Screen	64"

NOTE: Tricella triple cell is not available with the Tandem option.

PRODUCT CONFIGURATION SPECIFICATIONS

FINISHED DIMENSIONS – HONEYCOMB/SOFTSTYLE

Adjustments are taken from ordered dimensions.

	Standard Cordlock*	Cordless Lift & Lock*
Inside (IB) Mount		
Headrail unit	-1/4"	-1/4"
Shade height	ordered height	ordered height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	ordered height	ordered height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	-1/8"	-1/8"
Shade height	ordered height	ordered height
Fabric width	-1/4"	-1/4"

* Snap-in brackets

Standard Cordlock:

The factory will take a fabric deduction (included above) for the liner cord loop control, and a fabric deduction for the lift cord on the opposite side.

Cordless Lift & Lock:

The factory will take a fabric deduction (included above) for the liner cord loop control.

FINISHED DIMENSIONS – 2" HYBRID PLEAT

Adjustments are taken from ordered dimensions.

	Standard Edgelock*	Cordless Lift & Lock*
Inside (IB) Mount		
Headrail unit	-1/4"	-1/4"
Shade height	ordered height	ordered height
Fabric width	-7/8"	-5/8"
Liner fabric width	-1-3/8"	-1-3/8"
End (EB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	ordered height	ordered height
Fabric width	-1-1/8"	-7/8"
Liner fabric width	-1-3/8"	-1-5/8"
Outside (OB) Mount		
Headrail unit	-1/8"	-1/8"
Shade height	ordered height	ordered height
Fabric width	-3/4"	-1/2"
Liner fabric width	-1-1/4"	-1-1/4"

* Snap-in brackets

Standard Edgelock:

The factory will take a fabric deduction (included above) for the liner cord loop control, and a fabric deduction for the lift cord on the opposite side.

Cordless Lift & Lock:

The factory will take a fabric deduction (included above) for the liner cord loop control.

MOUNTING REQUIREMENTS – HONEYCOMB/SOFTSTYLE

Adjustments are taken from ordered dimensions.

	Standard Cordlock*	Cordless Lift & Lock*
Inside (IB) Mount		
Minimum mounting depth	1/2"	1/2"
Mounting depth, flush mount	2-1/2"	2-1/2"
Outside (OB) Mount		
Minimum mounting height	1"	1"

MOUNTING REQUIREMENTS – 2" HYBRID PLEAT

Adjustments are taken from ordered dimensions.

	Standard Edgelock*	Cordless Lift & Lock*
Inside (IB) Mount		
Minimum mounting depth	1/2"	1/2"
Mounting depth, flush mount	2-1/2"	2-1/2"
Outside (OB) Mount		
Minimum mounting height	1"	1"

PRODUCT CONFIGURATION SPECIFICATIONS

FINISHED DIMENSIONS – HONEYCOMB/SOFTSTYLE WITH SIDE SEALS/MOUNTING RAIL

Adjustments are taken from ordered dimensions.

	Standard Cordlock*	Cordless Lift & Lock*
Inside (IB) Mount		
Headrail unit	-1/4"	-1/4"
Shade height	ordered height	ordered height
Fabric width	-3/8"	-3/8"
End (EB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	ordered height	ordered height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	-1/8"	-1/8"
Shade height	ordered height	ordered height
Fabric width	-1/4"	-1/4"

* Mounting Rail

Standard Cordlock:

The factory will take a fabric deduction (included above) for the liner cord loop control, and a fabric deduction for the lift cord on the opposite side.

Cordless Lift & Lock:

The factory will take a fabric deduction (included above) for the liner cord loop control.

MOUNTING REQUIREMENTS – HONEYCOMB/SOFTSTYLE WITH SIDE SEALS/MOUNTING RAIL

Adjustments are taken from ordered dimensions.

	Standard Cordlock*	Cordless Lift & Lock*
Inside (IB) Mount		
Minimum mounting depth	3/4"	3/4"
Mounting depth, flush mount	2-5/8"	2-5/8"
Outside (OB) Mount		
Minimum mounting height	2"	2"

FINISHED DIMENSIONS – 2" HYBRID PLEAT WITH SIDE SEALS/MOUNTING RAIL

Adjustments are taken from ordered dimensions.

	Standard Edgelock*	Cordless Lift & Lock*
Inside (IB) Mount		
Headrail unit	-1/8"	-1/4"
Shade height	ordered height	ordered height
Fabric width	-7/8"	-5/8"
Liner fabric width	-1-3/8"	-1-3/8"
End (EB) Mount		
Headrail unit	-3/8"	-3/8"
Shade height	ordered height	ordered height
Fabric width	-1-1/8"	-7/8"
Liner fabric width	-1-3/8"	-1-3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	-3/4"	-1/2"
Liner fabric width	-1-1/4"	-1-1/4"

* Mounting Rail

Standard Edgelock:

The factory will take a fabric deduction (included above) for the liner cord loop control, and a fabric deduction for the lift cord on the opposite side.

Cordless Lift & Lock:

The factory will take a fabric deduction (included above) for the liner cord loop control.

MOUNTING REQUIREMENTS – 2" HYBRID PLEAT WITH SIDE SEALS/MOUNTING RAIL

Adjustments are taken from ordered dimensions.

	Standard Edgelock*	Cordless Lift & Lock*
Inside (IB) Mount		
Minimum Mounting Depth	3/4"	3/4"
Mounting Depth, Flush	2-5/8"	2-5/8"
Outside (OB) Mount		
Minimum Mounting Height	2"	2"

FABRIC AND HARDWARE STACKING

HONEYCOMB SINGLE AND DOUBLE CELL SIZE FABRIC:

- Allow 2-1/4" for headrail, 1/2" for bottomrail and 1/8" for each 12" of shade height.

SOFTSTYLE:

- Allow 2-1/4" for headrail, 1/2" for bottomrail and 3/8" for each 12" of shade height.

2" HYBRID PLEAT

- Allow 2-1/4" for headrail, 1/2" for bottomrail, 1/4" for each 12" of shade height, plus 1-1/2" for fabric fold over.

HONEYCOMB EXAMPLE:

Shade Size: 42" wide x 60" high

Headrail	2 1/4"
Bottomrail	1/2"
Shade (5" x 1/8")	5/8"
Stack	3 3/8"

LOOP SPECIFICATIONS

The cord loop operates the back liner.

Shade Height	Cord Loop Drop	Loop Color
Up to 38"	24" loop	Color Coordinated
38 1/8" to 50"	36" loop	Color Coordinated
50 1/8" to 62"	48" loop	Color Coordinated
62 1/8" to 84"	60" loop	Color Coordinated
Special Request	84" loop	Color Coordinated

Shade Height	Cord Loop Drop	Loop Color
Special Request	12" loop	White
Special Request	24" loop	White
Special Request	36" loop	White
Special Request	48" loop	White
Special Request	60" loop	White
Special Request	84" loop	White
Special Request	96" loop	White
Special Request	114" loop	White

MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

REMOTELIFT™ 2.0 BATTERY-OPERATED MOTORIZATION





- Fits rectangular window openings
- Remote control battery-operated operation
- Two stacking options: 1) standard bottom-up 2) top-down
- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and Simplicity. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

REMOTELIFT 2.0 – SIZE STANDARDS

	All Honeycomb and SoftStyle Fabrics *	2" Hybrid Pleat
Minimum Width	18"	18"
Maximum Width	Refer to chart on page 47	
Max. Width, End Mount	36"	48"
Minimum Height	12"	12"
Maximum Height	Refer to chart on page 47	

* RemoteLift not available with 3/8" triple cell fabrics


** Max square footage for 2" Hybrid Pleat is 60 sq. feet




FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"



High Mount & Wand



Satellite Pack or DC Power

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/2"	1-1/2"
Minimum mounting depth, flush mount:	2-7/8"	2-7/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

With (Optional) Satellite Battery Pack or DC Power Supply

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

Inside mount with Hold-Down Bracket deductions: Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

REMOTELIFT 2.0 ORDERING NOTES

- Hardware colors will complement the fabric. Refer to the Hardware Color Guide for colors and more information.
- Specify left-side or right-side placement for sensor eye.
- Remote controls are ordered separately. Specify the number of remotes you desire.
- To operate multiple shades independently in Radio Frequency, additional remotes will need to be ordered if you have more than 4 shades.
- If ordering a satellite battery pack, specify wire length – 15", 4', 10' or 20'.
- If ordering the DC power supply, specify wire length – 15", 4', 10' or 20'.
- Daisy-Chain requires the DC power supply and you must specify which wire length (15", 4', 10' or 20') at the time the order is placed. You can Daisy-Chain up to 3 blinds per DC power supply.
- Specify "Channel 2" operation for independent operation of adjacent shades.

MOTORIZATION CONFIGURATION SPECIFICATIONS

REMOTELIFT™ 2.0 SYSTEM OPTIONS

BATTERY WAND

Battery wands are the standard power source whether inside (IB), outside (OB) or end (EB) mount, if applicable. Battery wands are mounted on the rear of the headrail. The redesigned battery wand will allow for batteries to be changed without removing the window covering from the window.

- 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.




18V Battery Wand
(Part #2920499000)

SATELLITE BATTERY PACK

The satellite battery pack is an optional power source. The battery pack connects to the same side of the headrail where the receiver eye or satellite eye is located. The satellite battery pack is the best choice when the window covering is mounted in a high window, restricting access to a battery wand.

- 18V satellite battery pack:
 - Available in 15", 4', 10' and 20' wire lengths.
 - 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.
- Mounting options: top of headrail, next to molding or under the sill.
- Satellite battery pack cover can be painted.



18V Satellite Battery Pack
(Part #KIT2520)

Wire Part #'s:
15" (Part #2989899000)
4ft (Part #2989900000)
10ft (Part #2989901000)
20ft (Part #2989902000)

DC POWER SUPPLY

The DC power supply is an optional power source. The DC power supply plugs into any standard household outlet.

- 18V DC power supply:
 - Available in 15", 4', 10' and 20' wire lengths.
- Eliminates need to change batteries.



18V DC Power Supply
(Part #7806000000)

DAISY CHAIN

The optional Daisy Chain Adapter allows up to 3 shades to run off of one DC power supply. You must specify the cable wire length when order is placed.

Note: Keep in mind which side the sensor eye is positioned on each side when determining daisy-chain length.



Daisy-Chain Adapter/Connector
(Part #2989875000)

SIZE STANDARDS – REMOTELIFT™ 2.0 MOTORIZATION

REMOTELIFT 2.0 MAXIMUM HEIGHTS – STANDARD AND TOP-DOWN																		
CODE	SHADE WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"
Max Square Footage:		90 Square Feet															70 Square Feet	
H11	3/8" ESSENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	76"	70"
Max Square Footage:		90 Square Feet															70 Square Feet	
H44	3/8" MARCELLA	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	76"	70"
Max Square Footage:		80 Square Feet															70 Square Feet	50 Square Feet
H40	3/8" OPULENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	92"	84"	54"	50"
Max Square Footage:		90 Square Feet															70 Square Feet	
H17	3/8" PAISLEY	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	76"	70"
Max Square Footage:		90 Square Feet															70 Square Feet	
H18	3/8" TEXTURE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	76"	70"
Max Square Footage:		50 Square Feet															30 Square Feet	
H41	3/8" OPULENCE BLACKOUT	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a	
Max Square Footage:		50 Square Feet															30 Square Feet	
H12	3/8" SERENITY BLACKOUT	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a	
Max Square Footage:		80 Square Feet															65 Square Feet	40 Square Feet
H21	3/4" ESSENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	86"	78"	42"	40"
Max Square Footage:		80 Square Feet															60 Square Feet	40 Square Feet
H27	3/4" LINEN	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"
Max Square Footage:		80 Square Feet															75 Square Feet	45 Square Feet
H45	3/4" MARCELLA	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"
Max Square Footage:		80 Square Feet															60 Square Feet	40 Square Feet
H28	3/4" OPULENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"
Max Square Footage:		30 Square Feet																
H62	3/4" SERENE FR	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a			
Max Square Footage:		35 Square Feet																
H46	3/4" MARCELLA BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a			
Max Square Footage:		35 Square Feet																
H29	3/4" OPULENCE BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a			
Max Square Footage:		30 Square Feet																
H60	3/4" SERENE FR BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a			
Max Square Footage:		60 Square Feet															40 Square Feet	
H22	3/4" SERENITY BLACKOUT	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	102"	96"	90"	54"	48"	n/a	
Max Square Footage:		90 Square Feet															55 Square Feet	
H25	3/4" TIFFANY SHEER	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	60"	54"
Max Square Footage:		50 Square Feet															35 Square Feet	
H24	3/4" TRANQUILITY SEMI-SHEER	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	46"	42"	n/a	
Max Square Footage:		50 Square Feet															30 Square Feet	
H31	1/2" HARMONY DOUBLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a	
Max Square Footage:		45 Square Feet															30 Square Feet	
H47	1/2" MARCELLA DOUBLE CELL	108"	108"	108"	108"	108"	108"	108"	98"	90"	82"	76"	72"	68"	40"	36"	n/a	
Max Square Footage:		40 Square Feet															25 Square Feet	
H39	1/2" OPULENCE DOUBLE CELL	108"	108"	108"	108"	108"	106"	96"	86"	80"	72"	68"	64"	60"	32"	30"	n/a	
Max Square Footage:		45 Square Feet															30 Square Feet	
H50	3/4" ELITE WOVEN	108"	108"	108"	108"	108"	108"	108"	98"	90"	82"	76"	72"	68"	40"	36"	n/a	
Max Square Footage:		25 Square Feet																
H51	3/4" ELITE WOVEN BLACKOUT	108"	108"	100"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"	n/a			
Max Square Footage:		55 Square Feet															35 Square Feet	
S11	SOFTSTYLE SEMI-OPAQUE - SMALL SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	94"	88"	90"	46"	42"	n/a	
Max Square Footage:		55 Square Feet															40 Square Feet	
S21	SOFTSTYLE SEMI-OPAQUE - LARGE SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	94"	88"	90"	54"	48"	n/a	
Max Square Footage:		30 Square Feet															20 Square Feet	
S31	SOFTSTYLE SEMI-OPAQUE - DOUBLE CELL	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	26"	24"	n/a	
Max Square Footage:		45 Square Feet															20 Square Feet	
S13	SOFTSTYLE BLACKOUT - SMALL SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	98"	90"	82"	76"	72"	68"	26"	24"	n/a	
Max Square Footage:		50 Square Feet															20 Square Feet	
S23	SOFTSTYLE BLACKOUT - LARGE SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	26"	24"	n/a	
Max Square Footage:		25 Square Feet																
S32	SOFTSTYLE BLACKOUT - DOUBLE CELL	108"	108"	100"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"	n/a			
Max Square Footage:		35 Square Feet																
HPF	2" HYBRID PLEAT - SEMI-OPAQUE	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a			
Max Square Footage:		30 Square Feet																
HPR	2" HYBRID PLEAT - BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a			

NOTE: TRIPLE CELL FABRICS NOT AVAILABLE WITH REMOTELIFT 2.0.

NOTE: SPECIFICATIONS HAVE BEEN UPDATED. PLEASE REVIEW WHEN ORDERING.

REMOTELIFT 2.0

RemoteLift 2.0 uses a combination of two different types of wireless signals to control window coverings: radio waves and an infrared signal.

By combining these two signal methods, RemoteLift 2.0 gives consumers the best features and control in the industry. Whether opening a single window covering or partially closing a roomful of coverings at the same time, RemoteLift 2.0 provides the ultimate in control.

WHAT IS RADIO FREQUENCY?

Radio frequency (RF) in today's world simply refers to the use of radio waves of a given frequency to wirelessly send data from a transmitter to a receiver. RemoteLift 2.0 uses radio waves in the 2.4GHz (pronounced "gigahertz") frequency range to send commands from the remote or to the receiver at the window covering.

Radio waves, due to their nature, pass through solid objects and radiate in every direction. That means a remote sending an RF signal does not need to be pointed at a window covering in order to control it. The remote does not have to be in the same room as the window covering it operates nor does the satellite eye need to be visible.

People use products that send radio frequency signals every day. From cell phones and keyless car FOBs, to baby monitors and even garage door openers. Each device sends out RF signals (radio waves) to a receiver on the other end. If the receiver on the other end doesn't "hear" the signal being sent, nothing happens (or a cell phone call gets dropped).

Operational Distance of Radio Waves

Range of operation may vary due to common household construction, layout and other wireless devices in the home. Much like reception with a cell phone, there may be better locations within a home to use radio frequency than others.

WHAT IS INFRARED?

An infrared (IR) signal uses an invisible beam of energy to send commands from a limited distance (usually less than 30 feet) to an electronic device. Similar to a flashlight, a clear line of sight between the device sending the signal and the device receiving the signal is necessary. Likewise, an infrared beam reflects off solid surfaces, bouncing around a room, which could activate a window covering unintentionally.

Products that use an infrared signal as a means of communication are so common, people seldom think about it. The most common device that uses an infrared signal sent from a remote in today's world is the television. By pointing the TV remote at the television and pressing a button, the television responds by changing channels, changing the volume level or powering off.


Operational Distance of Infrared Signals

The maximum operational distance an infrared signal can travel is 30 feet or less in a straight line. There cannot be any physical obstructions (like a drapery, top-treatment or cornice) between the remote and the receiver eye.


Also, an infrared signal can be compromised by direct sunlight or bright interior light. Keep all infrared receivers out of direct sunlight for better operation.

REMOTELIFT™ 2.0 MOTORIZATION: OVERVIEW


REMOTELIFT 2.0



Operation of a group of window coverings using radio frequency.



Operation of multiple groups of window coverings using radio frequency.



Operation of a single window covering using infrared or radio frequency.

SIMPLICITY CONFIGURATION SPECIFICATIONS

SIMPLICITY MOTORIZATION

- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and RemoteLift 2.0. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.
- Simplicity Motorization features either a battery powered motor utilizing a single battery wand or plug-in DC transformer. Simplicity motors are compact and use a radio controlled remote to raise or lower the shades.
- Either batteries or DC power is needed to operate Simplicity motors. The battery wand can be clipped to the headrail or wall or ceiling mounted utilizing battery wand clips. The 12 volt battery wand measures 17", and comes with eight AA alkaline batteries, and is white in color. The battery wire is 10" long.
- A 48" extension wire is available (Part #CS5133Z).
- 12 Volt DC power supply/transformer is available and requires a standard power outlet to power the motor. The transformer is an alternative to a battery wand. Each transformer can power a single shading.



(Part #CS5151)

The power supply must plug in to the motor. The DC power supply is white and comes with a 80" wire.



(Part #CS5129ZR)



White
(Part #CS5138W)



Black
(Part #CS5138)

SIMPLICITY - SIZE STANDARDS

	All Honeycomb and SoftStyle Fabrics *	2" Hybrid Pleat
Minimum Width	18"	18"
Maximum Width	96"	96"
Minimum Height	12"	12"
Maximum Height	96"	96"

*Simplicity not available with 3/8" triple cell fabrics

NOTE: Max height may vary by width. Refer to chart on page 35

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

SIZE STANDARDS – SIMPLICITY MOTORIZATION

SIMPLICITY MOTORIZATION MAXIMUM HEIGHTS – STANDARD				
CODE	SHADE WIDTH TO:	18" – 72"	84"	96"
H11	3/8" Essence Semi-Opaque	96"	96"	96"
H44	3/8" Marcella Semi-Opaque	96"	96"	96"
H40	3/8" Opulence Semi-Opaque	96"	96"	96"
H17	3/8" Paisley Semi-Opaque	96"	96"	96"
H18	3/8" Texture Semi-Opaque	96"	96"	96"
H41	3/8" Opulence Blackout	96"	96"	96"
H12	3/8" Blackout Serenity	96"	90"	72"
H21	3/4" Essence Semi-Opaque	96"	96"	96"
H27	3/4" Linen Semi-Opaque	96"	96"	96"
H45	3/4" Marcella Semi-Opaque	96"	96"	96"
H28	3/4" Opulence Semi-Opaque	96"	90"	72"
H60	3/4" Serene FR Semi-Opaque	96"	90"	72"
H46	3/4" Marcella Blackout	96"	90"	72"
H29	3/4" Opulence Blackout	96"	90"	72"
H62	3/4" Serene FR Blackout	96"	90"	72"
H22	3/4" Serenity Blackout	96"	96"	96"
H25	3/4" Tiffany Sheer	96"	96"	96"
H24	3/4" Tranquility Semi-Sheer	96"	90"	72"
H39	Opulence 1/2" Double Cell	96"	90"	72"
H31	Harmony 1/2" Double Cell	96"	96"	96"
H47	1/2" Marecella Double Cell	96"	96"	96"
H50	3/4" Elite Woven	96"	90"	72"
H51	3/4" Elite Woven Blackout	90"	72"	66"
S11	SoftStyle Semi-Opaque - Small Single Cell	96"	96"	96"
S21	SoftStyle Semi-Opaque - Large Single Cell	96"	96"	96'
S31	SoftStyle Semi-Opaque - Double Cell	96"	90"	72"
S13	SoftStyle Blackout - Small Single Cell	96"	96"	96"
S23	SoftStyle Blackout - Large Single Cell	96"	96"	96"
S32	SoftStyle Blackout - Double Cell	96"	90"	72"
HPF	2" Hybrid Pleat Semi-Opaque	96"	96"	96"
HPR	2" Hybrid Pleat - Blackout	96"	90"	72"

HONEYCOMB VERTICAL APPLICATION A

• 3/4" Marcella (H45)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$313	338	369	396	422	449	477	503	531	559	582	633	681	727	767	813	860	910
42"	334	365	397	429	458	489	522	551	580	612	638	688	736	791	836	891	943	1006
48"	356	389	426	461	492	526	560	599	626	657	690	744	794	866	906	965	1011	1078
54"	373	416	454	493	527	559	594	629	662	692	727	783	845	909	967	1024	1089	1155
60"	396	439	483	525	559	594	632	667	704	739	772	840	907	975	1034	1103	1171	1247
66"	419	464	509	558	597	632	670	712	746	788	823	898	969	1042	1107	1186	1258	1349
72"	442	490	540	590	630	666	705	757	792	833	875	956	1028	1109	1181	1264	1346	1440
78"	465	515	570	616	660	695	739	791	828	876	915	1003	1080	1164	1242	1328	1417	1516
84"	489	541	598	647	694	736	782	834	874	925	967	1060	1146	1232	1312	1409	1499	1609
90"	508	568	624	676	726	772	820	877	922	973	1020	1118	1210	1302	1389	1486	1587	1696
96"	531	592	647	702	753	802	853	913	960	1015	1061	1166	1258	1360	1455	1550	1657	1766
102"	553	615	676	730	782	838	897	953	1009	1061	1110	1222	1324	1424	1523	1629	1743	1864
108"	575	640	703	761	817	872	937	1001	1054	1113	1164	1281	1387	1494	1599	1709	1831	1959
114"	598	664	729	792	849	908	975	1041	1101	1161	1213	1342	1453	1563	1678	1785	1919	2042
120"	616	690	782	846	906	968	1039	1110	1170	1235	1283	1416	1532	1650	1765	1880	2013	2142

• 3/4" Essence (H21)

• 3/4" Linen (H27)

• 3/4" Marcella Blackout (H46)

• 3/4" Opulence (H28)

• 3/4" Serene FR (H62)

HONEYCOMB VERTICAL APPLICATION B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$367	397	435	466	495	527	561	592	625	657	685	743	801	853	901	955	1009	1071
42"	392	428	467	504	538	573	611	647	682	719	750	809	866	929	982	1048	1109	1183
48"	417	456	501	541	577	618	659	704	735	772	811	876	933	1016	1064	1135	1188	1266
54"	439	488	532	579	620	657	697	739	777	813	853	920	994	1070	1137	1205	1280	1357
60"	465	515	568	616	657	697	743	784	827	869	908	986	1066	1146	1216	1296	1377	1466
66"	493	544	599	656	701	743	788	838	878	926	969	1056	1139	1225	1301	1393	1480	1586
72"	520	575	634	694	740	782	829	889	930	979	1028	1124	1209	1302	1388	1486	1583	1695
78"	546	605	668	724	775	817	869	929	974	1030	1075	1178	1269	1369	1459	1562	1666	1783
84"	573	636	703	762	815	866	918	980	1027	1087	1137	1246	1348	1450	1543	1656	1764	1892
90"	598	666	733	794	852	907	965	1032	1084	1143	1198	1315	1422	1531	1633	1746	1865	1995
96"	624	695	761	824	884	944	1004	1072	1129	1194	1248	1371	1481	1600	1709	1824	1948	2077
102"	649	724	794	857	919	984	1053	1120	1187	1249	1304	1437	1557	1674	1791	1915	2049	2191
108"	676	753	826	894	960	1025	1103	1176	1240	1309	1369	1506	1630	1757	1881	2011	2152	2302
114"	702	781	855	930	998	1068	1146	1224	1294	1365	1426	1575	1707	1838	1975	2101	2257	2401
120"	724	811	918	994	1064	1138	1221	1303	1376	1453	1508	1665	1802	1939	2076	2210	2366	2520

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

HONEYCOMB VERTICAL APPLICATION C

• 3/4" Opulence Blackout (H29)

• 3/4" Serenity Blackout (H22)

• 3/4" Tiffany Sheer (H25)

• 3/4" Serene FR Blackout (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$427	471	522	566	603	631	669	708	744	782	816	886	976	1052	1127	1209	1286	1339
42"	464	515	570	611	652	688	730	772	815	853	895	969	1068	1152	1240	1331	1417	1481
48"	502	551	605	652	695	735	781	829	875	917	963	1048	1154	1249	1346	1442	1538	1610
54"	536	592	649	703	748	798	848	901	950	1002	1050	1142	1261	1365	1471	1583	1686	1768
60"	572	626	691	748	800	851	905	965	1020	1075	1129	1226	1355	1470	1586	1706	1818	1913
66"	604	661	734	799	851	907	961	1029	1086	1148	1206	1313	1453	1575	1700	1830	1953	2054
72"	638	696	773	846	902	961	1024	1093	1152	1222	1284	1402	1551	1685	1816	1959	2092	2203
78"	670	731	817	892	953	1018	1087	1159	1224	1299	1366	1487	1644	1790	1936	2083	2226	2347
84"	701	766	855	935	998	1067	1143	1219	1290	1369	1439	1572	1739	1894	2046	2205	2359	2489
90"	733	802	898	981	1047	1123	1206	1283	1360	1444	1517	1659	1836	1999	2162	2333	2494	2635
96"	764	838	936	1029	1095	1179	1265	1351	1430	1518	1598	1746	1937	2108	2282	2459	2631	2781
102"	796	875	978	1070	1140	1236	1325	1414	1495	1591	1670	1824	2018	2200	2382	2567	2752	2912
108"	828	910	1017	1114	1183	1292	1383	1479	1559	1658	1741	1907	2112	2303	2495	2691	2882	3051
114"	856	951	1057	1161	1230	1347	1442	1541	1629	1728	1813	1991	2208	2407	2612	2814	3019	3195
120"	919	1023	1133	1244	1313	1433	1534	1638	1728	1833	1919	2109	2333	2544	2755	2968	3181	3369

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

HONEYCOMB VERTICAL APPLICATION D

• 3/4" Elite Woven (H50) • 3/4" Elite Woven Blackout (H51)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$747	824	913	990	1055	1104	1171	1240	1302	1369	1428	1551	1708	1841	1973	2115	2250	2344
42"	812	902	998	1070	1142	1204	1277	1351	1427	1493	1565	1695	1868	2016	2170	2329	2480	2591
48"	879	964	1059	1142	1216	1286	1367	1450	1531	1605	1685	1834	2019	2185	2355	2524	2692	2819
54"	938	1036	1137	1230	1310	1396	1485	1576	1663	1753	1838	1998	2207	2389	2574	2769	2949	3094
60"	1002	1095	1209	1310	1399	1490	1584	1688	1785	1881	1976	2146	2372	2573	2775	2985	3182	3348
66"	1057	1156	1284	1398	1490	1587	1682	1802	1901	2009	2110	2297	2543	2757	2975	3202	3418	3595
72"	1117	1218	1353	1481	1578	1682	1793	1913	2016	2139	2247	2454	2714	2948	3179	3427	3662	3855
78"	1173	1279	1430	1562	1668	1781	1903	2029	2142	2274	2391	2602	2877	3132	3388	3646	3896	4107
84"	1226	1341	1497	1636	1745	1867	2000	2134	2257	2396	2519	2752	3043	3314	3581	3858	4129	4355
90"	1283	1403	1571	1716	1832	1966	2110	2245	2380	2526	2654	2903	3213	3497	3785	4083	4365	4612
96"	1336	1466	1637	1802	1917	2063	2214	2364	2502	2656	2797	3057	3389	3689	3994	4304	4605	4867
102"	1392	1531	1711	1872	1995	2163	2319	2474	2617	2784	2923	3191	3532	3850	4168	4492	4816	5097
108"	1449	1593	1780	1949	2070	2261	2420	2588	2728	2901	3047	3338	3696	4030	4367	4709	5044	5340
114"	1499	1665	1850	2033	2153	2357	2524	2697	2851	3024	3173	3485	3864	4211	4571	4925	5284	5590
120"	1608	1791	1983	2177	2297	2509	2685	2867	3024	3208	3359	3691	4083	4451	4821	5194	5567	5895

SOFTSTYLE VERTICAL APPLICATION E

• SoftStyle Semi-Opaque – Large Single Cell (S21)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$273	296	323	346	369	392	417	440	464	488	509	553	595	635	670	711	768	825
42"	292	319	347	375	400	427	456	481	507	535	558	601	643	691	730	779	841	904
48"	311	340	372	403	430	459	489	523	547	574	603	650	693	756	792	843	910	979
54"	326	363	396	431	460	488	519	549	578	604	635	684	738	794	845	895	967	1039
60"	346	384	422	459	488	519	552	583	615	646	675	734	792	852	903	963	1040	1118
66"	366	405	445	487	522	552	585	622	652	689	720	784	846	910	967	1036	1119	1203
72"	387	428	472	515	550	582	616	661	692	728	765	836	899	969	1032	1105	1193	1283
78"	406	450	498	539	576	607	646	691	723	765	800	876	944	1017	1085	1161	1254	1348
84"	427	473	522	566	606	643	684	729	764	809	845	927	1001	1077	1146	1231	1329	1429
90"	444	496	545	591	634	675	717	766	806	850	891	977	1057	1138	1214	1298	1402	1507
96"	464	517	566	613	658	701	746	798	839	887	927	1019	1099	1188	1271	1354	1462	1572
102"	483	538	591	638	684	732	783	833	882	927	970	1068	1157	1244	1331	1423	1537	1652
108"	503	559	614	665	714	762	819	874	921	972	1017	1119	1212	1305	1397	1494	1614	1735
114"	522	580	637	692	742	793	852	909	962	1015	1060	1172	1269	1366	1467	1560	1685	1811
120"	539	603	684	739	792	846	908	970	1022	1080	1121	1237	1339	1441	1542	1643	1774	1908

SOFTSTYLE VERTICAL APPLICATION F

• SoftStyle Blackout – Large Single Cell (S23)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$321	347	380	407	432	460	490	517	546	574	599	649	700	746	787	835	902	969
42"	342	374	408	441	470	501	534	566	596	629	656	707	756	811	858	916	989	1063
48"	364	398	438	473	504	540	576	615	642	675	709	765	815	888	930	991	1070	1151
54"	384	426	465	506	541	574	609	646	679	711	746	804	869	935	993	1053	1137	1223
60"	406	450	496	539	574	609	649	685	722	759	793	862	931	1001	1062	1133	1224	1315
66"	431	476	523	573	612	649	689	732	767	810	846	923	995	1071	1137	1217	1314	1413
72"	454	503	554	606	647	684	724	777	812	855	899	982	1056	1138	1213	1298	1402	1507
78"	477	529	584	632	677	714	759	811	851	900	939	1029	1109	1197	1275	1365	1474	1585
84"	501	556	614	666	712	756	802	856	898	950	993	1089	1178	1267	1349	1447	1563	1680
90"	522	582	640	693	745	792	843	901	947	999	1047	1149	1242	1338	1427	1526	1648	1772
96"	545	607	665	720	773	825	877	936	987	1044	1090	1198	1294	1398	1494	1593	1720	1849
102"	567	632	693	749	803	860	920	979	1037	1091	1140	1256	1360	1463	1565	1674	1808	1944
108"	591	658	721	781	839	896	963	1027	1083	1143	1197	1316	1424	1535	1644	1757	1898	2040
114"	613	683	747	812	872	933	1001	1070	1131	1193	1246	1377	1492	1606	1726	1836	1983	2132
120"	632	709	802	869	930	994	1067	1139	1202	1269	1318	1455	1575	1694	1814	1931	2085	2242

2" HYBRID PLEAT VERTICAL APPLICATION G

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$318	380	381	403	417	445	462	539	561	600	629	733	826	909	990	1080	1160
42"	360	387	395	414	435	457	478	558	580	624	652	751	850	935	1019	1111	1194
48"	377	399	406	438	478	484	500	595	610	657	691	792	909	1000	1090	1188	1277
54"	391	423	426	457	496	499	518	614	635	679	712	822	929	1022	1114	1214	1305
60"	393	436	437	478	515	517	537	633	654	707	744	859	970	1067	1163	1268	1363
66"	423	462	463	489	515	528	547	654	671	721	768	885	1000	1100	1199	1307	1405
72"	433	482	482	511	525	554	574	689	703	768	813	929	1052	1157	1261	1375	1478
78"	500	547	556	580	601	630	654	687	706	764	817	938	1059	1165	1270	1384	1488
84"	514	562	572	598	624	654	678	712	736	795	854	980	1100	1210	1319	1438	1545
90"	533	583	585	611	636	672	702	736	762	822	886	1015	1141	1255	1368	1491	1603
96"	543	598	601	627	652	693	720	754	785	848	910	1043	1178	1296	1412	1540	1655
108"	601	670	672	705	739	782	829	867	905	984	1063	1215	1366	1503	1638	1785	1919
120"	645	726	753	792	832	883	931	983	1027	1113	1207	1377	1541	1695	1848	2014	2165

2" HYBRID PLEAT VERTICAL APPLICATION H

• 2" HYBRID PLEAT – BLACKOUT (HPR)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$362	386	389	412	426	455	471	552	571	613	640	748	842	926	1010	1100	1183
42"	369	396	402	423	442	467	486	573	592	636	664	767	869	956	1042	1136	1221
48"	384	409	414	444	497	502	509	607	622	670	705	807	927	1020	1111	1212	1302
54"	397	434	433	468	512	509	526	627	647	693	727	841	949	1044	1138	1240	1333
60"	402	442	444	486	542	531	546	646	668	721	756	874	987	1086	1183	1290	1387
66"	429	472	472	498	545	541	560	670	685	738	782	902	1018	1120	1221	1330	1430
72"	442	491	492	518	554	563	584	703	716	783	827	947	1071	1178	1284	1400	1505
78"	512	558	565	590	613	644	667	700	721	780	833	957	1077	1185	1291	1408	1513
84"	555	609	621	650	681	716	746	783	812	883	947	1085	1217	1339	1459	1591	1710
90"	610	671	677	709	739	781	814	856	887	961	1034	1187	1334	1467	1599	1743	1874
96"	669	751	764	806	846	902	945	997	1040	1135	1225	1400	1576	1734	1890	2060	2214
108"	729	833	850	905	957	1020	1090	1147	1204	1321	1439	1638	1836	2020	2201	2399	2579
120"	773	898	951	1017	1078	1156	1229	1303	1372	1499	1641	1866	2079	2287	2493	2717	2921

// Vertical Application

ALTA
WINDOW FASHIONS

OPTIONS: NO EXTRA CHARGE

- **Vertical Application** – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- **Center Opening** – Price as two separate shades.
- **Center Stacking**add \$52 each

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.



VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors

- Four fabric stacking options:

- 1) left stack
- 2) right stack
- 3) center opening ("split stack")
- 4) center stack

Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS

CERTIFIED BEST FOR KIDS	Honeycomb			SoftStyle		2" Hybrid Pleat
	Sheer Fabric	All Other 3/4" Fabrics	All 3/4" Blackout Fabrics	Large Single Semi-Opaque	Large Single Blackout	All Fabrics
Min. Width	12"	12"	12"	12"	12"	12"
Max. Width Side Stack	120"	168"	168"	168"	168"	168"
Max. Width Split Stack	168"	190"	190"	190"	190"	190"
Min. Height	24"	24"	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"	120"	120"
Max Sq. ft. Side Stack	100	140	120	120	100	100
Max Sq. ft. Split Stack	100	140	140	140	140	120

Vertical Application not available with any 3/8", 3/8" blackout, 3/4" semi sheer, Small Single and Double Cell SoftStyle, 1/2" double cell, or 3/8" triple cell fabrics

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	ordered height	ordered height
Valance width	+ 1"	+ 1"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount	1-1/2"	1-1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb & SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount:	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Hardware colors are currently limited to 10. Refer to the Hardware Color Guide for colors and more information.

EXCLUSIONS

- All 3/8" styles, 3/4" Semi Sheer, Double Cell, or Triple Cell honeycomb styles. All SoftStyle Small Single and Double Cell styles.

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount or flush mount.
- Specify stacking configuration – left stack, right stack, center opening, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2"
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- Standard installation hardware (brackets) provided.

- Specify no-charge installation hardware:
 - Spacer blocks
 - Extension brackets
 - Shims (OB)
- Also refer to vertical application measuring in "General Information" section.

NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Hybrid Pleat.

HONEYCOMB CLASSIC SKYLIGHT A

• 3/8" Marcella (H44) • 3/4" Marcella (H45)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$199	226	252	285	307	339	365	394	418
42"	209	240	273	304	336	366	397	421	448
48"	220	258	288	323	365	394	431	462	486
54"	236	274	310	346	393	416	462	492	523
60"	243	290	331	369	423	452	494	537	
66"	259	307	349	394	447	479	519		
72"	269	322	369	414	467	503	552		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

HONEYCOMB CLASSIC SKYLIGHT B

• 3/8" Essence (H11) • 3/8" Texture (H18) • 3/4" Opulence (H28)
• 3/8" Opulence (H40) • 3/4" Essence (H21) • 3/4" Serene FR (H62)
• 3/8" Paisley (H17) • 3/4" Linen (H27) • 1/2" Marcella (H47)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$234	265	296	334	359	398	428	464	490
42"	245	281	321	357	394	430	466	494	526
48"	260	301	339	379	428	462	505	543	573
54"	278	322	365	406	461	488	543	580	616
60"	287	341	386	434	497	530	582	628	
66"	303	359	411	464	523	562	612		
72"	316	377	434	487	548	589	649		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

HONEYCOMB CLASSIC SKYLIGHT C

• 3/4" Marcella Blackout (H46)
• 1/2" Opulence Double Cell (H39)
• 1/2" Harmony Double Cell (H31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$244	281	314	349	382	420	453	485	513
42"	262	297	338	377	419	455	492	527	559
48"	272	320	362	404	452	488	534	571	605
54"	295	341	388	431	491	515	575	615	653
60"	306	363	410	458	524	563	618	660	
66"	322	379	432	487	555	596	656		
72"	339	403	456	515	587	630	688		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$34

SIMPLICITY SURCHARGE AND OPTIONS

- Simplicity Motorizationadd \$241
- 5 Channel Remote Control (White or Black)add \$40
- 48" Extension Wireadd \$7
- DC Power Supplyadd \$33

HONEYCOMB CLASSIC SKYLIGHT D

- 3/8" Opulence Blackout (H41)
- 3/8" Serenity Blackout (H12)
- 3/4" Opulence Blackout (H29)
- 3/4" Serene FR Blackout (H60)
- 3/4" Serenity Blackout (H22)
- 3/4" Tiffany Sheer (H25)
- 3/4" Tranquility Semi-Sheer (H24)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$286	328	367	406	442	486	524	561	596
42"	306	348	393	439	486	527	571	613	650
48"	321	371	420	467	521	562	615	657	698
54"	339	394	452	500	564	605	660	707	753
60"	352	416	475	529	604	648	706	758	
66"	375	441	509	570	639	693	759		
72"	394	461	533	595	668	728	811		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

HONEYCOMB CLASSIC SKYLIGHT E

- 3/4" Elite Woven (H50)
- 3/4" Elite Woven Blackout (H51)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$417	476	534	591	643	708	764	818	869
42"	445	507	572	639	708	769	831	892	946
48"	467	540	612	679	760	819	896	957	1017
54"	494	574	659	727	822	880	961	1029	1096
60"	513	606	692	772	878	943	1028	1104	
66"	546	642	741	829	930	1010	1106		
72"	574	671	775	868	974	1060	1181		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$34

SIMPLICITY SURCHARGE AND OPTIONS

- Simplicity Motorizationadd \$241
- 48" Extension Wireadd \$7
- 5 Channel Remote Control (White or Black)add \$40
- DC Power Supplyadd \$33

SOFTSTYLE CLASSIC SKYLIGHT F

- SoftStyle Semi-Opaque – Small Single Cell (S11)
- SoftStyle Semi-Opaque – Large Single Cell (S21)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$174	197	220	249	269	297	318	344	366
42"	183	210	239	266	294	319	346	369	391
48"	193	225	251	282	318	344	376	404	425
54"	206	240	271	303	343	364	404	431	457
60"	213	253	288	322	371	396	433		
66"	226	269	306	344	390	418	454		
72"	235	281	322	362	408	439	482		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

SOFTSTYLE CLASSIC SKYLIGHT G

- SoftStyle Semi-Opaque – Double Cell (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$204	232	259	291	314	347	374	405	428
42"	214	246	280	312	344	375	407	433	460
48"	227	263	297	332	374	404	441	474	501
54"	243	281	318	354	403	426	474	507	538
60"	250	298	338	379	435	464	509		
66"	265	314	359	405	457	491	535		
72"	277	330	379	426	479	515	567		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

SOFTSTYLE CLASSIC SKYLIGHT H

- SoftStyle Blackout - Small Single Cell (S13)
- SoftStyle Blackout - Large Single Cell (S23)
- SoftStyle Blackout - Double Cell (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$213	246	275	306	334	368	397	424	448
42"	229	260	296	330	367	399	431	461	489
48"	238	279	315	352	396	426	466	499	528
54"	258	298	340	376	430	450	502	538	571
60"	268	316	358	401	458	492	540		
66"	281	332	377	426	485	521	574		
72"	297	352	399	450	513	551	602		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$34


SIMPLICITY SURCHARGE AND OPTIONS

- Simplicity Motorizationadd \$241
- 5 Channel Remote Control (White or Black)add \$40
- 48" Extension Wireadd \$7
- DC Power Supplyadd \$33

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT





This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.


- Hardware color: White
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:	WINDOW POSITION:
 Top	 Vertical
 Bottom	 Sloped
 Side	 Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



CLASSIC SKYLIGHT – SIZE STANDARDS

	Honeycomb	SoftStyle
	All Fabrics *	All Fabrics
Min. Width	18"	18"
Max. Width	60"	60"
Min. Height	6"	12"
Max. Height	72"	72"
Max Area (sq. ft.)	25	25

* Classic Skylight not available with any 3/8" triple cell or 2" Hybrid Pleat fabrics

NOTE: Shades over 30" wide require support cords.
Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS

	Honeycomb	SoftStyle
	All Fabrics *	All Fabrics
Min. Width	6"	12"
Max. Width	72"	72"
Min. Height	18"	18"
Max. Height	60"	60"
Max Area (sq. ft.)	25	25

* Classic Skylight not available with any 3/8" triple cell or 2" Hybrid Pleat fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

NOTE: All finished dimensions include side tracks.

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mounts		3/8" Pleat
Minimum mounting depth IB:		1"
Minimum mounting depth, flush mount:		1-11/16"
Outside (OB) Mount		3/8" Pleat
Minimum flat vertical surface		5/8"
Inside (IB) Mounts		3/4" and 1/2" Double, All SoftStyle
Minimum mounting depth IB:		1-1/4"
Minimum mounting depth, flush mount:		2-1/2"
Outside (OB) Mount		3/4" and 1/2" Double, All SoftStyle
Minimum flat vertical surface		1"

SKYLIGHT WITH SIMPLICITY MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH SIMPLICITY MOTORIZATION



NOTE:

This is a different Skylight system than the Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used on standard shades with Simplicity Motorization
- Only available with fabric stack at the bottom of the window



SKYLIGHT SIMPLICITY - SIZE STANDARDS

	All Honeycomb and SoftStyle Fabrics *
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

*Simplicity not available with 3/8" triple cell fabrics

Features

- Inside Mount only
- White aluminum head, bottom, and side rails
- Use radio frequency controlled Simplicity motors
- The Simplicity wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 1-1/4"

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mounts	
Minimum mounting depth IB:	2-1/2"

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the bottom or the lowest point in the window

HONEYCOMB ARCH A

• 3/8" Marcella (H44) • 3/4" Marcella (H45)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$82	95	108	126	146	166	191	218	246	280	316
Movable*	121	138	158	180	206	237	267	303	339	390	447

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 ALL 3/8" FAN-FOLD ARCHES
N/A IN THESE SIZES

- 3/8" Essence (H11)
- 3/8" Opulence (H40)
- 3/8" Paisley (H17)
- 3/8" Texture (H18)
- 3/4" Essence (H21)
- 3/4" Linen (H27)
- 3/4" Opulence (H28)
- 3/4" Serene FR (H62)
- 1/2" Marcella (H47)

HONEYCOMB ARCH B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$97	110	126	148	170	196	225	256	289	329	371
Movable*	140	162	184	210	241	278	313	356	399	457	524

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 ALL 3/8" FAN-FOLD ARCHES
N/A IN THESE SIZES

HONEYCOMB ARCH C

- 3/4" Marcella Blackout (H46)
- 1/2" Harmony Double Cell (H31)
- 1/2" Opulence Double Cell (H39)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$113	130	148	172	200	230	263	300	340	386	436
Movable*	164	190	216	247	284	327	369	418	468	538	617

*Specify Fan-Fold or Top-Down Movable Arch when ordering

- 3/8" Opulence Blackout (H41)
- 3/8" Serenity Blackout (H12)
- 3/4" Opulence Blackout (H29)
- 3/4" Serene FR Blackout (H60)
- 3/4" Serenity Blackout (H22)
- 3/4" Tiffany Sheer (H25)
- 3/4" Tranquility Semi-Sheer (H24)

HONEYCOMB ARCH D

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$131	151	172	202	234	269	309	352	400	454	511
Movable*	192	224	254	290	332	382	433	489	548	629	726

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 ALL 3/8" FAN-FOLD ARCHES
N/A IN THESE SIZES

HONEYCOMB ARCH E

• 3/4" Elite Woven (H50) • 3/4" Elite Woven Blackout (H51)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$254	293	334	392	454	522	600	684	775	882	991
Movable*	371	433	493	563	643	742	839	950	1063	1222	1410

*Specify Fan-Fold or Top-Down Movable Arch when ordering

NOTE: TRIPLE CELL FABRIC NOT AVAILABLE AS A TOP-DOWN ARCH

OPTIONS: EXTRA CHARGE

- **Top-Down Movable Arch Extension Pole**
(extends 3' to 5')\$34
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.

SOFTSTYLE ARCH F

- SoftStyle Semi-Opaque – Small Single Cell (S11)
- SoftStyle Semi-Opaque – Large Single Cell (S21)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$72	83	94	110	128	145	167	191	215	245	277
Movable	105	121	138	158	180	207	233	265	297	341	390

SOFTSTYLE ARCH G

- SoftStyle Semi-Opaque – Double Cell (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$84	96	110	130	148	171	196	224	252	287	324
Movable	123	141	161	184	211	243	274	311	348	400	458

SOFTSTYLE ARCH H

- SoftStyle Blackout – Small Single Cell (S13)
- SoftStyle Blackout – Large Single Cell (S23)
- SoftStyle Blackout – Double Cell (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$99	113	130	150	175	201	230	262	297	338	380
Movable	143	166	188	216	248	285	322	366	408	470	539

NOTE: TRIPLE CELL FABRIC NOT AVAILABLE AS A TOP-DOWN ARCH

OPTIONS: EXTRA CHARGE

- **Top-Down Movable Arch Extension Pole**
(extends 3' to 5')\$34
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)


Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE NOT REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)




	Honeycomb			SoftStyle
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics	All Fabrics
Min. Width	12"	12"	12"	12"
Max. Width	72"	84"	84"	84"
Min. Height	6"	6"	6"	12"
Max. Height	36"	42"	42"	42"

Not available with 2" Hybrid Pleat


MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE NOT REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)



	Honeycomb			SoftStyle
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics	All Fabrics
Min. Width	12"	12"	12"	12"
Max. Width	72"	84"	84"	84"
Min. Height	6"	6"	6"	12"
Max. Height	36"	42"	42"	42"

Not available with 2" Hybrid Pleat

Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)




	Honeycomb			SoftStyle
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics	All Fabrics
Min. Width	12"	12"	12"	12"
Max. Width	72"	84"	84"	84"
Min. Height	1/4 width	1/4 width	1/4 width	1/4 width
Max. Height	36"	42"	42"	42"

Not available with 2" Hybrid Pleat


TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	Honeycomb			SoftStyle
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width	18"	18"	18"	18"
Max. Width	84"	84"	84"	84"
Min. Height	6"	6"	6"	6"
Max. Height	48"	48"	48"	48"

Top-Down Movable Arch is not available with 3/8" triple cell or 2" Hybrid Pleat fabrics

Straight Side Specifications

- * 3/8" & 3/4": if arch width wider than 66", the max height=48"
- * 1/2": if arch width wider than 66", the max height=60"
- * 1/2": if arch width wider than 72", the max height=48"
- * Non-perfect arch: heights must be at least 25% of total width



Optional Top-Down Movable Arch Extension Pole

Extends 3' to 5' (Part #400037-0007)

Available as Inside (IB) Mount ONLY

Specify arch trim at order entry:
661 Tiara White
320 Rich Cream

NOTE: Top-Down Arch not available in Triple Cell fabrics

	Honeycomb			SoftStyle
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width	18"	18"	18"	18"
Max. Width	84"	84"	84"	84"
Min. Arch Height	1/4 width	1/4 width	1/4 width	1/4 width
Max. Height	48"	48"	48"	48"

Top-Down Movable Arch is not available with 3/8" triple cell or 2" Hybrid Pleat fabrics

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information


INSIDE MOUNT

Locate shape of window.
Width: Measure exact width(s)
Height: Measure exact height(s)
Diagonal: Measure height of diagonal(s) (for Angle Cuts)


OUTSIDE MOUNT

Locate shape of window.
Width: Measure desired width(s)
Height: Measure desired height(s)
Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)




	All 3/8" & 3/4" Semi-Opaque Fabrics & All 1/2" Double Cell	3/8" Blackout	All Other
Min. Width	12"	12"	12"
Max. Width	48"	68"	60"
NON-OPERABLE			



	All 3/8" Semi-Opaque Fabrics	All Other
Min. Width	12"	12"
Max. Width	30"	42"
NON-OPERABLE		

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)





- Shades will raise to the shaded area indicated.
- Cordlock must always be at the lower end of the headrail

	All 3/8" Semi-Opaque Fabrics	All 3/4" Sheer, Semi-Sheer, Semi-Opaque Fabrics	All 3/8" & 3/4" Blackout Fabrics	All 1/2" Double Cell, 3/8" Triple Cell Fabrics	SoftStyle Semi-Opaque Fabrics	SoftStyle Small Single Cell Blackout	SoftStyle Large Single Cell Blackout	SoftStyle Double Cell Blackout Fabric
Maximum Height	84	84	72	84	84	72	72	84
Maximum Area (sq ft)	60	60	40	30	48	48	48	48
MINIMUM SLOPE WIDTH								
0 - 30 Angle	12	12	12	12	12	12	12	12
30 - 45 Angle	14	14	14	14	14	14	14	14
45 - 60 Angle	17	N/A	17	N/A	N/A	17	N/A	N/A
MAXIMUM SLOPE WIDTH								
0 - 30 Angle	83	55	83	60	55	83	60	60
30 - 45 Angle	84	67	84	60	67	84	60	60
45 - 60 Angle	84	N/A	84	N/A	N/A	84	N/A	N/A
Minimum Width	12	12	12	12	12	12	12	12
Maximum width	* up to 45 angle only							
0 - 30 Angle	70	48	70	48	48	70	48	48
30 - 45 Angle	60	48	60	48	48	60	48	48
45 - 60 Angle	42	N/A	42	N/A	N/A	42	N/A	N/A


* 1/2" Up to 45 angle only

HEXAGON & OCTAGON (TEMPLATE REQUIRED)



- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"
- Operate from bottom to top or top to bottom
- Inside mounts will raise to the shaded area indicated above

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Opens in the direction of the longest rail (Top-Down or Bottom-Up)

OPTIONS: EXTRA CHARGE

- Angle Cut**add \$112
(includes Angle Top, Hexagon, Octagon & Trapezoid)
- Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.)
- Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

Max width for end mount is 36"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Pleat
Minimum mounting depth:		
Standard installation bracket		1"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-1/2"
Swivel bracket		1-1/8"
End mount bracket		1-1/8"
Outside (OB) Mount		3/8" Pleat
Minimum flat vertical surface		5/8"
Inside (IB) Mount		3/4", 1/2" Double & 3/8" Triple Pleats, All SoftStyle
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
Swivel bracket		2"
End mount bracket		2"
Outside (OB) Mount		3/4", 1/2" Double & 3/8" Triple Pleats, All SoftStyle
Minimum flat vertical surface		1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Pleat
Minimum mounting depth		1-1/8"
Inside (IB) Mount		3/4", 1/2" Double & 3/8" Triple Pleats, All SoftStyle
Minimum mounting depth		1-7/8"
Outside (OB) Mount		3/4", 1/2" Double & 3/8" Triple Pleats, All SoftStyle
Minimum flat vertical surface		5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB								SOFTSTYLE		2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Semi-Opaque Fabrics	All Blackout Fabrics	All Fabrics	

Standard Cordlock

Min Width (net) *	8"	8"	8"	8"	8"	8"	8"	8"	8"	N/A
Max Width	174"	174"	174"	174"	174"	174"	142"	120"	120"	N/A
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	36"	36"	N/A
Min Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	N/A
Max Height	144"	144"	144"	174"	174"	144"	120"	120"	120"	N/A
Max Area (Sq/Ft)	60	40	60	60	40	40	40	40-50	60	N/A

* If width < 12", max height = 80"

Standard Cordlock - Top-Down

Min Width (net) *	10"	10"	10"	10"	10"	10"	10"	10"	10"	N/A
Max Width	60"	60"	60"	60"	60"	60"	60"	60"	60"	N/A
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	36"	36"	N/A
Min Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	N/A
Max Height	144"	144"	144"	174"	174"	144"	120"	96"	96"	N/A
Max Area (Sq/Ft)	60	40	60	60	40	40	60	40-50	60	N/A

* If width < 12", max height = 80"

Standard Cordlock - Top-Down/ Bottom-Up

Min Width (net) *	10"	10"	10"	10"	10"	10"	10"	10"	10"	N/A
Max Width	72"	72"	72"	72"	72"	72"	72"	72"	72"	N/A
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	36"	36"	N/A
Min Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	N/A
Max Height	108"	108"	108"	108"	108"	108"	108"	96"	96"	N/A
Max Area (Sq/Ft)	48	40	48	48	40	40	48	40-50	60	N/A

* If width < 12", max height = 80"

Standard Cordlock - Two-Fabric Combo

Min Width (net) *	N/A	N/A	10"	10"	10"	10"	10"	N/A	N/A	N/A
Max Width	N/A	N/A	72"	72"	72"	60"	60"	N/A	N/A	N/A
Max Width - End Mount	N/A	N/A	36"	36"	36"	36"	36"	N/A	N/A	N/A
Min Height	N/A	N/A	6"	6"	6"	6"	6"	N/A	N/A	N/A
Max Height	N/A	N/A	96"	96"	96"	90"	90"	N/A	N/A	N/A
Max Area (Sq/Ft)	N/A	N/A	48	48	40	40	40	N/A	N/A	N/A

* If width < 12", max height = 80"

Standard Cordlock - Two-On-One Headrail

Min Width (per panel) (net) *	8"	8"	8"	8"	8"	8"	8"	8"	8"	N/A
Min Width (overall)	16"	16"	16"	16"	16"	16"	16"	16"	16"	N/A
Max Width (per panel)	162"	162"	162"	162"	162"	162"	142"	100"	100"	N/A
Max Width (overall)	192"	192"	192"	192"	192"	192"	184"	120"	120"	N/A
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	36"	36"	N/A
Min Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	N/A
Max Height	144"	144"	144"	174"	174"	144"	120"	120"	120"	N/A
Max Area (Sq/Ft)	60	40	60	60	40	40	60	40-50	60	N/A

* If width < 12", max height = 80"

Continuous Cord Loop

Min Width (net)	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"
Max Width	144"	144"	174"	174"	144"	144"	142"	120"	120"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"	48"	48"	48"	42"
Min Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	100	100	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"	24"	24"	24"	24"	24"	24"	24"	24"	24"
Max Width	144"	144"	144"	144"	144"	144"	142"	120"	120"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"	48"	48"	48"	42"
Min Height	8"	8"	8"	8"	8"	8"	8"	12"	12"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	100	100	60

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"	18"	18"	18"	18"	18"	18"	18"	18"	18"
Min Width (overall)	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"
Max Width (per panel)	144"	144"	144"	144"	144"	144"	142"	100"	96"	102"
Max Width (overall)	174"	174"	174"	174"	174"	174"	174"	120"	120"	120"
Min Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	83	80	60

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							SOFTSTYLE		2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Semi-Opaque Fabrics	All Blackout Fabrics	All Fabrics

Cordless Lift System

Min Width (net)	16"	N/A	16"	16"	16"	16"	N/A	16"	16"	16"
Max Width	120"	N/A	120"	120"	120"	120"	N/A	120"	96"	120"
Max Width - End Mount	48"	N/A	48"	48"	48"	48"	N/A	48"	48"	42"
Min Height	12"	N/A	12"	12"	12"	12"	N/A	12"	12"	12"
Max Height	84"	N/A	84"	84"	84"	84"	N/A	84"	84"	84"
Max Area (Sq/Ft)	70	N/A	70	70	70	70	N/A	70	56	60

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"	N/A	16"	16"	16"	16"	N/A	16"	16"	16"
Max Width	120"	N/A	120"	120"	120"	120"	N/A	96"	96"	120"
Max Width - End Mount	48"	N/A	48"	48"	48"	48"	N/A	48"	48"	42"
Min Height	12"	N/A	12"	12"	12"	12"	N/A	12"	12"	12"
Max Height	84"	N/A	84"	84"	84"	84"	N/A	84"	84"	84"
Max Area (Sq/Ft)	70	N/A	70	70	70	70	N/A	56	56	60

Cordless Lift System - Two Fabric Combo

Min Width (net)	N/A	N/A	16"	16"	16"	N/A	N/A	N/A	N/A	N/A
Max Width	N/A	N/A	84"	84"	84"	N/A	N/A	N/A	N/A	N/A
Max Width - End Mount	N/A	N/A	36"	36"	36"	N/A	N/A	N/A	N/A	N/A
Min Height	N/A	N/A	12"	12"	12"	N/A	N/A	N/A	N/A	N/A
Max Height	N/A	N/A	84"	84"	84"	N/A	N/A	N/A	N/A	N/A
Max Area (Sq/Ft)	N/A	N/A	42	42	42	N/A	N/A	N/A	N/A	N/A

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	N/A	16"	16"	16"
Min Width (overall)	32"	N/A	32"	32"	32"	32"	N/A	32"	32"	32"
Max Width (per panel)	120"	N/A	120"	120"	120"	120"	N/A	100"	100"	104"
Max Width (overall)	174"	N/A	174"	174"	174"	174"	N/A	120"	120"	120"
Min Height	12"	N/A	12"	12"	12"	12"	N/A	12"	12"	12"
Max Height	84"	N/A	84"	84"	84"	84"	N/A	84"	84"	84"
Max Area (Sq/Ft)	70	N/A	70	70	70	70	N/A	70	56	60

Cordless Lift & Lock

Min Width (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"	9.5"	9.5"
Max Width	N/A	N/A	84"	84"	84"	84"	N/A	84"	84"	84"
Max Width - End Mount	N/A	N/A	48"	48"	48"	48"	N/A	48"	48"	48"
Min Height	N/A	N/A	12"	12"	12"	12"	N/A	12"	12"	12"
Max Height	N/A	N/A	84"	84"	84"	84"	N/A	84"	84"	84"
Max Area (Sq/Ft)	N/A	N/A	49	49	49	49	N/A	49	49	49

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	N/A	N/A	16"	16"	16"	16"	N/A	16"	16"	16"
Max Width			84"	84"	84"	84"		84"	84"	84"
Max Width - End Mount			48"	48"	48"	48"		48"	48"	42"
Min Height			12"	12"	12"	12"		12"	12"	12"
Max Height			84"	84"	84"	84"		84"	84"	84"
Max Area (Sq/Ft)			49	49	49	49		49	49	49

TriLight Shades - Continuous Cord Loop

Min Width (net)	N/A	N/A	N/A	24"	24"	24"	N/A	24"	24"	24"
Max Width	N/A	N/A	N/A	83" - 96"	83" - 96"	83" - 96"	N/A	83" - 96"	83" - 96"	83" - 96"
Max Width - End Mount	N/A	N/A	N/A	48"	48"	48"	N/A	48"	48"	42"
Min Height	N/A	N/A	N/A	12"	12"	12"	N/A	12"	12"	12"
Max Height	N/A	N/A	N/A	96"	96"	96"	N/A	96"	96"	96"
Max Area (Sq/Ft)	N/A	N/A	N/A	64	50	50	N/A	50-64	50-64	60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless

Min Width (net)	N/A	N/A	N/A	16"	16"	16"	N/A	16"	16"	16"
Max Width	N/A	N/A	N/A	83" - 96"	83" - 96"	83" - 96"	N/A	83" - 96"	83" - 96"	83" - 96"
Max Width - End Mount	N/A	N/A	N/A	48"	48"	48"	N/A	48"	48"	42"
Min Height	N/A	N/A	N/A	12"	12"	12"	N/A	12"	12"	12"
Max Height	N/A	N/A	N/A	84"	84"	84"	N/A	84"	84"	84"
Max Area (Sq/Ft)	N/A	N/A	N/A	70	70	70	N/A	56	49	60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless Lift & Lock

Min Width (net)	N/A	N/A	N/A	12"	12"	12"	N/A	12"	12"	12"
Max Width				84"	84"	84"		84"	84"	84"
Max Width - End Mount				48"	48"	48"		48"	48"	42"
Min Height				12"	12"	12"		12"	12"	12"
Max Height				84"	84"	84"		84"	84"	84"
Max Area (Sq/Ft)				49	49	49		49	49	49

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							SOFTSTYLE		2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Semi-Opaque Fabrics	All Blackout Fabrics	All Fabrics

Tandem Shades - Standard Cordlock (Standard Edgeloop on Hybrid Pleat)

Min Width (net)	12"	12"	12"	12"	12"	12"	N/A	12"	12"	12"
Max Width	Light Filtering and Blackout = 72" Screen = 78"						N/A	Light Filtering and Blackout = 72" Screen = 78"		
Min Height	12"	12"	12"	12"	12"	12"	N/A	12"	12"	12"
Max Height	Light Filtering = 84" Blackout = 82" Screen = 64"						N/A	Light Filtering = 84" Blackout = 82" Screen = 64"		

Tandem Shades - Cordless Lift & Lock

Min Width (net)	12"	12"	12"	12"	12"	12"	N/A	12"	12"	12"
Max Width	Light Filtering and Blackout = 72" Screen = 78"						N/A	Light Filtering and Blackout = 72" Screen = 78"		
Min Height	12"	12"	12"	12"	12"	12"	N/A	12"	12"	12"
Max Height	Light Filtering = 84" Blackout = 82" Screen = 64"						N/A	Light Filtering = 84" Blackout = 82" Screen = 64"		

Tandem Shades with Optional Side Seals (Mounting Rail) (Standard Edgeloop on Hybrid Pleat)

Min Width (net)	12"	12"	12"	12"	12"	12"	N/A	12"	12"	12"
Max Width	Light Filtering and Blackout = 72" Screen = 78"						N/A	Light Filtering and Blackout = 72" Screen = 78"		
Min Height	12"	12"	12"	12"	12"	12"	N/A	12"	12"	12"
Max Height	Light Filtering = 84" Blackout = 82" Screen = 64"						N/A	Light Filtering = 84" Blackout = 82" Screen = 64"		

Vertical Application

Min Width	N/A	N/A	12"	12"	12"	N/A	N/A	12"	12"	12"
Max Width Side Stack	N/A	N/A	120"	168"	168"	N/A	N/A	168"	168"	168"
Max Width Split Stack	N/A	N/A	168"	190"	190"	N/A	N/A	190"	190"	190"
Min Height	N/A	N/A	24"	24"	24"	N/A	N/A	24"	24"	24"
Max Height	N/A	N/A	120"	120"	120"	N/A	N/A	120"	120"	120"
Max Area Side Stack	N/A	N/A	100	140	120	N/A	N/A	120	100	100
Max Area Split Stack	N/A	N/A	100	140	140	N/A	N/A	140	140	120

Note: Sheer only, not available on Semi-Sheer.

Large Single Cell ONLY

Classic Skylight

Min Width	18"	18"	18"	18"	18"	18"	N/A	18"	18"	N/A
Max Width	60"	60"	60"	60"	60"	60"	N/A	60"	60"	N/A
Min Height	6"	6"	6"	6"	6"	6"	N/A	12"	12"	N/A
Max Height	72"	72"	72"	72"	72"	72"	N/A	72"	72"	N/A
Max Area (Sq/Ft)	25	25	25	25	25	25	N/A	25	25	N/A

Classic Skylight – Side Stack

Min Width	6"	6"	6"	6"	6"	6"	N/A	12"	12"	N/A
Max Width	72"	72"	72"	72"	72"	72"	N/A	72"	72"	N/A
Min Height	18"	18"	18"	18"	18"	18"	N/A	18"	18"	N/A
Max Height	60"	60"	60"	60"	60"	60"	N/A	60"	60"	N/A
Max Area (Sq/Ft)	25	25	25	25	25	25	N/A	25	25	N/A

Classic Skylight Simplicity

Min Width	18"	18"	18"	18"	18"	18"	N/A	18"	18"	N/A
Max Width	48"	48"	48"	48"	48"	48"	N/A	48"	48"	N/A
Min Height	12"	12"	12"	12"	12"	12"	N/A	12"	12"	N/A
Max Height	72"	72"	72"	72"	72"	72"	N/A	72"	72"	N/A
Max Area (Sq/Ft)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Non-Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	84"	84"	N/A
Min Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	N/A
Max Height	36"	36"	42"	42"	42"	42"	42"	42"	42"	N/A

Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	84"	84"	N/A
Min Height	6"	6"	6"	6"	6"	6"	6"	12"	12"	N/A
Max Height	36"	36"	42"	42"	42"	42"	42"	42"	42"	N/A

Non-Movable Elliptical Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	84"	84"	N/A
Min Height	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	N/A
Max Height	36"	36"	42"	42"	42"	42"	42"	42"	42"	N/A

Top-Down Movable Perfect Arch

Min Width	18"	18"	18"	18"	18"	18"	N/A	18"	18"	N/A
Max Width	84"	84"	84"	84"	84"	84"	N/A	84"	84"	N/A
Min Height	6"	6"	6"	6"	6"	6"	N/A	6"	6"	N/A
Max Height	48"	48"	48"	48"	48"	48"	N/A	48"	48"	N/A

Top-Down Movable Elliptical Arch


Min Width	18"	18"	18"	18"	18"	18"	N/A	18"	18"	N/A
Max Width	84"	84"	84"	84"	84"	84"	N/A	84"	84"	N/A
Min Height	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	N/A	1/4 width	1/4 width	N/A
Max Height	48"	48"	48"	48"	48"	48"	N/A	48"	48"	N/A

Angle


Min Width	12"	12"	12"	12"	12"	12"	12"	12	12	N/A
Max Width	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	N/A
Max Height	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	N/A
Max Area (Sq/Ft)	60	40	60	60	40	30	30	48	48	N/A

PRODUCT COMPONENTS – STANDARD RECTANGULAR

3/8" End Mount Bracket (Part #2980038000) – Not Shown
 3/4" End Mount Bracket (Part #2980050000) – Not Shown



PRODUCT COMPONENTS – CORDLESS




CORDLESS TOP-DOWN/BOTTOM-UP


Striker Plate:
Zinc: Part #CS5476PL-TDBU (Painted rails)
White: Part #CS5467PL-TDBU-W (Fabric covered rails)

Magnet:
Zinc: Part #CS5467 (Painted rails)
Magnet Cover - White: Part #CS5467CV-W (Fabric covered rails)
Magnet Lock: Part #CS5471
Magnet Screw: Part #CS5474

PRODUCT COMPONENTS – CORDLESS LIFT & LOCK




PRODUCT COMPONENTS – CONTINUOUS CORD



Universal Cord Tensioner Mounting Kit
(Part #KIT2350)

Continuous Cord Top-Down/Bottom-Up Components




LH Rear Clutch Assembly (Part #C54317)




Dual Bottom Limiter (Part #C54318)


TRILIGHT PRODUCT COMPONENTS – CORDLESS & CONTINUOUS CORD LOOP



PRODUCT COMPONENTS – VERTICAL APPLICATION



White Magnetic Strip (split stack) (2990133000)



Extension Bracket (40-0026-159)



Installation Bracket with Screws (2990934000)



Mounting Screws #6 x 1.5 (2980153000)




Shim (2990938785)




1/2" Spacer Block
KIT2011 = 2 Spacers/kit
KIT2012 = 3 Spacers/kit


PRODUCT COMPONENTS – TANDEM SHADE




PRODUCT COMPONENTS – 2" HYBRID PLEAT



PRODUCT COMPONENTS – 2" HYBRID PLEAT TRILIGHT



PRODUCT COMPONENTS – SKYLIGHT



PRODUCT COMPONENTS – SIMPLICITY SKYLIGHT

