DAVIS & BROWN

124 W. McIver Road
Florence, SC 29501
PH: 843-665-6746
FAX: 843-656-2208

PAGE # _____ OF _____

REGULATORY: YES NO

CHAIN OF CUSTODY RECORD

TURNAROUND TIME:
____STANDARD RUSH ____P1 ____P2

CLIENT:

ADDRESS:

PHONE: **FAX:**

USE CODES TO INDICTATE IF SAMPLE WAS FILTERED OR PRESERVED : **A = HNO_3**
B = HCL **D = H_2SO_4** **F = FILTRATION**
C = NAOH **E = $NA_2S_2O_3$** **G = ZINCACETATE**

PROGRAM AREA : **D = DRINKING WATER**
G = GROUNDWATER **S = SOLID** **SL = SLUDGE**
W = WASTEWATER **O=OTHER**

PLEASE PRINT LEGIBLY

SHADED AREAS FOR LAB USE ONLY

SAMPLE ID	DATE	TIME	INITIAL	TYPE: Grab / Composite	TOTAL # OF CONTAINERS	SAMPLE ANALYSIS REQUESTED													PROGRAM AREA	NOTES	LAB ID
				Preservative																	
	START:								Fill in the Number of Containers for EACH Test												
	FINISH:																				
	START:																				
	FINISH:																				
	START:																				
	FINISH:																				
	START:																				
	FINISH:																				

SAMPLER SIGNATURE

_____

COMPOSITE TEMP _____ ^{o}C
( ) TIME ( ) FLOW PROPORTIONAL
INTERVAL BETWN SAMPLES _____
SAMPLE VOLUME _____mls
 # OF SAMPLES _____

METER # _____
TRC _____
DPD LOT # _____
DO _____ ph _____

FLOW INFO

ICE: **YES NO** **ICE PACK**

RECEIPT TEMP : _____ ^{o}C

Relinquished by:	Date:	Time:	Relinquished by	Date:	Time:	Relinquished by:	Date:	Time:
Received by:	Date:	Time:	Received by	Date:	Time:	Received by:	Date:	Time:

Comments:

ISSUED: NOVEMBER 2012