

# Safety Data Sheet

Issue Date 01-Aug-2014

Revision Date: 01-Aug-2014

Version 1

## **1. IDENTIFICATION**

Product Identifier Product Name

S

Saf-T-Step® N.A.C. Acid Free Slip Resistant Floor Cleaner/Treatment

Other means of identification SDS #

DRC-001

Recommended use of the chemical and restrictions on useRecommended UseFloor Anti-slip Cleaner/Treatment

# Details of the supplier of the safety data sheet

Supplier Address Dynamic Research Company, Inc 4800 SW Meadows STE 300 Lake Oswego, OR 97035

Emergency Telephone Number(General InformationCompany Phone Number1-800-255-3924Emergency Telephone (24 hr)1-800-255-3924

(General Information) 1-503-699-1335 1-800-255-3924 (US/Canada) 1-813-248-0585 (International)

# 2. HAZARDS IDENTIFICATION

## **Classification**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Signal Word Warning

#### Hazard Statements

Causes skin irritation Causes severe eye irritation



Appearance Pale yellow liquid

Physical State Liquid

## Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

## Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water, coloring and other non-hazardous ingredients	Proprietary	Balance
Polymer emulsion	Proprietary	1-10
Oleic Acid	112-80-1	1-10
Surfactants	Proprietary	1-3
Triethanolamine	102-71-6	1-5
Ethanolamine	141-43-5	1-5
Potassium hydroxide	1310-58-3	1-2
dipropylene glycol monomethyl ether (DPM)	34590-94-8	1-2

## 4. FIRST-AID MEASURES

#### First Aid Measures

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.	
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/ attention.	
Inhalation	Remove to fresh air. Seek medical advice if recovery is not rapid.	
Ingestion	Rinse mouth. Do not induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cups of milk or water. Never give anything by mouth to an unconscious person. Seek medical attention.	
Most important symptoms and effe	<u>cts</u>	
Symptoms	Causes serious eye damage. Direct contact may cause painful stinging or burning of eyes and lids, watering of eye, and irritation. Causes skin irritation. Skin may exhibit redness. Mist or vapor inhalation can cause irritation to the nose, throat, and upper respiratory tract. May be harmful if swallowed. Ingestion may cause irritation of the gastrointestinal tract, cramps, vomiting or diarrhea.	
Indication of any immediate medical attention and special treatment needed		

Notes to Physician Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

None known. Heat of fire may melt containers.

Hazardous Combustion Products Normal products of combustion.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.	
Environmental Precautions	See Section 12 for additional Ecological Information. See Section 13, Disposal Considerations, for additional information.	

#### Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Cleaning Up	Scoop up and collect with an inert absorbent and place into closable containers for disposal. Following product recovery, flush area with water.	

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe HandlingHandle in accordance with good industrial hygiene and safety practice. Wash face, hands,<br/>and any exposed skin thoroughly after handling. Use personal protection recommended in<br/>Section 8. Avoid contact with skin and eyes. For Industrial or professional use only.

## Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store near heat or flame (containers may melt). Keep from freezing. Keep out of the reach of children.
Packaging Materials	Empty containers retain product residue and can be hazardous.
Incompatible Materials	Acids. Do not mix with other chemicals or cleaners.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup> (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>
Triethanolamine 102-71-6	TWA: 5 mg/m <sup>3</sup>	-	-
dipropylene glycol monomethyl ether (DPM) 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Use chemical safety goggles and/or full-face shield where splashing is possible.
Skin and Body Protection	Wear suitable gloves appropriate for the risk of exposure. Wear suitable protective clothing and footwear appropriate for the risk of exposure.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. No special equipment needed. If necessary, wear a MSHA/NIOSH-approved respirator.
Conoral Hygiono Consideration	Be Handle in apportance with good industrial bygions and safety practice. Week contaminated

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State Appearance Color	Liquid Pale yellow liquid Pale yellow	Odor Odor Threshold	Not determined Not determined
Property_	<u>Values</u>	Remarks • Method	
pH Malting Daist/Englasing Daist	10.3-11.3 (undiluted)		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range Flash Point	100 °C / 212 °F None	ASTM D92	
		ASTM D92	
Evaporation Rate	Not available		
Flammability (Solid, Gas) Upper Flammability Limits	Liquid-not applicable Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not determined		
Vapor Density	Not determined		
Relative Density (Specific Gravity)	1.010	(1=Water)	

Water Solubility	Completely soluble	
Freeze Thaw Stable	Yes	
Phosphate Content	None	
Shelf Life	Three years in unopened container	
Degradability	Readily Biodegradable	

9.2 Other properties not mentioned have not been determined

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

# Conditions to Avoid

Keep out of reach of children.

## Incompatible Materials

Acids. Do not mix with other chemicals or cleaners.

# **Hazardous Decomposition Products**

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	
Eye Contact	Causes severe eye irritation
Skin Contact	Causes skin irritation.
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Ingestion	Do not taste or swallow. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.
Component Information	

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50

# DRC-001 - Saf-T-Step® N.A.C. Acid Free Slip Resistant Floor Cleaner/Treatment

Water, coloring and other non- hazardous ingredients	> 90 mL/kg (Rat)	-	-
Oleic Acid 112-80-1	= 25 g/kg (Rat)	-	-
Ethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit)= 1025 mg/kg (Rabbit)	-
Triethanolamine 102-71-6	= 4190 mg/kg(Rat)	> 2000 mg/kg (Rabbit)> 16 mL/kg (Rat)	-
Surfactants	> 90 mL/kg (Rat)	-	-
dipropylene glycol monomethyl ether (DPM) 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg(Rabbit)	-
Potassium hydroxide 1310-58-3	= 214 mg/kg(Rat)	-	-

#### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine		Group 3		
102-71-6				

#### Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

#### Numerical measures of toxicity

Not determined

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Oleic Acid 112-80-1		205: 96 h Pimephales promelas mg/L LC50 static		
Ethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow- through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	EC50 = 110 mg/L 17 h EC50 = 12200 mg/L 2 h EC50 = 13.7 mg/L 30 min	65: 48 h Daphnia magna mg/L EC50

Triethanolamine	216: 72 h Desmodesmus	10600 - 13000: 96 h	1386: 24 h Daphnia magna
102-71-6	subspicatus mg/L EC50 169:		mg/L EC50
	96 h Desmodesmus	LC50 flow-through 1000: 96	
	subspicatus mg/L EC50	h Pimephales promelas mg/L	
		LC50 static 450 - 1000: 96 h	
		Lepomis macrochirus mg/L	
		LC50 static	
dipropylene glycol		10000: 96 h Pimephales	1919: 48 h Daphnia magna
monomethyl ether (DPM)		promelas mg/L LC50 static	mg/L LC50
34590-94-8			
Potassium hydroxide		80: 96 h Gambusia affinis	
1310-58-3		mg/L LC50 static	

## Persistence/Degradability

Readily biodegradable

#### **Bioaccumulation**

Not determined

## <u>Mobility</u>

Chemical Name	Partition Coefficient
Triethanolamine 102-71-6	-2.53
Ethanolamine 141-43-5	-1.91
Potassium hydroxide	0.65
1310-58-3	0.83
dipropylene glycol monomethyl ether (DPM) 34590-94-8	-0.064

## **Other Adverse Effects**

Not determined

## 13. DISPOSAL CONSIDERATIONS

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

## California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic
1310-58-3	Corrosive

# 14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated

## <u>IATA</u>

Not regulated

IMDG

Not regulated

# **15. REGULATORY INFORMATION**

## International Inventories

TSCA

All ingredients are listed or exempt from listing on Chemical Substance Inventory Listed

Legend:

DSL

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## US Federal Regulations

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
dipropylene glycol monomethyl ether (DPM) - 34590-94-8	34590-94-8	1-2	1.0

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 (1-2)	1000 lb			Х

## US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Oleic Acid 112-80-1			Х
Ethanolamine 141-43-5	Х	Х	Х
Triethanolamine 102-71-6	Х	Х	Х
dipropylene glycol monomethyl ether (DPM) 34590-94-8	x	X	Х
Potassium hydroxide 1310-58-3	Х	Х	Х

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazards	Flammability	Instability 0	Special Hazards
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	0	0	Not determined
Issue Date	01-Aug-2014			
Revision Date:	01-Aug-2014			
Revision Note	New for	mat		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**