

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name <b>Josephines</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Bonita Hutzler</b>	Facility Telephone # <b>304</b>	
Facility Address <b>44 Vantage View Drive Falling Waters , WV</b>	Licensee Address <b>55 Shenandoah St Martinsburg , WV 25405</b>	
<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>02/06/2019</b>	Total Time Spent <b>0.75</b>

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
<b>Fridge</b>	<b>41</b>
<b>Beer Cooler</b>	<b>35</b>

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
<b>nacho cheese dispenser</b>	<b>146</b>

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 1</b>
<b>Repeated # 0</b>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b>
<b>OBSERVATION:</b> Ceiling vents in mop sink room and womens bathroom need cleaned, dust

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge



Sanitarian

  
**Luke Hartley**