

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Lighthouse Latte, LLC	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 114 N. Mercer St. Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date May 10, 2019	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Cooler	41
Prep Cooler	39
Freezer	6
Cooler	38
Freezer (1)	3
Freezer (2)	4.5
Freezer (3)	1.2

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 2
Repeated # 0
<p>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR Observation: Back freezer needs defrosted. Corrective Action(s): Maintain the physical facilities so they are in good repair at all times.</p> <p>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS Observation: Food residue in main kitchen cooler. Corrective Action(s): Clean the physical facilities at a frequency necessary to keep them clean.</p>

Inspection Outcome

Comments

Disclaimer

Person in Charge

Jickie Bishop

Sanitarian

Tim Zeigler