

Permatex, Inc.  
10 Columbus Blvd.  
Hartford, CT 06106 USA  
Telephone: 1-87-Permatex  
(877) 376-2839  
Emergency: 800-255-3924  
International Emergency: 813-248-0585

## Material Safety Data Sheet

### 1. PRODUCT IDENTIFICATION

Product Name: 36053 ONE TOUCH ALL WHEEL CARE WHEEL CLEANER 20OZ AE  
Item No: AWC20-6  
Product Type: Aerosol cleaner

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Weight Percent	ACGIH TLV:	OSHA PEL:
WATER 7732-18-5	80-90	Not Listed	Not Listed
BUTANE 106-97-8	1-10	1000 ppm TWA	800 ppm TWA; 1900 mg/m <sup>3</sup> TWA
PROPANE 74-98-6	1-10	1000 ppm TWA	1000 ppm TWA; 1800 mg/m <sup>3</sup> TWA

### 3. HAZARDS IDENTIFICATION

**Toxicity:** May cause eye, skin and respiratory irritation.  
**Primary Routes of Entry:** Eye and skin contact, ingestion, inhalation  
**Signs and Symptoms of Exposure:** Overexposure may cause eye and skin redness.

**Medical Conditions Recognized as Being Aggravated by Exposure:** None known.

### 4. FIRST AID MEASURES

**Ingestion:** If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention.  
**Inhalation:** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.  
**Skin Contact:** Remove contaminated clothing. Wash area with soap and water. If irritation persists, seek medical attention.  
**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

### 5. FIRE FIGHTING MEASURES

**Flash Point (°F/C):** No flame projection  
**Recommended Extinguishing Media:** Carbon Dioxide, Dry Chemicals, Foam.  
**Special Fire-Fighting Procedures:** Water spray may be ineffective on flames but should be used to keep fire-exposed containers cool. Firefighters should wear self-contained breathing apparatus.  
**Hazardous Products of Combustion:** Oxides of carbon, Ammonia  
**Unusual Fire/Explosion Hazards:** Exposure to temperatures over 120 degrees F. may cause bursting or venting. Do not puncture or incinerate container. Keep containers cool. Use equipment or shielding to protect personnel from bursting containers.

**Lower Explosive Limit:** 1.8  
**Upper Explosive Limit:** 9.5

### 6. ACCIDENTAL RELEASE MEASURES

**Spill Procedures:** Eliminate all sources of ignition. Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal. Prevent from entering waterways or sewers.

### 7. HANDLING AND STORAGE

**Storage:** Store away from heat, sparks or open flame. Do not store at temperatures above 120 degrees F. Exposure to high temperatures may cause container to burst. Store in accordance with NFPA 30B for Level 1 Aerosols.  
**Handling:** Avoid contact with skin and eyes. Use only in a well ventilated area.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>Eyes:</b>	Safety glasses or goggles
<b>Skin:</b>	Not normally required when using an aerosol. Wear chemical resistant gloves if repeated skin contact occurs or causes irritation.
<b>Ventilation:</b>	General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product.
<b>Respiratory Protection:</b>	If used indoors on a continuous basis, use a NIOSH-approved cartridge type respirator.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	White foam
<b>Odor:</b>	SLIGHT
<b>Boiling Point:</b>	>200°F
<b>pH:</b>	12.5-13.5
<b>Solubility in Water:</b>	SOLUBLE
<b>Specific Gravity:</b>	0.99-1.02
<b>VOC Content(Wt.%):</b>	5% by weight
<b>Vapor Pressure:</b>	Not determined
<b>Vapor Density (Air=1):</b>	>1 (air = 1)
<b>Evaporation Rate:</b>	<1 (butyl acetate = 1)

## **10. STABILITY AND REACTIVITY**

<b>Chemical Stability:</b>	Stable at normal conditions
<b>Hazardous Polymerization:</b>	WILL NOT OCCUR.
<b>Incompatibilities:</b>	Avoid contact with strong oxidizers.
<b>Conditions to Avoid:</b>	Do not expose to heat or store at temperatures above 120 F
<b>Hazardous Products of Combustion:</b>	Oxides of carbon, Ammonia

## **11. TOXICOLOGICAL INFORMATION**

See Section 3

## **12. ECOLOGICAL INFORMATION**

No data available

## **13. DISPOSAL CONSIDERATIONS**

<b>Recommended Method of Disposal:</b>	Dispose of in accordance with local, state and federal regulations. This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label. If recycling is not available, wrap the container and discard in the trash.
<b>US EPA Waste Number:</b>	D001 as per 40CFR 261.21

## **14. TRANSPORTATION INFORMATION**

**DOT (49CFR 172)**

### **Domestic Ground Transport**

<b>DOT Shipping Name:</b>	CONSUMER COMMODITY
<b>Hazard Class:</b>	ORM-D
<b>UN/ID Number:</b>	None
<b>Marine Pollutant:</b>	None

### **IATA**

<b>Proper Shipping Name:</b>	Consumer Commodity (Not more than 1 liter)
<b>Class or Division:</b>	Class 9
<b>UN/NA Number:</b>	ID 8000

### **IMDG**

<b>Proper Shipping:</b>	Aerosols, Limited Quantity
<b>Hazard Class:</b>	Class 2.2
<b>UN Number:</b>	UN 1950

## **15. REGULATORY INFORMATION**

**SARA 313 Chemicals:** The following component(s) is listed as a SARA Section 313 Toxic Chemical.

**Product Name:** 36053 ONE TOUCH ALL WHEEL CARE  
WHEEL CLEANER 20OZ AE

**Item No:** AWC20-6

NONE

**CALIFORNIA PROP 65:**

No California Prop 65 chemicals are known to be present.

**TSCA Inventory Status:**

**Listed on Inventory:** YES All components of this product are listed (or exempt) on the EPA TSCA inventory.

**16. OTHER INFORMATION**

**Estimated NFPA Rating:** HEALTH 1, FLAMMABILITY 1, REACTIVITY 0

**Estimated HMIS Classification:** HEALTH 1, FLAMMABILITY 1, PHYSICAL HAZARD 0

NFPA is a registered trademark of the National Fire Protection Assn.

HMIS is a registered trademark of the National Paint and Coatings Assn.

**Prepared By:** Denise Boyd, Health and Safety Manager

**Company:** Permatex, Inc. 10 Columbus Blvd. Hartford, CT USA 06106

**Revision Date:** January/17/2007

**Revision** 3

**Number:**