Revision: 06.04.2012

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 04.06.2012

1 Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: 606 Application of the substance / the preparation Alkaline cleaner/ detergent · 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Cajun Kleen 101 Royal Street West Monroe, LA 71291 Phone (318)323-4244 · Further information obtainable from: Product Safety Department · 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 **2 Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1C H314 Causes severe skin burns and eye damage. GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC C; Corrosive R34: Causes burns. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05

Printing date 04.06.2012

Revision: 06.04.2012

Trade	name:	606
-------	-------	-----

	(Contd. of page 1)
· Signal word Dang	
· Hazard statemen	
	ere skin burns and eye damage.
Precautionary sta	
P101	If medical advice is needed, have product container or label at hand.
P102 P103	Keep out of reach of children. Read label before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash thoroughly after handling.
	3 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P321	Specific treatment (see on this label).
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P363	Wash contaminated clothing before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Hazard description	
WHMIS-symbols:	
	ial causing other toxic effects
E - Corrosive mate	erial
UN Ett	
· NFPA ratings (sc	ale 0 - 4)
Health	= 2
Fire = $($	
2 0 Reactiv	
· HMIS-ratings (sca	ale 0 - 4)
HEALTH 2 Health	h = 2
FIRE O Fire =	: 0
Reactivity O React	tivity = 0
· 2.3 Other hazards	S
· Results of PBT a	nd vPvB assessment
· PBT: Not applicab	ble.
· vPvB: Not applica	ible.
	(Contd. on page 3)

Printing date 04.06.2012

Revision: 06.04.2012

Trade name: 606

(Contd. of page 2)

3 Composition/information on ingredients
· 3.2 Mixtures
 Description: Mixture of substances listed below with nonhazardous additions.
· Dangerous components:
CAS: 1310-73-2 sodium hydroxide $\leq 2,5\%$
EINECS: 215-185-5
Index number: 011-002-00-6 🐼 Skin Corr. 1A, H314
• Additional information: For the wording of the listed risk phrases refer to section 16.
4 First aid measures
 4.1 Description of first aid measures
General information:
Do not leave affected persons unattended.
Immediately remove any clothing soiled by the product.
 After inhalation: Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
· After skin contact:
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
· After eye contact:
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. Then consult a doctor.
 After swallowing: Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
· 4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.
 4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.
5 Firefighting measures
· 5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 4)

Printing date 04.06.2012

Revision: 06.04.2012

Trade name: 606

(Contd. of page 3)

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
- 6.2 Environmental precautions: Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Clean the affected area carefully; suitable cleaners are: Warm water
 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- **7.1 Precautions for safe handling** Avoid splashes or spray in enclosed areas. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

- Unsuitable material for receptacle: glass or ceramic.
- Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with acids
- Do not store together with acids.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

Printing date 04.06.2012

Revision: 06.04.2012

Trade name: 606
(Contd. of page 4)
· 8.1 Control parameters
Ingredients with limit values that require monitoring at the workplace:
1310-73-2 sodium hydroxide
PEL (USA) 2 mg/m ³
REL (USA) Short-term value: C 2 mg/m³ TLV (USA) Short-term value: C 2 mg/m³
EL (Canada) Short-term value: C 2 mg/m ³
Additional information: The lists valid during the making were used as basis.
· 8.2 Exposure controls
· Personal protective equipment:
General protective and hygienic measures: Keen super from foodstuffe, howeverges, and food
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Respiratory protection:
Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation.
· Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves
Neoprene gloves Nitrile rubber, NBR
Natural rubber, NR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to
be observed.
· Eye protection:
Safety glasses
Goggles recommended during refilling (Contd. on page 6)

Printing date 04.06.2012

Revision: 06.04.2012

Trade name: 606

Body protection: Impervious protective clothing

· 9.1 Information on basic physical an	nd chemical properties
· General Information	
· Appearance: Form:	Liquid
Colour:	Liquid Dark brown
· Odour:	Ammonia-like
· Odour threshold:	Not determined.
· pH-value at 20°C:	12,7
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	104 °C (221 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20°C:	23 hPa (17 mm Hg)
· Density at 20°C:	1,1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with water: 	Fully missible
	Fully miscible.
Segregation coefficient (n-octanol/w	/aterj: Not determined.
· Viscosity:	Net letereterd
Dynamic: Kinematic:	Not determined. Not determined.
	inol determined.
Solvent content: Organic solvents:	< 10 %

(Contd. of page 5)

Printing date 04.06.2012

Revision: 06.04.2012

(Contd. of page 6)

Trade name: 606

9.2 Other information

No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Reacts with strong acids.

Corrodes aluminium.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The organic component of the product is biodegradale.
- · 12.3 Bioaccumulative potential Does not accumulate in organisms
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Generally not hazardous for water

Must not reach sewage water or drainage ditch undiluted or unneutralized.

(Contd. on page 8)

Printing date 04.06.2012

Revision: 06.04.2012

Trade name: 606

(Contd. of page 7)

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

• 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
· DOT, ADR, IMDG, IATA	UN1760	
• 14.2 UN proper shipping name		
DOT	CORROSIVE LIQUID, N.O.S. (SODIUI HYDROXIDE)	
ADR	1760 CORROSIVE LIQUID, N.O.S., mixture	
IMDG, IATA	CORROSIVE LIQUID, N.O.S., mixture	
14.3 Transport hazard class(es)		
DOT		
Class Label	8 Corrosive substances. 8	
ADR		

Printing date 04.06.2012

Revision: 06.04.2012

Trade name: 606

	(Contd. of pag
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
 · 14.4 Packing group · DOT, ADR, IMDG, IATA 	11
	11
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user 	Warning: Corrosive substances.
· Danger code (Kemler):	80
EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· 14.7 Transport in bulk according to Anne	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
 Tunnel restriction code 	E
· UN "Model Regulation":	UN1760, CORROSIVE LIQUID, N.O.S., mixture, 8, I

15 Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

· SARA

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
 Chemicals known to cause cancer: 	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page 10)

Printing date 04.06.2012

Revision: 06.04.2012

Trade name: 606

(Contro	d. of page
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
111-76-2 2-butoxyethanol	CBD
· TLV (Threshold Limit Value established by ACGIH)	
111-76-2 2-butoxyethanol	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%) Ingredients are listed as required.	
None of the ingredients is listed.	
• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
6 Other information	
This information is based on our present knowledge. However, this shall not constitute a guar any specific product features and shall not establish a legally valid contractual relationship.	antee fo
· Relevant phrases	

H314 Causes severe skin burns and eye damage.

R35 Causes severe burns.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- WHMIS: Workplace Hazardous Materials Information System (Canada)