

COUNCIL STAFF REPORT

PROJECT TIMELINE: Briefing: 11/17/2015

Public Hearing: 12/1/2015

Potential Action: 12/8/2015,

SetDate: 11/17/2015

Clearline

CITY COUNCIL of SALT LAKE CITY

TO: City Council

FROM: Russell Weeks, Senior Public Policy Analyst

DATE: November 13, 2015 8:40 AM

RE: Ordinance: Pedestrian and Bicycle Master

Plan Amendments

Legislative Sponsor: Council Member, District 5 - Erin Mendenhall

ISSUE AT-A-GLANCE

Goal of the briefing: To familiarize the City Council with recommendations in proposed amendments to the Salt Lake City Pedestrian and Bicycle Master Plan.

- The proposed *Pedestrian and Bicycle Master Plan* is an update of the *Bicycle & Pedestrian Master Plan* the City Council adopted in 2004. City Council consideration of the plan will end a more than two years of engaging the public to provide ideas and comment on plan drafts.
- o Various parts of the plan are projected to be implemented over five, 10, and 20 years.
- O Among other things, the update proposes to add 38.5 miles of new multi-use paths and 68 miles of "neighborhood byways." Many of the identified paths and byways already exist. Their addition to pedestrian and bicycle networks involves improving them to make them safer and more attractive to pedestrians and bicyclists.
- o Projected capital costs vary based on the kind and the amount of work done. Building major structures such as tunnels and bridges under or over freeways and railroad tracks are projected to cost between \$1 million and \$7 million. Capital costs for multi-use paths vary between \$575,000 and \$2.6 million per mile. Neighborhood byway bicycle lanes are projected to cost between \$200,000 and \$1.3 million per mile.

CITY COUNCIL OF SALT LAKE CITY

451 SOUTH STATE STREET, ROOM 304 P.O. BOX 145476, SALT LAKE CITY, UTAH 84114-5476 www.slccouncil.com/agenda TEL 801-535-7600 FAX 801-535-7651 Updated: 11/13/2015 8:40 AM A

- o It should be noted that although the City has had a master plan for bicycles since the 1990s, a key focus of the proposed plan is to incorporate City's *Complete Streets* ordinance that the City Council adopted in 2010.
- o The City Council set a December 1, 2015, public hearing on the proposed plan..

POLICY QUESTIONS.

- 1. The plan has projections based on five-, 10-, and 20-year horizons. What should be the first things to be done?
- 2. The proposed master plan notes that the speed limit in Salt Lake City is 25 mph when not otherwise posted. It also notes that in accordance with the *Downtown in Motion* plan the City in 2010 lowered speed limits on several downtown streets to 20 mph or 25 mph. Are there other streets in Salt Lake City where speed limits should be lowered?
- 3. What options available to improve pedestrian safety that Salt Lake City hasn't or doesn't use should the City consider using?
- 4. In addressing capital costs, the proposed plan said "accelerated repaving projects" were not included in the discussing those costs because the costs "are assumed to already be included as part of normal paving maintenance," and that "these projects entail the City advancing repaving on some streets to earlier years while delaying repaving on others, so there is no cost difference." Should the City Council revisit and monitor accelerated repaving projects?
- 5. Given the plan to build a prison in the Northwest Quadrant, what effect, if any, may the construction and future use of the site for the prison have on Salt Lake City plans for pedestrians and bicycles near 7200 West? If the proposed master plan does not address the effects of the prison project, should it?

ADDITIONAL & BACKGROUND INFORMATION

The proposed plan is an update of the 2004 *Salt Lake City Bicycle and Pedestrian Master Plan*. If adopted, the plan would provide guidance for implementing pedestrian and bicycle infrastructure improvements and guide the implementation of programs that recognize walking and bicycling as integral parts of a whole transportation system. The proposed plan recommends City-wide pedestrian and bicycle networks plus public programs working together to create a dynamic where walking and bicycling complement existing transportation forms. In the proposed plan recommends City-wide pedestrian and bicycling complement existing transportation forms.

The plan is the result of about two years of research and public engagement. Public engagement included a variety of committees to address specific issues, a stakeholder committee, a downtown-to-university focus group, two public open houses, an on-line survey that received 969 comments, *Open City Hall* comments, and setting up information booths at nearly 30 public events.

The proposed plan's stated goal is to make walking and bicycling "safe, convenient, comfortable and viable" and to "connect people to places, foster recreational and economic development opportunities, improve personal health and the environment, and elevate quality of life." To compare, the 2004 plan's stated goal was to "Enhance use of the bicycle for transportation and recreation, and walking for pleasure and mobility. … Promote bicycling and walking as ways to enhance personal health and improve the community environment." vi

The stated purpose of the City's Complete Streets Ordinance (Chapter 14.06) reads:

The benefits of bicycling and walking span across many aspects of our daily lives. The social and environmental benefits include healthier citizens and the improved health of our community through a substantial reduction in air pollution. A transportation system that encourages bicycling and walking can also save money, reduce traffic congestion, build community, and improve the overall quality of life. Therefore, the city supports the concept of complete streets, requiring the accommodation of pedestrians and bicyclists throughout the planning process.

All city owned transportation facilities in the public right of way on which bicyclists and pedestrians are permitted by law, including, but not limited to, streets, bridges, and all other connecting pathways, shall be designed, constructed, operated, and maintained so that users, including people with disabilities, can travel safely and independently.

Beyond the stated goals, one aspect of the plan perhaps worth noting is transportation savings may be a way for people to stretch paychecks. The proposed plan estimates the average cost of owning and operating a bicycle for one year is \$121 versus \$8,946 to own and operate a motorized vehicle in the same period. Vii A recent news article cited a study by Apartment List as saying about 26 percent of rental property tenants in Salt Lake City pay between 30 percent and 50 percent of their take-home pay on rent. Another 23 percent spend more than half their pay on rent, according to the article. Viii

Pedestrian Recommendations

According to the proposed plan, "Generally, Salt Lake City has a very complete walking network, and there are few places where walking facilities are not available." ix

Among other things, the proposed plan recommends:

Although Salt Lake City has about 1,400 miles of sidewalks, they are missing on some corridors, such as Redwood Road, and in some developments, such as in the International Center. "These sidewalks should be filled in as redevelopment allows. ... In the interim ... pedestrians may be accommodated in painted bike lanes, similar to pedestrians in a rural setting using paved shoulders to walk, run, or jog." x

About 38 miles of multi-use paths should be built in addition to paths such as the Jordan River Parkway Trail, the Legacy Parkway Trail, the Liberty Park Path, the Nine Line Trail and the Parley's Trail. $^{\rm xi}$

About 68 miles of neighborhood byways should be built. Neighborhood byways are quiet streets improved for pedestrian and bicycle travel, according to Becka Roolf of the Transportation Division. XII The streets already exist, but may need traffic signals, way-finding signs, and paint to clarify their use by pedestrians and bicyclists, particularly where they cross busy streets. Six hundred East Street is an example of a neighborhood byway.

The City should consider adding pedestrian-scale lighting, primarily in downtown and neighborhood business districts, along multi-use paths, and in conjunction with significant street reconstruction. According to the proposed plan, pedestrian-scale lights are shorter than standard streetlights and are directly above walkways. They are designed to "promote perceived personal security," show potential hazards, and create "vibrant and inviting streetscapes." xiv

The proposed plan acknowledges the City's work to make street crossings and intersections safer and easier for people, including those with disabilities, to use. The plan recommends continued

improvements as streets are rebuilt. Improvements include continued use of marked or raised crosswalks, crosswalk flags, intersection bulbouts. It recommends that the City explore using more traffic circles and roundabouts, median refuge islands, mid-block pedestrian traffic control lights, and improved bus shelters.

Neighborhood Byways and Urban Trails

The plan identifies neighborhood byways and urban trails as two key components to improve movement for pedestrians and bicyclists.

According to the proposed plan, a network made up of neighborhood streets as transportation corridors to connect people to "neighborhood retail areas and corridors, parks, schools, and transit stations" would be a key component of the City's transportation system. "Few changes are needed on the quiet streets themselves; the network is realized by providing for safe, often signalized crossing at major barrier streets, and reducing traffic volumes to make walking safer and more enjoyable," the proposed plan says.^{xv} The plan says the term "neighborhood byway" is intended to show the street network would be for bicycles as well as pedestrians.

The plan recommends the City continue developing urban trails such as Parley's Trail, the 9 Line Trail, the McClelland Canal Trail, the Folsom Trail, the Antelope Island Trail, and the Surplus Canal Trail.xvi

Ultimately, the proposed plan recommends developing the two networks to connect people to places throughout the City in ways that people feel safe to walk or ride bicycles to get to those places. xvii

Bicycling Recommendations

As with its chapter on pedestrian recommendations, the proposed plan acknowledges, "Salt Lake City currently has nearly every type of facility described in this chapter in its network."xviii

The most common bicycle lanes are "conventional" bike lanes designated by striping and signs on streets to show space for riding bicycles. However, the plan recommends the development of more "low stress bike facilities" designed to separate bicycles from motorized vehicle traffic. According to the plan, "Surveys both nationally and locally show that 50-60 percent of people say they would ride more (or start riding) if they had access to bikeways that provide more separation from traffic, lower traffic speeds, and lower traffic volumes." xix

Nevertheless, the plan projects that "if all recommendations are brought to fruition," 85 percent of the City's arterial and collector street mileage would have bikeways in 20 years.xx Phasing in the recommendations would be based on "building a logical network as well as tapping the City's pavement maintenance process as a good opportunity to change street designs," according to the plan.xxi Again, "low stress" riding areas on quieter streets would make up a significant component of the City's bicycle network.

Where permanent solutions to conflicts with motorized traffic, such as building major structures such as tunnels under or bridges over freeway ramps and railroad tracks, cannot be immediately implemented, the plan suggests the City determine interim bypass routes for bicycles. The plan also recommends that "bike lanes, buffered bike lanes, and shared lane markings are plowed of snow

at the same time as the streets where they are located."xxii The recommendation appears in keeping with the *Complete Streets Ordinance*, which says in part, "All city owned transportation facilities in the public right of way on which bicyclists and pedestrians are permitted by law, including, but not limited to, streets, bridges, and all other connecting pathways, shall be ... maintained so that users, including people with disabilities, can travel safely and independently."

In addition, the proposed plan supports the addition of recreational mountain bike trails on public lands within City limits, and recommends they be considered further as part of an update of the City's 1992 *Open Space Plan*.xxiii

Program Recommendations

Part of the plan deals with engaging the public and teaching people about the opportunities and benefits of walking and bicycling, and assessing how walking and bicycling are faring within the City. The plan recommends that within the next five years the City improve or develop as top priorities:xxiv

- o Pedestrian wayfinding systems
- o Targeted crosswalk enforcement
- More police training in walking and bicycling information to help officers improve public safety
- Analysis of incidents involving pedestrian and bicycle collisions with other kinds of transportation
- o Continued publishing of a bicycle route map
- o Conducting classroom and on-bike training
- Working with other groups on regional media campaign about safe and unsafe transportation behavior.
- Including information about pedestrians and bicyclists in driver education programs
- Conducting annual bicycle user counts
- Continuing open streets events
- Recognize bicycle friendly businesses and business districts

Potential costs

The tables below show projected capital costs of "spot improvements" – improvements to locations on existing streets and intersections over 20 years – and projected capital costs and maintenance of 220 miles of bikeways over 20 years. XXV It should be noted that costs to include bicycle lanes on street and road reconstruction are not included in the spot improvement projections, and projected costs of multi-use paths do not include right of way acquisition costs. XXVI Cost ranges in Table 8-3 represent 220 miles of bikeways at about \$330,000 per mile. According to the proposed plan, off-street multi-use pathways account for more than half the total cost but represent about 20 percent of the mileage. XXVIII The remaining 80 percent of mileage is estimated to cost about \$193,000 per mile. XXVIII

Tables from the proposed plan that outline costs appear on the next page.

Table 8-1 Spot Improvement Capital Cost Ranges

Improvement Type	Est. Cost Range
Enhanced Crossings	\$50,000-\$250,000
Intersections, Signals, & Signage	\$1,000-\$200,000
New Pavement & Curb Cuts	\$1,000-\$200,000
Structure Improvements	\$250,000-\$1 million
Major Structures	\$1 million-\$7 million

Table 8-2 Spot Improvement Annual Maintenance Cost Ranges

Improvement Type	Est. Cost Range	
Enhanced Crossings	\$2,000-\$12,000	
Intersections, Signals, & Signage	\$50-\$13,000	
New Pavement & Curb Cuts	\$50-\$13,000	
Structures (including major)	\$10,000-\$60,000	

Table 8-3 Per-Mile Capital Cost Estimate Ranges

Bikeway Type	Mileage Range		Cost/mi	
		Low	High	Assumed Average
Multi-Use Path	40-50	\$575,000	\$2,600,000	\$800,000
Protected Bike Lane	20-25	\$40,000	\$3,000,000	\$600,000
Buffered Bike Lane	35-45	\$17,500	\$135,000	\$25,000
Neighborhood Byway	45-55	\$200,000	\$1,300,000	\$350,000
Conventional Bike Lane	25-35	\$12,000	\$72,000	\$20,000
Shared Lane Markings	15-25	\$1,200	\$17,000	\$3,000
Signed Shared Roadway	1-5	\$4,000	\$5,200	\$4,500

Table 8-4 Per-Mile Annual Maintenance Cost Estimate Ranges

Bikeway Type	Mileage Range		Cost/mi	
		Low	High	Assumed Average
Multi-Use Path	40-50	\$3,000	\$8,500	\$5,000
Protected Bike Lane	20-25	\$1,200	\$2,500	\$2,000
Buffered Bike Lane	35-45	\$5,000	\$12,000	\$7,000
Neighborhood Byway	45-55	\$2,000	\$8,000	\$3,000
Conventional Bike Lane	25-35	\$2,000	\$5,000	\$3,000
Shared Lane Markings	15-25	\$1,000	\$2,500	\$1,500
Signed Shared Roadway	1-5		\$500	\$250

Tracking Data

The proposed master plan recommends formally analyzing data about pedestrian and bicycle usage of sidewalks and bicycle lanes that the Transportation Division has informally tracked. The plan recommends the City analyze commuting and trip reporting available through the American Community Survey conducted yearly by the Census Bureau; the number of reported crashes where pedestrians or bicyclists are involved; the number of bicycle thefts; how much infrastructure or facilities used by pedestrians and bicyclists is built; how many programs intended to benefit pedestrians, bicyclists, or both are established or operating. *xxix*

Cc: Cindy Gust-Jenson, David Everitt, Jennifer Bruno, Nichol Bourdeaux, Margaret Plane, Jill Love, Robin Hutcheson, Becka Roolf, Sean Murphy

File Location: Transportation, Master Plans, Pedestrians, Bicycles

ATTACHMENTS:

- Administrative Transmittal Pedestrian and Bicycle Master Plan Amendments (PDF)
- Tribune Rent Article(PDF)
- Bicycle Network Maps (PDF)
- Original Transmittal_Ped Bike Master Plan Update Adoption (PDF)
- Admin Transmittal Pedestrian and Bicycle Master Plan (PDF)
- Admin 1 Draft Pedestrian and Bicycle Master Plan (PDF)
- Admin 3 Chronology (PDF)
- Admin 4 Planning Commission Materials (PDF)
- Admin 5 Draft Public Hearing Notice (PDF)

Ordinance No.

SALT LAKE CITY ORDINANCE No. _____of 2015

(Amending the Bicycle and Pedestrian Master Plan)

An ordinance amending the Bicycle and Pedestrian Master Plan pursuant to a petition by Mayor Ralph Becker.

WHEREAS, the Salt Lake City Planning Commission held public hearings on January 28, 201 and February 11, 2015 on an application submitted by Mayor Ralph Becker ("Applicant") to comprehensively update and amend the Bicycle and Pedestrian Master Plan, which plan was adopted by the Salt Lake City Council in 2004; and

WHEREAS, at its February 11,2015 meeting, the planning commission voted in favor of forwarding a positive recommendation to the city council on said application; and

WHEREAS, after a hearing before the city council, the city council has determined that adopting this ordinance is in the best interest of the city.

NOW, THEREFORE, be it ordained by the City Council of Salt Lake City, Utah:

SECTION 1. Amending and Renaming the Bicycle and Pedestrian Master Plan. That the Bicycle and Pedestrian Master Plan shall be renamed the "Pedestrian and Bicycle Master Plan" and is amended to read and appear as provided in Exhibit "A" attached hereto.

SECTION 2. <u>Effective Date</u>. This ordinance shall become effective on the date of its first publication.

Passed by the City Council of Salt Lake City, Utah, this _____ day of _____, 2015.

SALT LAKE CITY COUNCIL

Updated: 11/13/2015 8:40 AM A Item 8 Page **8** of **9**

ATTEST:

APPROVED AS TO FORM:

- ix Alta Planning + Design, Page 42.
- ^x Alta Planning + Design, Page 43.
- xi Alta Planning + Design, Page 42.
- xii E-mail, Becka Roolf, November 9
- xiii Alta Planning + Design, Page 43.
- xiv Alta Planning + Design, Page 43.
- xv Alta Planning + Design, Pages 51 and 52.
- xvi Alta Planning + Design, Page 52.
- xvii Alta Planning + Design, Page 24.
- xviii Alta Planning + Design, Page 70.
- xix Alta Planning + Design, Page 72.
- xx Alta Planning + Design, Page 73.
- xxi Alta Planning + Design, Page 73.
- xxii Alta Planning + Design, Page 87.
- xxiii Alta Planning + Design, Page 100.
- xxiv Alta Planning + Design, Page 116.
- xxv Alta Planning + Design, Pages 122-123.
- xxvi Alta Planning + Design, Pages 122-123.
- xxvii Alta Planning + Design, Page 123.
- xxviii Alta Planning + Design, Page 123.
- xxix Alta Planning + Design, Page 125.

ⁱ Salt Lake City Pedestrian & Bicycle Master Plan, Alta Planning + Design, March 2015, Page 38.

iiSalt Lake City Pedestrian & Bicycle Master Plan, Alta Planning + Design, March 2015, Page 122.

iii Transmittal letter, Jill Love, March 10, 2015, Page 1.

iv Love, Page 3.

^v Salt Lake City Pedestrian & Bicycle Master Plan, Alta Planning + Design, March 2015, Page ES-1.

vi Salt Lake City Bicycle and Pedestrian Master Plan, Salt Lake City Transportation Division, September 2004, Page 1.

vii Salt Lake City Pedestrian & Bicycle Master Plan, Alta Planning + Design, Page 8.

viii Too many Salt Lake City renters are living on the edge, study shows, Tony Semerad, The Salt Lake Tribune, October 29, 2015.



COUNCIL STAFF REPORT

PROJECT TIMELINE: Briefing: 11/17/2015

Public Hearing: 12/1/2015

Potential Action: 12/8/2015,

SetDate: 11/17/2015

Clearline

CITY COUNCIL of SALT LAKE CITY

TO: City Council

FROM: Sean Murphy, Public Policy Analyst

DATE: November 12, 2015 11:36 AM

RE: Pedestrian and Bicycle Master Plan

Amendments

Legislative Sponsor: Council Member, District 5 - Erin Mendenhall

ISSUE AT-A-GLANCE

Goal of the briefing: To familiarize the City Council with recommendations in proposed amendments to the Salt Lake City Pedestrian and Bicycle Master Plan.

- The proposed *Pedestrian and Bicycle Master Plan* is an update of the *Bicycle & Pedestrian Master Plan* the City Council adopted in 2004. City Council consideration of the plan will end a more than two years of engaging the public to provide ideas and comment on plan drafts.
- o Various parts of the plan are projected to be implemented over five, 10, and 20 years.
- Among other things, the update proposes to add 38.5 miles of new multi-use paths and 68 miles of "neighborhood byways." Many of the identified paths and byways already exist. Their addition to pedestrian and bicycle networks involves improving them to make them safer and more attractive to pedestrians and bicyclists.
- o Projected capital costs vary based on the kind and the amount of work done. Building major structures such as tunnels and bridges under or over freeways and railroad tracks are projected to cost between \$1 million and \$7 million. Capital costs for multi-use paths vary between \$575,000 and \$2.6 million per mile. Neighborhood byway bicycle lanes are projected to cost between \$200,000 and \$1.3 million per mile.

CITY COUNCIL OF SALT LAKE CITY

451 SOUTH STATE STREET, ROOM 304 P.O. BOX 145476, SALT LAKE CITY, UTAH 84114-5476 www.slccouncil.com/agenda TEL 801-535-7600 FAX 801-535-7651 Updated: 11/12/2015 11:36 AM A

- It should be noted that although the City has had a master plan for bicycles since the 1990s, a key focus of the proposed plan is to incorporate City's *Complete Streets* ordinance that the City Council adopted in 2010.
- o The City Council set a December 1, 2015, public hearing on the proposed plan..

POLICY QUESTIONS.

- 1. The plan has projections based on five-, 10-, and 20-year horizons. What should be the first things to be done?
- 2. The proposed master plan notes that the speed limit in Salt Lake City is 25 mph when not otherwise posted. It also notes that in accordance with the *Downtown in Motion* plan the City in 2010 lowered speed limits on several downtown streets to 20 mph or 25 mph. Are there other streets in Salt Lake City where speed limits should be lowered?
- 3. What options available to improve pedestrian safety that Salt Lake City hasn't or doesn't use should the City consider using?
- 4. In addressing capital costs, the proposed plan said "accelerated repaving projects" were not included in the discussing those costs because the costs "are assumed to already be included as part of normal paving maintenance," and that "these projects entail the City advancing repaving on some streets to earlier years while delaying repaving on others, so there is no cost difference." Should the City Council revisit and monitor accelerated repaving projects?
- 5. Given the plan to build a prison in the Northwest Quadrant, what effect, if any, may the construction and future use of the site for the prison have on Salt Lake City plans for pedestrians and bicycles near 7200 West? If the proposed master plan does not address the effects of the prison project, should it?

ADDITIONAL & BACKGROUND INFORMATION

The proposed plan is an update of the 2004 *Salt Lake City Bicycle and Pedestrian Master Plan*. If adopted, the plan would provide guidance for implementing pedestrian and bicycle infrastructure improvements and guide the implementation of programs that recognize walking and bicycling as integral parts of a whole transportation system. The proposed plan recommends City-wide pedestrian and bicycle networks plus public programs working together to create a dynamic where walking and bicycling complement existing transportation forms. In the proposed plan recommends City-wide pedestrian and bicycling complement existing transportation forms.

The plan is the result of about two years of research and public engagement. Public engagement included a variety of committees to address specific issues, a stakeholder committee, a downtown-to-university focus group, two public open houses, an on-line survey that received 969 comments, *Open City Hall* comments, and setting up information booths at nearly 30 public events.

The proposed plan's stated goal is to make walking and bicycling "safe, convenient, comfortable and viable" and to "connect people to places, foster recreational and economic development opportunities, improve personal health and the environment, and elevate quality of life." To compare, the 2004 plan's stated goal was to "Enhance use of the bicycle for transportation and recreation, and walking for pleasure and mobility. … Promote bicycling and walking as ways to enhance personal health and improve the community environment." vi

The stated purpose of the City's Complete Streets Ordinance (Chapter 14.06) reads:

The benefits of bicycling and walking span across many aspects of our daily lives. The social and environmental benefits include healthier citizens and the improved health of our community through a substantial reduction in air pollution. A transportation system that encourages bicycling and walking can also save money, reduce traffic congestion, build community, and improve the overall quality of life. Therefore, the city supports the concept of complete streets, requiring the accommodation of pedestrians and bicyclists throughout the planning process.

All city owned transportation facilities in the public right of way on which bicyclists and pedestrians are permitted by law, including, but not limited to, streets, bridges, and all other connecting pathways, shall be designed, constructed, operated, and maintained so that users, including people with disabilities, can travel safely and independently.

Beyond the stated goals, one aspect of the plan perhaps worth noting is transportation savings may be a way for people to stretch paychecks. The proposed plan estimates the average cost of owning and operating a bicycle for one year is \$121 versus \$8,946 to own and operate a motorized vehicle in the same period. Yii A recent news article cited a study by Apartment List as saying about 26 percent of rental property tenants in Salt Lake City pay between 30 percent and 50 percent of their take-home pay on rent. Another 23 percent spend more than half their pay on rent, according to the article. Yiii

Pedestrian Recommendations

According to the proposed plan, "Generally, Salt Lake City has a very complete walking network, and there are few places where walking facilities are not available." ix

Among other things, the proposed plan recommends:

Although Salt Lake City has about 1,400 miles of sidewalks, they are missing on some corridors, such as Redwood Road, and in some developments, such as in the International Center. "These sidewalks should be filled in as redevelopment allows. ... In the interim ... pedestrians may be accommodated in painted bike lanes, similar to pedestrians in a rural setting using paved shoulders to walk, run, or jog." x

About 38 miles of multi-use paths should be built in addition to paths such as the Jordan River Parkway Trail, the Legacy Parkway Trail, the Liberty Park Path, the Nine Line Trail and the Parley's Trail. $^{\rm xi}$

About 68 miles of neighborhood byways should be built. Neighborhood byways are quiet streets improved for pedestrian and bicycle travel, according to Becka Roolf of the Transportation Division. The streets already exist, but may need traffic signals, way-finding signs, and paint to clarify their use by pedestrians and bicyclists, particularly where they cross busy streets. Six hundred East Street is an example of a neighborhood byway.

The City should consider adding pedestrian-scale lighting, primarily in downtown and neighborhood business districts, along multi-use paths, and in conjunction with significant street reconstruction. According to the proposed plan, pedestrian-scale lights are shorter than standard streetlights and are directly above walkways. They are designed to "promote perceived personal security," show potential hazards, and create "vibrant and inviting streetscapes." xiv

The proposed plan acknowledges the City's work to make street crossings and intersections safer and easier for people, including those with disabilities, to use. The plan recommends continued

improvements as streets are rebuilt. Improvements include continued use of marked or raised crosswalks, crosswalk flags, intersection bulbouts. It recommends that the City explore using more traffic circles and roundabouts, median refuge islands, mid-block pedestrian traffic control lights, and improved bus shelters.

Neighborhood Byways and Urban Trails

The plan identifies neighborhood byways and urban trails as two key components to improve movement for pedestrians and bicyclists.

According to the proposed plan, a network made up of neighborhood streets as transportation corridors to connect people to "neighborhood retail areas and corridors, parks, schools, and transit stations" would be a key component of the City's transportation system. "Few changes are needed on the quiet streets themselves; the network is realized by providing for safe, often signalized crossing at major barrier streets, and reducing traffic volumes to make walking safer and more enjoyable," the proposed plan says.^{xv} The plan says the term "neighborhood byway" is intended to show the street network would be for bicycles as well as pedestrians.

The plan recommends the City continue developing urban trails such as Parley's Trail, the 9 Line Trail, the McClelland Canal Trail, the Folsom Trail, the Antelope Island Trail, and the Surplus Canal Trail.xvi

Ultimately, the proposed plan recommends developing the two networks to connect people to places throughout the City in ways that people feel safe to walk or ride bicycles to get to those places. xvii

Bicycling Recommendations

As with its chapter on pedestrian recommendations, the proposed plan acknowledges, "Salt Lake City currently has nearly every type of facility described in this chapter in its network." xviii

The most common bicycle lanes are "conventional" bike lanes designated by striping and signs on streets to show space for riding bicycles. However, the plan recommends the development of more "low stress bike facilities" designed to separate bicycles from motorized vehicle traffic. According to the plan, "Surveys both nationally and locally show that 50-60 percent of people say they would ride more (or start riding) if they had access to bikeways that provide more separation from traffic, lower traffic speeds, and lower traffic volumes." xix

Nevertheless, the plan projects that "if all recommendations are brought to fruition," 85 percent of the City's arterial and collector street mileage would have bikeways in 20 years.xx Phasing in the recommendations would be based on "building a logical network as well as tapping the City's pavement maintenance process as a good opportunity to change street designs," according to the plan.xxi Again, "low stress" riding areas on quieter streets would make up a significant component of the City's bicycle network.

Where permanent solutions to conflicts with motorized traffic, such as building major structures such as tunnels under or bridges over freeway ramps and railroad tracks, cannot be immediately implemented, the plan suggests the City determine interim bypass routes for bicycles. The plan also recommends that "bike lanes, buffered bike lanes, and shared lane markings are plowed of snow

at the same time as the streets where they are located."xxii The recommendation appears in keeping with the *Complete Streets Ordinance*, which says in part, "All city owned transportation facilities in the public right of way on which bicyclists and pedestrians are permitted by law, including, but not limited to, streets, bridges, and all other connecting pathways, shall be ... maintained so that users, including people with disabilities, can travel safely and independently."

In addition, the proposed plan supports the addition of recreational mountain bike trails on public lands within City limits, and recommends they be considered further as part of an update of the City's 1992 *Open Space Plan*.xxiii

Program Recommendations

Part of the plan deals with engaging the public and teaching people about the opportunities and benefits of walking and bicycling, and assessing how walking and bicycling are faring within the City. The plan recommends that within the next five years the City improve or develop as top priorities: xxiv

- o Pedestrian wayfinding systems
- o Targeted crosswalk enforcement
- More police training in walking and bicycling information to help officers improve public safety
- Analysis of incidents involving pedestrian and bicycle collisions with other kinds of transportation
- o Continued publishing of a bicycle route map
- o Conducting classroom and on-bike training
- Working with other groups on regional media campaign about safe and unsafe transportation behavior.
- Including information about pedestrians and bicyclists in driver education programs
- o Conducting annual bicycle user counts
- o Continuing open streets events
- Recognize bicycle friendly businesses and business districts

Potential costs

The tables below show projected capital costs of "spot improvements" – improvements to locations on existing streets and intersections over 20 years – and projected capital costs and maintenance of 220 miles of bikeways over 20 years. XXV It should be noted that costs to include bicycle lanes on street and road reconstruction are not included in the spot improvement projections, and projected costs of multi-use paths do not include right of way acquisition costs. XXVI Cost ranges in Table 8-3 represent 220 miles of bikeways at about \$330,000 per mile. According to the proposed plan, off-street multi-use pathways account for more than half the total cost but represent about 20 percent of the mileage. XXVIII The remaining 80 percent of mileage is estimated to cost about \$193,000 per mile. XXVIII

Tables from the proposed plan that outline costs appear on the next page.

Table 8-1 Spot Improvement Capital Cost Ranges

Improvement Type	Est. Cost Range		
Enhanced Crossings	\$50,000-\$250,000		
Intersections, Signals, & Signage	\$1,000-\$200,000		
New Pavement & Curb Cuts	\$1,000-\$200,000		
Structure Improvements	\$250,000-\$1 million		
Major Structures	\$1 million-\$7 million		

Table 8-2 Spot Improvement Annual Maintenance Cost Ranges

Improvement Type	Est. Cost Range	
Enhanced Crossings	\$2,000-\$12,000	
Intersections, Signals, & Signage	\$50-\$13,000	
New Pavement & Curb Cuts	\$50-\$13,000	
Structures (including major)	\$10,000-\$60,000	

Table 8-3 Per-Mile Capital Cost Estimate Ranges

Bikeway Type	Mileage Range		Cost/mi	
		Low	High	Assumed Average
Multi-Use Path	40-50	\$575,000	\$2,600,000	\$800,000
Protected Bike Lane	20-25	\$40,000	\$3,000,000	\$600,000
Buffered Bike Lane	35-45	\$17,500	\$135,000	\$25,000
Neighborhood Byway	45-55	\$200,000	\$1,300,000	\$350,000
Conventional Bike Lane	25-35	\$12,000	\$72,000	\$20,000
Shared Lane Markings	15-25	\$1,200	\$17,000	\$3,000
Signed Shared Roadway	1-5	\$4,000	\$5,200	\$4,500

Table 8-4 Per-Mile Annual Maintenance Cost Estimate Ranges

Bikeway Type	Mileage Range		Cost/mi	
		Low	High	Assumed Average
Multi-Use Path	40-50	\$3,000	\$8,500	\$5,000
Protected Bike Lane	20-25	\$1,200	\$2,500	\$2,000
Buffered Bike Lane	35-45	\$5,000	\$12,000	\$7,000
Neighborhood Byway	45-55	\$2,000	\$8,000	\$3,000
Conventional Bike Lane	25-35	\$2,000	\$5,000	\$3,000
Shared Lane Markings	15-25	\$1,000	\$2,500	\$1,500
Signed Shared Roadway	1-5		\$500	\$250

Tracking Data

The proposed master plan recommends formally analyzing data about pedestrian and bicycle usage of sidewalks and bicycle lanes that the Transportation Division has informally tracked. The plan recommends the City analyze commuting and trip reporting available through the American Community Survey conducted yearly by the Census Bureau; the number of reported crashes where pedestrians or bicyclists are involved; the number of bicycle thefts; how much infrastructure or facilities used by pedestrians and bicyclists is built; how many programs intended to benefit pedestrians, bicyclists, or both are established or operating. *xxix*

Cc: Cindy Gust-Jenson, David Everitt, Jennifer Bruno, Nichol Bourdeaux, Margaret Plane, Jill Love, Robin Hutcheson, Becka Roolf, Sean Murphy

File Location: Transportation, Master Plans, Pedestrians, Bicycles

ATTACHMENTS:

- Tribune Rent Article(PDF)
- Bicycle Network Maps (PDF)
- Original Transmittal_Ped Bike Master Plan Update Adoption (PDF)
- Admin Transmittal Pedestrian and Bicycle Master Plan (PDF)
- Admin 1 Draft Pedestrian and Bicycle Master Plan (PDF)
- Admin 3 Chronology (PDF)
- Admin 4 Planning Commission Materials (PDF)
- Admin 5 Draft Public Hearing Notice (PDF)

Ordinance No.

SALT LAKE CITY ORDINANCE No. _____of 2015

(Amending the Bicycle and Pedestrian Master Plan)

An ordinance amending the Bicycle and Pedestrian Master Plan pursuant to a petition by Mayor Ralph Becker.

WHEREAS, the Salt Lake City Planning Commission held public hearings on January 28, 201 and February 11, 2015 on an application submitted by Mayor Ralph Becker ("Applicant") to comprehensively update and amend the Bicycle and Pedestrian Master Plan, which plan was adopted by the Salt Lake City Council in 2004; and

WHEREAS, at its February 11,2015 meeting, the planning commission voted in favor of forwarding a positive recommendation to the city council on said application; and

WHEREAS, after a hearing before the city council, the city council has determined that adopting this ordinance is in the best interest of the city.

NOW, THEREFORE, be it ordained by the City Council of Salt Lake City, Utah:

SECTION 1. Amending and Renaming the Bicycle and Pedestrian Master Plan. That the Bicycle and Pedestrian Master Plan shall be renamed the "Pedestrian and Bicycle Master Plan" and is amended to read and appear as provided in Exhibit "A" attached hereto.

SECTION 2. <u>Effective Date</u>. This ordinance shall become effective on the date of its first publication.

Passed by the City Council of Salt Lake City, Utah, this day of , 2015.

SALT LAKE CITY COUNCIL

ATTEST:

APPROVED AS TO FORM:

¹ Salt Lake City Pedestrian & Bicycle Master Plan, Alta Planning + Design, March 2015, Page 38.

iiSalt Lake City Pedestrian & Bicycle Master Plan, Alta Planning + Design, March 2015, Page 122.

iii Transmittal letter, Jill Love, March 10, 2015, Page 1.

iv Love, Page 3.

v Salt Lake City Pedestrian & Bicycle Master Plan, Alta Planning + Design, March 2015, Page ES-1.

vi Salt Lake City Bicycle and Pedestrian Master Plan, Salt Lake City Transportation Division, September 2004, Page 1.

vii Salt Lake City Pedestrian & Bicycle Master Plan, Alta Planning + Design, Page 8.

 $^{^{}viii}$ Too many Salt Lake City renters are living on the edge, study shows, Tony Semerad, The Salt Lake Tribune, October 29, 2015.

ix Alta Planning + Design, Page 42.

^x Alta Planning + Design, Page 43.

xi Alta Planning + Design, Page 42.

xii E-mail, Becka Roolf, November 9

xiii Alta Planning + Design, Page 43.

xiv Alta Planning + Design, Page 43.

xv Alta Planning + Design, Pages 51 and 52.

xvi Alta Planning + Design, Page 52.

xvii Alta Planning + Design, Page 24.

xviii Alta Planning + Design, Page 70.

xix Alta Planning + Design, Page 72.

xx Alta Planning + Design, Page 73.

 $^{^{}xxi}$ Alta Planning + Design, Page 73.

xxii Alta Planning + Design, Page 87.

xxiii Alta Planning + Design, Page 100.

xxiv Alta Planning + Design, Page 116.

xxv Alta Planning + Design, Pages 122-123.

xxvi Alta Planning + Design, Pages 122-123.

xxvii Alta Planning + Design, Page 123.

xxviii Alta Planning + Design, Page 123.

xxix Alta Planning + Design, Page 125.

Figure 6-3 Bicycling Network Existing Conditions Map

Existing Bikeways Multi-Jap Paths Buffered or Protected Bike Lanes Bike Lanes Shared Roadways Natural Soften Trails (Borneyin-Shoresine) instages marked & signed shared roadways Existing Transit Facilities O TRAX/Strentear/FrontFuriner Stop IIII TRAX/Strentear/FrontFuriner Link







Figure 6-6 Bicycling Network Existing Conditions + 20 Year Vision Map (2035)



DRAFT

Figure 6-7a Low Stress Bicycling Network Recommendations Map (Citywide)




Figure 6-7b Low Stress Bicycling Network Recommendations Map (Downtown)





Figure 6-3 Bicycling Network Existing Conditions Map

Existing Bikeways Multi-Jua Paths Buffered or Protected Bike Lanes Bike canes Shareu Roadways Natural Surface Train, (Borndevine Shoretire) instudes marked & signed shared roadways Existing Transit Facilities O TRAX/Streetcar/FrontFurner Stop HIII TRAX/Streetcar/FrontFurner Linit





Main Produced: 2, 15/9015

Figure 6-6 Bicycling Network Existing Conditions + 20 Year Vision Map (2035)




Figure 6-7a Low Stress Bicycling Network Recommendations Map (Citywide)





Figure 6-7b Low Stress Bicycling Network Recommendations Map (Downtown)



SCANNED BY: A.8.d

SAVI' LAKE: GHIY CORPORATION

DEPARTMENT OF COMMUNITY & ECONOMIC DEVELOPMENT
OFFICE OF THE DIRECTOR

MAR 1 1 2015

By Kasta

CITY COUNCIL TRANSMITTAL

David Exeritt, Chief of Staff

Date Received: 3/11/2019

Date sent to Council: 3 (17 / 2015

TO:

Salt Lake City Council

Luke Garrott, Chair

DATE: March 10, 2015

FROM:

SUBJECT:

Jill Love, CED Director

Pedestrian & Bicycle Master Plan

STAFF CONTACT:

Robin Hutcheson, Transportation Division Director

(801) 535-6630, robin.hutcheson@slcgov.com

COUNCIL SPONSOR:

Erin Mendenhall, District 5

DOCUMENT TYPE:

Ordinance Adoption - Pedestrian & Bicycle Master Plan

RECOMMENDATION:

Adopt the Pedestrian & Bicycle Master Plan, as

recommended by the Planning Commission

BUDGET IMPACT:

None

BACKGROUND/DISCUSSION:

The Pedestrian & Bicycle Master Plan is an update to the City's Bicycle and Pedestrian Master Plan adopted in 2004. The updated plan represents a citywide network approach, with recommendations on pedestrian and bicycle infrastructure, education, encouragement, and enforcement. A key focus of the plan is to incorporate the City's Complete Streets policy, adopted since the prior plan, and to incorporate recent innovations in pedestrian and bicycle facilities. The plan also provides guidance, including recommended phasing, for pedestrian, bicycle, and motorist education and enforcement promoting safer interactions. Encouragement programs to promote walking and bicycling are also recommended in the 5-year timeline.

WWW.SLCGOV.COM/CED TEL 801-535-6230 FAX 801-535-6005 The City Council has been briefed three times previously during the planning process. The briefings, and their accompanying transmittals and presentations included summaries of public engagement at each step. Since the Council's last briefing on preliminary recommendations, the plan document has been drafted, circulated for public and internal input, presented to the planning commission, and revised based on public and internal input to strengthen several sections, as detailed below. This results in the current draft, completed in February 2015.

Once adopted, this plan will replace the existing 2004 Bicycle & Pedestrian Master Plan.

The plan will be used by several City Divisions and Departments to provide guidance for implementing pedestrian and bicycle infrastructure improvements. The plan also guides the City's role in the implementation of pedestrian and bicycle programs.

Facilitated by the Transportation Division, this document reflects Steering Committee participation from key City agencies, including Planning, Streets / Public Services, Parks / Open Space, Sustainability, Engineering, Economic Development, Police, RDA, and Arts Council. Their input on the plan's initial draft has now been integrated into the current draft.

RELATIONSHIP TO OTHER PLANS:

The Pedestrian & Bicycle Master Plan is complementary to the Downtown In Motion Master Plan, adopted in 2008, and Sugar House Circulation Plan, adopted in 2013. The master plan draft is highly compatible with the public comment and city direction in Plan Salt Lake (in progress), as discussed in a prior transmittal. The plan is also compatible with the city's area master plans, which recommend bicycle and pedestrian accommodations in neighborhoods and business districts throughout the City. Those plans were consulted for compatibility in drafting this plan – including drafts of the West Salt Lake and Downtown Community master plans. Staff is also coordinating for the in-progress East Bench Master Plan.

Some of the transit-focused recommendations of this plan will be furthered in the upcoming Transit Master Plan.

PUBLIC ENGAGEMENT THROUGHOUT THE PLAN:

Throughout the planning process, the public has had opportunity to shape the direction of the plan. Public process is the focus of Chapter Three of the plan itself, and is only briefly summarized here.

Public engagement included two open houses, a public preference survey (nearly 1000 responses), a virtual open house for the preliminary recommendations (191 responses), and a presence at nearly 30 events in 2013, with hundreds of constituents actively engaged with the plan materials. In total we received more than 2,500 comments, survey responses, map mark-ups, and preference "sticky dots."

Stakeholder committee including representatives of both walking and bicycling community members, Utah Department of Transportation, Utah Transit Authority, the University of Utah, Downtown Alliance, Visit Salt Lake, and others also guided development of the plan. A focus group including community members, business representatives, University of Utah, community council, and Downtown Alliance assisted with input on a University to Downtown bikeway.

The Transportation Advisory Board (TAB) and Bicycle Advisory Committee (a standing committee of TAB) have participated in regular briefings to provide input throughout the process, and both committees provided positive recommendations for plan adoption.

The draft plan itself was publicized broadly and available for public comment from Nov. 26, 2014 to Dec. 28. The comment deadline was extended by public request from Dec. 17 to Dec. 28. During this comment period we received more than 150 individual comments, with 92% of respondents supporting the plan. We also received an equivalent volume of comment from city staff, including members of the project steering committee, and from outside partner agencies such as UDOT and the Utah Transit Authority. All of these comments were considered individually, and many of them incorporated, as summarized further, below.

PLAN OVERVIEW:

The plan recommends City-wide pedestrian and bicycle networks as well as considering the education, encouragement, enforcement, and evaluation programs which work in tandem with infrastructure changes to create a walkable / bikeable city. Urban trails, downtown mid-block walkways, safer pedestrian crossings, downtown low-stress bikeways, neighborhood byways for walking and bicycling, and continued development of the citywide bikeway network are all key aspects of the plan's recommendations.

The plan is comprised of an Executive Summary with eight chapters, to be available primarily as a PDF document. It features a clickable table of contents, and is also available separated into 8.5x11 and 11x17 pages for ease of printing.

The Executive Summary highlights the vision and goals of the plan, and provides a high-level overview of the plan's recommendations for walking, bicycling, and programs. A synopsis of the public engagement is also featured in the Executive summary.

The Plan's chapters are as follows:

- 1. Walking & Bicycling Background
- 2. Goals & Objectives
- 3. Public Process
- 4. Complete Streets

- 5. Pedestrian Recommendations
- 6. Bicycling Recommendations
- 7. Program Recommendations
- 8. Cost Estimates & Implementation

Each of these chapters has several numbered sections that are clearly identified in the table of contents for easy reference.

Plan Focus

The Pedestrian & Bicycle Master Plan has a few topic areas worthy to highlight here. This transmittal will only briefly highlight aspects of the plan, as a more thorough overview is provided in the plan's 5-page Executive Summary.

Key aspects of the plan include:

- A focus on urban trails, including completion of well-known trails under development (Jordan River Trail, Parley's Trail) as well as additional strategic links (Folsom Trail) and visionary ideas (Antelope Island Trail). The trails component seeks primarily to tap existing rights of way but also considers a few trails that may require easements or other access negotiations.
- **Pedestrian safety specifically** including guidance on pedestrian crossings especially to connect mid-block walkways and neighborhood streets.
- A strategic downtown low-stress bikeway network, to include both protected bike lanes and paint-buffered bike lanes. The University to Downtown bikeway also connects to this network.
- Enhanced neighborhood connections for both walking and bicycling, via a "neighborhood byway" network that identifies quiet neighborhood streets linked across busy corridors with improved and safer crossings.
- Enhanced crossings for east-west corridors. The plan provides planning-level recommendations to improve the walking and bicycling experience across the challenging freeway/railroad areas, and to create connections that are safe, comfortable, and enjoyable to experience.
- Education, encouragement, enforcement, and evaluation programs to complement and enhance infrastructure aspects of the plan.

Infrastructure recommendations throughout the document are at a planning and policy level, with conceptual or typical designs provided to illustrate the facilities that would be designed in detail at the project level. The document references but does not duplicate relevant design guidance – such as the National Association of City Transportation Officials' Urban Street Design Guide (2013) and Urban Bikeway Design Guide (2011), both of which were endorsed by Salt Lake City as soon as they were published.

Incorporation of Input into Current Draft

Public input throughout the process has significantly shaped and strengthened the plan. This is evident particularly in the many positive suggestions on the original public draft of November 2014 that were incorporated into the current document.

Key components that were revised based on public, internal, and partner input include:

- a strengthened pedestrian chapter
- improved attention to east-west connections
- recognition of end-of-trip bicycle facilities
- a stronger recreational / mountain bike component
- a new program addressing bicycle theft prevention

- a stronger approach to multi-modal crash reduction and enforcement
- an emphasis on neighborhood byways to serve both pedestrians and bicyclists

PLANNING COMMISSION RECOMMENDATION

At their February 11, 2015 meeting, the Salt Lake City Planning Commission recommended the plan for adoption by the City Council contingent on adding verbiage regarding data collection and assessment review of actual performance.

Edits to the Current Draft


Based on Planning Commission input, the current draft includes a new section recommending strategic data to track the walkability / bikeability of the City as well as the implementation of the plan itself. Key metrics focus on participation in walking and bicycling, reported crashes, violations / tickets, facilities implementation, program participation, and bicycle theft. This has been incorporated into "Chapter 8, Cost Estimates and Implementation" as the concluding recommendations of the plan. The current draft also corrects some minor mapping errors.

ATTACHMENTS

- 1. DRAFT PEDESTRIAN & BICYCLE MASTER PLAN –online version located here: www.walkbikeslc.com.
- 2. RESOLUTION ADOPTING THE PEDESTRIAN AND BICYCLE MASTER PLAN
- 3. CHRONOLOGY
- 4. PLANNING COMMISSION MATERIALS
 - a. JANUARY 7, 2015 STAFF REPORT
 - b. EXCERPT OF JANUARY 14, 2015 MINUTES
 - c. JANUARY 21, 2015 MEMO
 - d. EXCERPT OF JANUARY 28, 2015 MINUTES
 - e. FEBRUARY 4, 2015 MEMO
 - f. EXCERPT OF FEBRUARY 11, 2015 MINUTES
- 5. DRAFT PUBLIC HEARING NOTICE



Prepared for Salt Lake City by Alta Planning + Design March 2015



This page left intentionally blank



Scott Beck (Visit Salt Lake)

Ben Bolte (SLC GREENbike)

Philip Carlson (Bicycle Collective)

Tami Cleveland (U of U Facility Planning)

George Deneris (SL Co. Active Trans. Coord.)

Hans Ehrbar (U of U Professor)

Dennis Faris (Owner, Faris Wheels)

Heidi Goedhart (Former U of U Bike Coord.)

Alexandra Zimmermann (U of U Bike Coord.)

Dave IItis (Cycling Utah)

Jory Johner (WFRC)

University-to-Downtown Focus Group

Nate Borgenicht (U of U student)

Roger Borgenicht (ASSIST, Avenues resident)

Tami Cleveland (U of U Facility Planning)

Jennifer Colby (U of U Sustainability, East Central

resident)

Cindy Cromer (East Central resident)

Jesse Dean (Downtown Alliance)

Heidi Goedhart (Former U of U Bike Coord.)

Robin Hutcheson (Director, SLC Transportation)

Becka Roolf (Project Manager, SLC Transportation)

Dan Bergenthal (SLC Transportation)

Cris Jones (SLC Transportation)

Colin Quinn-Hurst (SLC Transportation)

Nick Britton (SLC Planning)

Jeff Snelling (SLC Engineering, City Engineer)

Anna Johnson (SLC Engineering)

Parviz Rokhva (Director, SLC Streets)

Cabot Jennings (SLC Streets)

Michael Stott (Mayor's Office Comm. Liaison &

ADA Coord.)





ACKNOWLEDGEMENTS

Stakeholder Committee

Hal Johnson (UTA)
Mark Kennedy (Owner, Saturday Cycles)
John Larsen (WFRC)
John Maynes (21st & 21st Business Assoc.)
Wheels)
Louis Mellini (SLC Bicycle Advisory Committee)
FU Bike Coord.)
Vicki Mori (Principal, Guadalupe School)
Kelly Robinson (Utah Dept. of Health)
Evelyn Tuddenham (UDOT Bike/Ped Coord.)
Alexandra Zimmermann (U of U Bike Coord.)
Weenues resident)
Stephaning)
Scott Lyttle (Bike Utah)
Evelyn Tuddenham (UDOT Bike/Ped Coord.)
Alexandra Zimmermann (U of U Bike Coord.)
Stephaning)
Scott Lyttle (Bike Utah, 23st Central resident)
Jason Mathis (Downtown Alliance)
Chad Mullins (SL Co. Bike Advisory Comm.)
Glenn Sorensen (East Central resident)
For U Bike Coord.)

Steering Committee

SLC Transportation)
Steering Committee

SLC Transportation)
Mike Brown (Deputy Chief of Police)
Lisa Pascadio (SLCPD Bicycle Liaison)
Mike Brown (Deputy Chief of Police)
Lisa Pascadio (SLCPD Bicycle Liaison)
Mike Brown (Deputy Chief of Police)
Lisa Pascadio (SLCPD Bicycle Liaison)
Mike Brown (SLC Econ. Dev., Deputy Director)
Angela Dunn (SLC Econ. Dev.)
Fing)
Cistreets)
Sara Rose Tannenbaum (SLC Sustainability)
Lee Bollwinkel (SLC Parks & Public Lands)
Brandon Fleming (SLC Parks & Public Lands)
Roni Thomas (SLC Arts Council)

We are grateful to members of the City's Transportation Advisory Board and Bicycle Advisory Committee for their input. Special thanks also to members cut the general public who provided input through open houses, online surveys. the general public who provided input through open houses, online surveys, community events, and other channels.

Packet Pg. 555

This page left intentionally blank



EXECUTIVE SUMMARY

Vision

Walking and bicycling in Salt Lake City will be safe, convenient, comfortable, and viable transportation options that connect people to places, foster recreational and economic development opportunities, improve personal health and the environment, and elevate quality of life.

Goals



INTEGRATION

Integrate walking and bicycling into community planning to enhance livability, health, transportation, the environment, and economic development.



MAINTENANCE

Maintain the walking and bicycling system year-round.



TRANSIT CONNECTIONS

Integrate pedestrian and bicycle facilities with transit routes, stations, and stops.



Develop a safe, comfortable, and attractive walking and bicycling network that connects people of all ages, abilities, and neighborhoods to the places they want to go.



Promote the safety and attractiveness of walking and bicycling through education, encouragement, and enforcement programs.

Complete Streets

Streets are an integral part of everyday life and public space. The term "Complete Streets" refers to designin streets for people of all ages and abilities who walk,

streets for people of all ages and abilities who walk, bicycle, use transit, and drive. Salt Lake City's Comple Streets ordinance seeks to balance the competing nee of different transportation modes within the unique contexts of each roadway. The walking and bicycling recommendations presented in this plan are consisted with and support Complete Street principles.

Why Invest in Walking & Bicycling

Recess for All
Walking and bicycling are affordable transportation options available to everyone. This master plan emphasizes facilities that can be used by all City residents, not just those who are fit and fast walkers of those confident riding bicycles swiftly or in traffic. Streedesign can also result in safer driving, fewer user conflicts through consistency and predictability, and reduced peak hour congestion for motorists.

Personal Health

Walking and bicycling help people meet recommende physical activity levels, thereby reducing chronic diseat and associated health care costs. Improved walking and bicycling infrastructure for recreation and daily trips.

and associated health care costs. Improved walking at bicycling infrastructure for recreation and daily trips such as travel to work, run errands or take kids to sch creates a sustained increase in physical activity, and a healthier community.

Economic Health

Business and employee relocation decisions are increasingly being made based on quali of life considerations such as access to quality walking and bicycling facilities. Active transportation infrastructure also generates tourism revenue, supports local business, a creates jobs.

Air Quality

Combustion engines and industry combine with geographic constraints to create air quality concerns in the Salt Lake Valley. Replacing driving trips with walking and bicycl trips can play an important part in a comprehensive strategy to improve air quality.

Attachment: Original Transmittal_Ped

Outreach

- » Ongoing input from focus group, stakeholder committee, and steering committee.
- » Direct engagement with thousands of residents including through the following venues:
 - » 2 public open houses
 - » Online survey with nearly 1,000 responses
 - » Nearly 30 other community events such as farmers markets and community festivals
 - » Open City Hall



Attendees at a master plan open house



Results of the online survey show clear community preference for sidewalks buffered from traffic, safer pedestrian crossings, and low-stress bikeways that allow for all ages and abilities to ride a bicycle comfortably.

Key Themes

A number of key themes emerged amidst the large amount of information collected through the public input process:

- » Support for the plan's goals and objectives
- » Strong support of the City's efforts to install high-visibility pedestrian treatments to improve crossings of major streets
- » Desire for better winter maintenance, particularly enforcement of laws requiring landowners to clear snow
- » Support for conventional and low stress bikeways that are designed well, especially to minimize intersection conflicts

Walking

The Importance of Walking

Salt Lake City is first and foremost a place where walking should be comfortable and safe. Many trips begin or end with a walk, and it is important to take a citywide view of infrastructure and programs that addresses conditions over a broad area, versus at only a few spot locations. This Plan recommends that the City treat all areas as walking environments, and provides guidance for several 'typologies' that are found throughout the City. The walking environment should be prioritized during an project of the City, as well as through regular review and study of the transportation network.



Pedestrian crossing at HAWK-controlled mid-block crosswalk near City Creek Center



Trail user walking her dog on the Jordan River Parkway Trail



Pedestrian crossing at 200 S/800 E in a high visibility school crosswalk

Salt Lake City has a robust system of sidewalks and pathways. However, the City's wide streets and large blocks can create a challenging environment for pedestrians. Ultimately, every street and every intersection in the city should be designed with the pedestrian in mind – emphasizing safety, first, as well as comfort. Throughout this plan, the terms "pedestrian" and "walk" are meant to be inclusive of people of all ages and abilities, including those who use mobility aids, such as wheelchairs, scooters, strollers, or other devices.

The City has an established crossing prioritization process to evaluate locations for mid-block signals and enhanced crosswalks, as well as other pedestrian-friendly amenities such as bulb-outs, refuge islands, and pavement markings. Lower speed limits and tightened corner radii are recommended to improve the pedestrian experience by slowing traffic especially downtown and in other business areas.

Ultimately, pedestrian enhancements are very fine-grained and should be incorporated at the project design level. National guidelines such as the National Association of City Transportation Officials' Urban Street Design Guide are also recommended.

Downtown Mid-Block Walkway Network

Within the downtown area, this plan incorporates the Downtown Community Master Plan's recommendation to use alleys and minor streets as a network of walkways redesigned to become inviting places for pedestrians. In other areas of the City, especially where development is rapidly occurring, this same philosophy should be applied. This is especially relevant in Sugar House.



Bicycling

Citywide Bikeway Network

The maps and graphic below show how Salt Lake City's bikeway system will grow over time as the plan recommendations are implemented.







The entire 220-mile recommended bikeway network could be built for the same amount of money as widening 1.3 miles of freeway

Low-Stress Bikeway Network

Percentage of road miles with bikeways

Low-stress facilities such as multi-use paths, protected and buffered bike lanes, and neighborhood byways appeal to people who want more separation from traffic. Surveys show that 50-60% of people say they would like to bike more but are deterred by conventional bikeways. Development of a low-stress bikeway network is a key component of this master plan.



Multi-use path connecting 900 S to the 9-Line near 900 W



Protected bike lane on 300 S



Multi-use path in Liberty Park

Programs

The programs recommended in this plan typically have an education, encouragement, or enforcement focus.

Multi-Modal Programs

The plan contains recommendations for multi-modal programs that benefit multiple user groups. Some are targeted at pedestrians and bicyclists only, while others include other groups such as transit riders and drivers. Programs include efforts such as driver education, media campaigns, comprehensive safety and crash analysis and enforcement, Smart Trips, and Open Streets events.



Pedestrian-Specific Programs

Examples of recommended pedestrian programs include walking school buses, targeted crosswalk enforcement, and mid-block walkway programming. These programs are geared toward encouraging people to walk and making their experience safer and more comfortable.



Bicycling-Specific Program

Bicycling programs include user counts, training, bicycle-friendly business efforts, route mapping, social rides, and recreational route designation among others. They are geared towa encouraging people to bicycle more, particularly user groups who are less likely to ride now.





This page left intentionally blank



TABLE OF CONTENTS

This table of contents is clickable in this electronic document.

Chapter One: Walking & Bicycling Background	1
1.1 History of Active Transportation in Salt Lake City	
1.2 National Trends	
1.3 Local Trends	12
1.4 Relationship to City Plans.	16
1.5 Relationship to Regional Plans	18
Chapter Two: Goals & Objectives	21
2.1 Updating the 2004 Plan	
2.2 Vision	
2.3 Goals & Objectives	23
Chapter Three: Public Process	29
3.1 Master Plan Committees	
3.2 Public Open Houses	30
3.3 Online Survey	32
3.4 Other Outreach Events	33
3.5 Key Themes	33
Chapter Four: Complete Streets	35
4.1 Relationship to Pedestrian & Bicycle Master Plan	36
4.2 Strengthening the Complete Streets Ordinance	36
4.3 Design Guidance for Complete Streets	36
4.4 Complete Streets for East-West Connections	37
4.5 Policy Considerations for Non-Bicycle Wheeled Transportation.	37
4.6 Speed Limit Policies.	38
Chapter Five: Pedestrian Recommendations	41
5.1 Walking Facility Descriptions.	42
5.2 Traffic Signal & Warning Beacon Considerations	46
5.3 Pedestrian Counts	50
5.4 Enhancing Corridors and Neighborhood Byways for Pedestrians	50
5.5 Pedestrian Spot Improvements	52
5.6 Pedestrian Typologies	53


Chapter Six: Bicycling Recommendations	69
6.1 Bikeway Type Descriptions	70
6.2 Evolution Toward Low Stress Bicycling.	72
6.3 Bikeway Recommendations	73
6.4 Interim Bypass Routes	87
6.5 Bikeway Maintenance	87
6.6 Traffic Signal Considerations.	95
6.7 Bicycle Parking and Other End-of-Trip Facilities	99
6.8 Mountain Biking & BMX	100
6.9 Bicycle Counts & Surveys.	100
Chapter Seven: Program Recommendations	103
7.1 Multi-Modal Programs	
7.2 Pedestrian-Specific Programs	
7.3 Bicycling-Specific Programs	110
7.4 Program Implementation Schedule	
7.5 Program Summary Tables	
Chapter Eight: Cost Estimates & Implementation	121
8.1 Spot Improvements	122
8.2 Linear Bikeways	
8.3 FundingImplementation	
8.4 Performance Measures.	

LIST OF FIGURES

Figure 1-1 Annual Vehicle Miles Traveled (VMT) by Age Group6
Figure 1-2 Average Annual Mileage by Age
Figure 1-3 Overweight & Obese Population in Utah
Figure 1-4 Utahns' Physical Activity Habits
Figure 1-5 U.S. Bicycle Commuting Growth, 2000-2010
Figure 1-6 Types of Bicyclists
Figure 1-7 Bike Trip Purposes in Salt Lake City (Utah Travel Survey)13
Figure 1-8 Walk Trip Purposes in Salt Lake City (Utah Travel Survey)
Figure 1-9 Pedestrian Count & Survey Locations
Figure 1-10 June 2012 Weekday Pedestrian Counts
Figure 1-11 Bike Counts, Sidewalk Riding, Female Bicyclists, & Helmet Use by Year15
Figure 3-1 Demographics of Public Survey Respondents32
Figure 3-2 Types of Bicyclists (Pedestrian & Bicycle Master Plan Public Survey)32
Figure 5-1 Mid-Block Walkways Map from the draft Downtown Community Master Plan51
Figure 5-2 Multi-Use Trails, Neighborhoods Byways, & Enhanced Pedestrian Crossings Map55
Figure 5-3 Neighborhood Business Node57
Figure 5-4 Strip Mall Retrofit59
Figure 5-5 Suburban Business Park Without Sidewalks
Figure 5-6 Protected Bike Lane Streetscape63
Figure 5-7 Conceptual Design for Improving Neighborhood Connections Across an Arterial Street65
Figure 5-8 Conceptual Design for Improvements to a Neighborhood Commercial Area67
Figure 6-1 2013 Public Survey Bicycle Facilities Preferences
Figure 6-2 Percentage of Road Miles With Bikeways
Figure 6-3 Bicycling Network Existing Conditions Map
Figure 6-4 Bicycling Network Existing Conditions + Short Term (0-10 Years) Recommendations Map77
Figure 6-5 Bicycling Network Existing Conditions + Long Term (10-20 Years) Recommendations Map79
Figure 6-6 Bicycling Network Existing Conditions + 20 Year Vision Map (2035)81
Figure 6-7a Low Stress Bicycling Network Recommendations Map (Citywide)83
Figure 6-7b Low Stress Bicycling Network Recommendations Map (Downtown)85
Figure 6-8 Bicycling Access to Fixed Route Transit Stations Map
Figure 6-9 Bicycling Spot Improvement Recommendations Map
Figure 6-10 1300 South Interim Bypass Route93

LIST OF TABLES

Table 1-1 Statewide Walking & Bicycling Mode Share	12
Table 1-2 Downtown Walking & Bicycling Mode Share	12
Table 4-1 Percentage of Roads with Bikeways	.36
Table 7-1 Program Implementation Schedule	116
Table 7-2 Multi-Modal Programs Summary	117
Table 7-3 Pedestrian & Bicycle Programs Summary	119
Table 8-1 Spot Improvement Capitol Cost Ranges	122
Table 8-2 Spot Improvement Annual Maintenance Cost Ranges	122
Table 8-3 Per-Mile Capital Cost Estimate Ranges	123
Table 8-4 Per-Mile Annual Maintenance Cost Estimate Ranges	



Americans increasingly demand walkable, bikeable cities, and Salt Lake City residents are no different. Providing quality, walkable places and transportation options is key to the City's ability to attract and retain people, businesses, and the convention and tourism economies.

Salt Lake City's previous Bicycle & Pedestrian Master Plan was adopted in 2004. While this document served the City well, much has changed in the past decade in the realm of active transportation. Some innovative facilities the City now constructs were not even invented a decade ago. While the sidewalk network is fairly complete, pedestrian facility innovations include crossing treatments especially appropriate for wide streets.

Historically, Salt Lake City's bicycle facilities have primarily served people comfortable riding in or near traffic, a group which comprises less than 10% of the population. This master plan leads Salt Lake City boldly into a new era where people of all ages and abilities can comfortably travel on foot or by bike. The plan outlines goals and objectives, proposes a 20-year build-out of bicycle facilities, and recommends changes to City processes and non-infrastructure programs.

Walking and bicycling investments benefit everyone. More people traveling on foot and by bicycle will boost our community's health, improve our air, invigorate local businesses, and incentivize employers to locate here. This chapter provides historical context for active transportation in the City, outlines important demographic trends, and discusses how this master plan interfaces with other City efforts.

Main subsections include:

- History of Active Transportation in the City
- National Trends
- Local Trends
- Relationship to City Plans
- Relationship to Regional Plans

1.1 History of Active Transportation in Salt Lake City

From the pioneers who founded it to those who continue its legacy, Salt Lake City has a long and rich history when it comes to active transportation including walking, bicycling, and other people-powered transportation devices.

The City was founded 50 years prior to cars arriving on the scene, when walking was the dominant transportation mode. Pedestrians originally shared the dirt streets with horse-drawn carriages and streetcars. Soon afterwards, boardwalks were constructed allowing people to avoid the mud and filth found in the streets.

The bicycle became a popular device for both transportation and recreation in our community almost immediately after it was first introduced to the American public in the late 1800s. By the 1890s, much like today, the increasing presence of bicycles in the City brought conflict that required action, as well as a cultural shift, in how residents related to each other on streets and sidewalks. The recent and pending installation of protected bike lanes on 300 South and 200 West are just



Renowned cyclist Marshall "Major" Taylor at the Salt Palace race track, 1920 (Photo: Shipler Collection, Utah State Historical Society)

the latest changes residents are experiencing which aim to improve safety for all transportation modes. This Pedestrian and Bicycle Master Plan builds upon the many challenges and successes of Salt Lake City's past and present to work toward a more balanced and sustainable transportation future.

1890s

- » Bicycle ownership in the City, previously only afforded by people of substantial means, becomes more widespread.
- » Bicycles allow lower, middle, and working class families to live further away from work in more affordable areas of town.
- » Bicycle shops in the City double from four to eight.



Early bike shop in Salt Lake City (Photo: Shipler Collection, Utah State Historical Society)

- » Exclusive clubs such as the Social Wheel Club begin to form around cycling as a summer pastime.
- » Lagoon Amusement Park begins sponsoring an **annual Memorial Day Race** from Salt Lake City to Farmington.
- » Growing numbers of **bicyclists take to sidewalks** to avoid muddy streets during inclement weather. **Salt Lake City Council passes legislation** to make it illegal to ride a bicycle on many downtown sidewalks between the months of May and October or face a fine up to \$25 (more than \$650 today).
- » Citizen group proposes reserving one side of downtown streets and sidewalks exclusively for cyclists while **another group proposes that bicycles be licensed and taxed** \$1 per year to help pay to pave bike paths and make it easier for pedestrians to identify scofflaws. Both proposals are rejected.
- » Pedestrian and bicycle collisions necessitate ordinances regulating cycling.
- » Bicyclists lead the movement to pave Salt Lake City streets.

1900s-1920s

- » Half of Salt Lake City's 50,000 residents own bicycles.
- » Streetlights are installed primarily to make streets safer for pedestrians.
- » Amount of sponsorship money made available by Salt Lake City businesses for professional bicycle racers makes the City one of the most important destinations for track cycling in the country.
- » Salt Lake City boasts three outdoor bicycle race tracks located at the Salt Palace, Saltair, and Calder's Park (now Nibley Park).
- » Both Democratic and Republican mayoral candidates vow to pave five-foot-wide bicycle paths on several downtown streets including South Temple Main Street

The Salt Lake YMCA Bike Club at 100 South/State Street, 1906 (Photo: Shipler Collection, Utah State Historical Society)


streets including South Temple, Main Street, 200 South, 400 South, 800 South, and West Temple.

1930s-1950s

- » Salt Lake City's streetcar system closes in 1941.
- » 1943 City Plan recommends parks within 1/4 mile of every residence so that **kids could** walk to the parks.
- » City adopts "Salt Lake City Major Street Plan" (1948) that called for widening pavements widths for the sole purpose of moving automobiles.

1960s-1970s

- » The Second Century Plan sets a strategy to improve Main Street with emphasis on pedestrians: widening sidewalks and planting trees.
- » An underground crossing of State Street at 50 South was constructed, and a midblock walkway system was first proposed.
- » The City's 1967 master plan proposes bypasses for through traffic, including grade separated roadways along Foothill Boulevard and 1300 East.



Curb-separated protected bike lanes were proposed on streets in Salt Lake City in the 1970s

- » Protected bike lanes are proposed by regional and City planners for Foothill Drive, Redwood Road, Beck Street, and 1700 South.
- » The **concept of the Jordan River Parkway/Trail** was developed, primarily as a flood control measure.

1980s

- » By the mid-80s, **lengthy sections of multi-use trail completed** within the Jordan River Parkway.
- » Urban Design Element recommends pedestrian "launching pads" (curb extensions) and "gallerias" (enclosed pedestrian walkways) to improve downtown walkability.
- » Salt Lake City constructs early **painted bike lanes**, and in 1985 publishes the City's **first bikeways map**.

1990s

- » In the early 1990s, the Mayor's Bicycle Advisory Committee (MBAC) creates a **bicycle plan** for the City.
- » The first TRAX light rail line opens connecting downtown Salt Lake City to Sandy.

2000s

- » The City's first professionally-created Bicycle & Pedestrian Master Plan is adopted.
- » Salt Lake City becomes well-known for its **pedestrian crossing flags program**, and is **recognized nationally for improving pedestrian safety.**
- » Bronze-level Bicycle Friendly Community status is granted by the League of American Bicyclists in 2007.
- » **Downtown in Motion Master Plan balances pedestrian and bicycle needs** with transit, automobile, and service needs to create a balanced, integrated, efficient, and accessible Downtown.
- » Seeking a solution for some narrower streets Downtown, Salt Lake City invents the **"green shared lane"** or "super sharrow".

2010s

- » The City Council passes a **Complete Streets ordinance** in 2010, requiring the consideration of bicyclists and pedestrians in street repaving and design projects.
- » Salt Lake moves up to a silver-level Bicycle Friendly Community in 2010.
- » North Temple is reconstructed as a multi-modal corridor incorporating TRAX light rail, bike lanes, and wide sidewalks.
- » A new **downtown bike sharing system, GREENbike,** is launched to complement the City's growing bikeway network.
- » A first downtown protected bike lane is constructed on Broadway (300 South) including separator curbs and planters.
- » The **Sugar House Greenway and The Draw**, two key pieces of the Parley's Trail, are completed and open.

1.2 National Trends

Pedestrian and bicycle planning in the U.S. is a rapidly evolving field. The following sections describe national trends relating to bicycling and walking. Understanding these trends and the underlying reasons behind them helps to inform decisions here in Salt Lake City.

1.2.1 Demographic Shifts

The United States has experienced demographic shifts in recent decades. These shifts directly and indirectly impact transportation patterns. For instance, between 2010 and 2020 "Baby Boomers" will make more than 200 million residential moves. They also will increase the size and reshape the demographic character of rural areas and small towns throughout the country. Studies also show that quality-of-life considerations have begun to replace employment-related factors in decisions about when to move and where to live.

Recent studies have noted trends revealing that Millennials – those born between 1981 and 2001 – are a part of a generation of declining car ownership.² For example, people between the ages of 18 and 34 make up just 11% of today's auto market – down from 17% in 2007.³ A number of

factors contribute to the decline in car ownership among Millennials: economic recession, recent trends toward urban living, and the desire to stay connected to social media sites and other technologies that are not conducive to driving. The younger generation appears to place less value on vehicle ownership and suburban living due to a combination of high costs, improved travel options, and changing preferences for living and commuting.⁴

In 2011, Zipcar performed a travel preference survey that confirmed these trends, as illustrated in Figure 1-1.⁵ Based on these trends and forecasted predictions, it is estimated that the size of the U.S. vehicle fleet and annual vehicle sales will continue to decline (Figure 1-2).⁶

1.2.2 Benefits of Walking & Bicycling

Bicycling and walking provide a wide range of benefits to individuals, their communities, and the surrounding environment.

1.2.2.1 Safety Benefits

Studies show that installing pedestrian and bicycle facilities directly improves safety by reducing the risk of pedestrian-automobile and bicycle-





Figure 1-1 Annual Vehicle Miles Traveled (VMT) by Age Group

Annual motor vehicle travel is significantly lower for people born after 1978 than previous generations at the same age. This indicates intergenerational changes in consumer preferences and lifestyles. Although younger people are likely to increase their vehicle travel as they earn more and become parents, they are unlikely to drive as much as the Baby Boom generation.

If there were more options in my areas, such as public transportation, car sharing, or convenient carpooling, I would drive less than I do now.



Consumer preference surveys indicate that younger people want to drive less and rely more on alternative modes than older people.

Figure 1-2 Average Annual Mileage by Age

automobile crashes. For example, streets with bike lanes have been shown to be safer not just for bicyclists (compared with no bicycle facilities), but also for pedestrians and motorists. Streets without bicycle facilities may pose a greater collision risk. When walking and bicycling rates double, per-mile pedestrian-motorist collision risk can decrease by as much as 34%.

Improved walking and bicycling environments contribute to a safer transportation system in two important ways: by directly reducing collision risk and by increasing walking and bicycling rates. New York City saw a 73% decrease in the average risk of serious injury to bicyclists at the same time they experienced a 400% increase in ridership. Portland (OR) saw a similar dip in injury rates concurrent with an increased bicycling rate. Safe places to walk and bike are especially important for non-drivers who require safe, reliable, and convenient transportation options.

1.2.2.2 Health Benefits

Lack of physical activity is associated with increased risk of many health problems, particularly obesity, diabetes, and heart disease.⁹ It is also the third-highest cause of preventable death in the U.S., behind only tobacco use and poor nutrition.¹⁰ Today many cities and businesses are facing a crisis as they attempt to cope with the growing healthcare costs associated with preventable chronic diseases. A recent Institute of Medicine report states that the estimated annual cost of obesity-related illness is \$190.2 billion (in 2005 dollars), or nearly 21% of annual medical spending in the United States.

The Centers for Disease Control and Prevention recommend at least 2.5 hours of moderate exercise each week, yet many people do not have convenient access to places where they can be physically active. Walking and bicycling are some of the most basic forms of physical activity. Improving facilities for these activities and linking them to recreational and daily destinations would help better connect people with convenient exercise options.

Active transportation options such as walking and bicycling help people meet recommended physical activity levels, thereby reducing chronic disease and associated health care costs. About half of Utahns are overweight and do not exercise enough (see Figures 1-3 and 1-4).^{11,12} According to the Salt Lake Valley Health Department, these statewide obesity and physical activity data match local data closely.¹³

Studies show that people walk more in safe, walkable, and aesthetically pleasing places. Improved facilities promote physical activity by making walking and bicycling more appealing, easier, and safer. A Portland (OR) study on the benefits of bicycle projects found that by 2040 Portland's investment of \$138-605 million in bicycling will have saved \$388-594 million in health care costs and provided an additional \$7-12 billion in the value of increased life span.




Figure 1-3 Overweight & Obese Population In Utah




Figure 1-4 Utahns' Physical Activity Habits

Walking and biking also provide greater social interactions than some other forms of transportation. These interactions may be associated with mental health and social engagement benefits.

1.2.2.3 Economic Benefits

Walking and bicycling are affordable transportation options. Walking is virtually free and owning and operating a bicycle for one year costs approximately \$121.¹⁶ The average cost of owning and operating a vehicle for one year is \$8,946.¹⁷

Cities that invest in active transportation are investing in people and their quality of life. Business decisions are increasingly being made based on quality of life amenities for employees and their families. Sidewalks, on-street bicycle facilities, multi-use paths, and transit service are important quality of life indicators. They demonstrate a commitment to healthy transportation options and lifestyles.

According to the National Association of Homebuilders, trails are consistently ranked as one of the most important community amenities by prospective homebuyers – above golf courses, parks, and security. More than two-thirds of Americans say that having bike lanes or paths in their community is important to them, and two-thirds of homebuyers consider the walkability of an area in their purchase decision. This preference for communities that accommodate walking and bicycling is reflected in property values across the country. Houses in walkable neighborhoods have property values \$4,000 to \$34,000 higher than houses in areas with average walkability.

Active transportation infrastructure and programs generate tourism revenue, support local business, and create jobs.²² In the North Carolina Outer Banks, an investment of \$6.7 million in paths and wide paved shoulders has generated \$68 million

in annual tourism revenue from bicyclists.²³ After bike lanes were added to Valencia Street in San Francisco, two-thirds of merchants surveyed said that the lanes had a positive overall impact on their business.²⁴ New York City installed the first protected bike lanes in the U.S. on 8th and 9th Avenues in Manhattan in 1997 and by so doing brought more people to these streets. As a result, 9th Avenue had a 49% increase in retail sales at locally based businesses compared to a 3% increase across Manhattan as a whole.²⁵

Employers are increasingly locating in vibrant urban centers with diverse transportation options in order to attract young workers and improve current employees' satisfaction. Active transportation investments heighten Salt Lake City's appeal to existing and potential employers.

1.2.2.4 Transportation Efficiency

Short trips typically taken in cars²⁶ can more easily be made on foot or by bike if safe, comfortable, and convenient facilities are provided. By shifting 160 annual trips (about three per week) averaging 2.4 miles in length from driving to bicycling, an individual can reduce congestion costs to other road users by approximately \$216 in urban areas and about \$108 in rural settings.²⁷ Providing a variety of travel options also reduces dependency on foreign oil and promotes energy efficiency.

1.2.2.5 Climate Impacts

Over the past four decades, population has grown rapidly in the western U.S., an area sensitive to drought, air pollution, and heat waves.²⁸ Scientists project that warmer temperatures from climate change will increase the frequency of days with unhealthy levels of air pollution.²⁹

As of 2003, 27% of U.S. greenhouse gas emissions were attributed to the transportation sector and personal vehicles accounted for 62% of all transportation emissions.³⁰ Replacing two miles of driving each day with walking or



The majority of short trips are currently made by car

bicycling prevents 730 pounds of carbon dioxide from entering the atmosphere annually.³¹ This reduction minimizes the transportation sector's air quality impacts, improves air quality, and decreases public health concerns such as asthma.

1.2.3 State of the Planning Practice for Walking & Bicycling

Though still a small fraction of total travel, the number of people bicycling for transportation has grown dramatically in major cities during the last 10 years. Cities with high walking and bicycling rates realize that conditions need to be safe, pleasant, and convenient for people of all ages and physical abilities in order to have broad appeal.

The League of American Bicyclists awards Bicycle Friendly Community (BFC) status to communities that have made significant strides toward becoming comfortable places to bicycle. Bicycle commuting rates in large BFCs increased by 80% between 2000 and 2010 and 47% across the U.S. as a whole (Figure 1-5).³²




Figure 1-5 U.S. Bicycle Commuting Growth, 2000-2010 (Source: American Community Survey & League of American Bicyclists)

Research indicates the need for improved walking and bicycling facilities. A 2014 report from Smart Growth America ranks U.S. cities by pedestrian safety and examines the types of roads where fatalities are most likely to occur.³³ In a 2002 National Highway Transportation Safety Administration survey, 84% of respondents said that bicycling is "a great form of exercise" for them. More than two-thirds said they would like to ride more than they do now. However, less than 50% were satisfied with the current bicycle infrastructure in their community.

Salt Lake City continues to be at the forefront of walking and bicycling innovation, pioneering the use of green shared lanes, making efficient use of pavement management systems to affordably expand the bikeway network, and becoming well known for pedestrian crossing enhancements such as countdown timers, orange crossing flags, and "LOOK" pavement messages.

In 2007, the League of American Bicyclists rated Salt Lake City as a bronze "Bicycle-Friendly Community (BFC)". In the years that followed, the City hired a bicycle/pedestrian coordinator (followed by additional staff), increased active transportation expenditures, increased outreach and enforcement efforts by the Police Department, initiated an annual bicycle summit, instituted annual bicycle counts, and formalized a Complete Streets policy. These efforts were rewarded in 2010 with a silver BFC designation. The City is now focused on achieving gold status.

As a result of dissatisfaction with traditional designs, many cities developed new bicycle facility types and intersection treatments that respond to uniquely urban challenges. In 2009, the Cities for Cycling initiative was launched within the National Association of City Transportation Officials (NACTO). NACTO produced its own Urban Bikeway Design Guide in 2011 and has since published two updates. This new resource includes guidance for protected bike lanes, intersection treatments, signals, and neighborhood byways. Salt Lake City endorsed the NACTO Urban Bikeway Design Guide in 2010 and the NACTO Urban Street Design Guide in 2013.

1.2.3.1 Types of Bicyclists

Bicycle planning and engineering professionals historically classified bicycle users into three types – Advanced, Basic, or Child.³⁴ Another methodology was developed by planners in Portland (OR) and has since been corroborated by data from other U.S. cities. This classification, illustrated in Figure 1-6, provides the following four categories:³⁵

- Strong & Fearless: People who will ride anywhere regardless of roadway conditions or weather. They ride faster than other user types and prefer direct routes even if they must share lane space with cars.
- Enthused & Confident: People who are comfortable riding all types of bikeways but usually choose lower-volume streets or multiuse paths when available. They may deviate

- from a more direct route in favor of a preferred facility type. This group includes all kinds of bicyclists commuters, recreationalists, racers, and utilitarian bicyclists.
- Interested But Concerned: People who typically only ride a bicycle on low traffic streets or multi-use paths under favorable weather conditions. They perceive significant barriers to bicycling more, specifically traffic and other safety concerns. This group may become "enthused and confident" with encouragement, education, and experience.
- No Way, No How: People who don't desire to bicycle. They may perceive severe safety issues with riding near traffic. Though some of them may eventually bicycle, a significant portion will not ride under any circumstances.




Figure 1-6 Types of Bicyclists

1.3 Local Trends

According to the 2012 American Community Survey (ACS), Salt Lake City has one of the highest bicycling and walking mode shares in Utah, surpassed only by the college cities of Logan and Provo. This is not surprising given the higher concentrations of college-age students in Logan and Provo that normally live very close to their daily destinations.

1.3.1 Local Demographic Shifts

Utah is the youngest state in the union, and the Salt Lake region is growing rapidly. In the next 30 years, the population along the Wasatch Front is anticipated to increase by 65%, adding another 1.4 million residents. The regional Wasatch Choices for 2040 Plan provides guidance to communities in directing this growth, including providing transportation choices to decrease congestion, reduce air quality, and strengthen neighborhoods and quality of life.

Salt Lake City, as the capital city, economic center of the state, and home to several institutions of higher learning, will be pivotal in this growth, including increased residential density downtown and in surrounding neighborhoods. The City's population is also shifting in tandem with national trends. With the millennial generation raising families and baby boomers retiring to the city, Salt Lake has an increasing need for walking and bicycling facilities appropriate for all ages and abilities.

1.3.1 Utah Travel Survey

A coalition of regional transportation planning agencies jointly conducted a Utah-specific travel survey in 2012. Results shed light on walking and bicycling trends in Utah.

1.3.1.1 Walking Mode Share

On average, Salt Lake City residents take about three to four times more walking trips than bicycling trips (see Table 1-1). Walking trips include short segments of a multi-modal

commute, such as walking from a transit stop or parking garage to an office building.

Walking is more common in urban areas like Salt Lake City because destinations are closer together and more easily accessible by foot. Additionally, walking to lunch, meetings, or to other destinations may be more convenient than driving. This trend is apparent in the downtown Salt Lake City data represented in Table 1-2.

Table 1-1 Statewide Walking & Bicycling Mode Share

Region	All Trips		Commute Trip	
	Walk	Bike	Walk	Bike
Salt Lake City	17.4%	4.8%	18.2%	4.3%
Wasatch Front	7.8%	1.7%	3.1%	1.9%
Cache	7.7%	2.7%	3.8%	4.3%
Dixie	6.0%	1.3%	0.5%	2.4%
Utah Total	7.5%	1.8%	2.9%	2.0%

Source: Utah Travel Survey

Table 1-2 Downtown Walking & Bicycling Mode Share

Purpose*	To Down	town SLC	Within Downtown		
	Walk	Bike	Walk	Bike	
Commute	30.5%	5.0%	53.6%	3.4%	
All Trips	27.5%	5.8%	48.0%	5.5%	

Source: Utah Travel Survey

*Including trip segments of multi-modal journeys

1.3.1.2 Bicycling Mode Share

In Salt Lake City, 70.5% of households own at least one adult bicycle and 50% own two or more. In households with children, 31% own at least one child's bike. Salt Lake City far surpasses all other communities in the State when it comes to bicycle mode share, except for commute trips where it is tied with the Cache Valley area.

1.3.1.3 Trends

Salt Lake City residents enjoy walking and bicycling for many of the same reasons. Figures 1-7 and 1-8 show the relative breakdown of trip purposes for walking and bicycling, respectively.




Figure 1-7 Bike Trip Purposes in Salt Lake City (Utah Travel Survey)




Figure 1-8 Walk Trip Purposes in Salt Lake City (Utah Travel Survey)

Other commonly cited benefits of walking and bicycling are enjoyment of the outdoors, saving money, and improving the environment.³⁶

1.3.2 Bicycle Infrastructure Focus

Salt Lake City's on-street bikeway efforts going back to the 1970s have primarily focused on conventional painted bike lanes complemented by multi-use paths such as the Jordan River Parkway. More recently, the City's focus has shifted to "lower stress" bikeways both on-road and off-road that accommodate a wider range of people, abilities, and experience. Low stress facilities are discussed further in Chapter 6.

1.3.3 Air Quality

Urban air quality is a national concern, with many cities across the country falling short of Clean Air Act standards. In the Salt Lake Valley, industry, automobiles, trucks, fires, and various other small air pollution sources combine with geographic constraints to create air quality and health concerns for residents. Air quality concerns are most acute during winter months but may also occur at other times of year.

Air quality issues are often raised by businesses and individuals looking to relocate to or stay in Salt Lake City. The City hosts many conventions such as Outdoor Retailers and air quality issues have been raised by organizers when considering alternate venues.

Salt Lake City's investments in walking and bicycling help to mitigate transportation impacts to air quality. While active transportation cannot solve all air quality issues, it can be one of the vital components within a comprehensive strategy, particularly combined with transit.

1.3.4 Safer and More Comfortable Driving

With some changes to street designs for bicycling and walking, motorists may be concerned that lanes are being taken away or congestion created. In reality, many street changes increase safety and comfort for motorists as well as bicyclists and pedestrians. Lane repurposing designs, such as from four automobile lanes to three automobile lanes with a center turn lane and new bike lanes, improve driver safety. Providing pedestrian and bicycle facilities also increases predictablity interactions between motorists and those walking or bicycling, thus creating a safer and more comfortable environment for everyone.

1.3.5 Pedestrian Counts

Pedestrian counts were conducted at six downtown mid-block walkways in June 2012 as part of a study conducted by the City. Four counts were conducted at each site – three on weekdays from 8-9 am, noon-1 p.m., and 5-6 p.m., and one on Saturday from noon-1 p.m.

1.3.5.1 Count Locations

Each of the six count sites shown in Figure 1-9 is a mid-block walkway. Prior to the counts, use of these walkways was unknown, as was the extent to which quality of the pedestrian environment impacts use.

On average, foot traffic ranged from 46 people per hour at the Edison Street/300 South location to 265 people per hour at the Regent Street/100 South location near City Creek. Figure 1-10 shows the full results of the weekday counts.

The Regent Street/100 South walkway offers more pedestrian-friendly elements than the other five locations, which coincides with its high use. Many of the lesser-used walkways like Gallivan Avenue, East Exchange Place, and Edison Street were designed as pedestrian-friendly spaces but lack programming, nearby multi-use buildings, and the attention to design detail that would make them more inviting or useful to pedestrians.

1.3.5.2 Surveys

During the counts, surveys were administered to determine opinions about the mid-block walkways. Respondents said that convenience and safety contribute to a good walking environment. Some people stated that trees and landscaping contribute positively. Others mentioned the number of people on the street and adequate maintenance.




Figure 1-9 Pedestrian Count & Survey Locations

- 1. Regent Street/100 South
- 2. Regent Street/200 South
- 3. Alleyway at 222 South Main Street
- 4. Gallivan Avenue
- 5. Edison Street/300 South
- 6. East Exchange Place




Figure 1-10 June 2012 Weekday Pedestrian Counts



Regent Street mid-block walkway at 100 South had the highest pedestrian counts

1.3.6 Bicycle Counts

Beginning in September 2010, Salt Lake City has conducted annual bicycle user counts during the second full week of September. Counts are taken at each location on Tuesday, Wednesday, and Thursday evenings (5-7 pm) and Saturday and Sunday afternoons (12-2 pm).

In 2011, Salt Lake City reported a citywide 27% increase in bicycling from the previous year. Major local media outlets and national organizations reported the significant change. Bicycling Magazine listed the 27% increase in bicycling as one of the reasons that Salt Lake City jumped from 43rd (2010) to 26th (2012) in the magazine's "America's Most Bicycle-Friendly Cities" biennial ranking. Since 2011, there has not been another dramatic yearly increase, but the following year saw a modest increase. Weather during the 2013 counts was very rainy, which likely impacted numbers. 2014 data, recently available, was not included in this analysis.

This is mirrored in the 2012 ACS Journey to Work data (2008-2012 5-Year Estimates) as compared to the same data source for 2010. In that two year

period, bicycle commuting rates rose from 2.2% to 2.5%, while male bicycle commuters increased from 3.0% to 3.2% and females from 1.3% to 1.7%.

1.3.6.1 Count Locations

The original count in 2010 involved 12 locations. In subsequent years, the City has incorporated two or three new locations per year in order to collect before/after data for specific facility improvements. The first "after" data was collected in 2014.

Count locations with consistently high ridership are 800 E/800 S, 200 S/Main, Sunnyside/Arapeen, Sunnyside/Guardsman, and Parley's Crossing. This may be due in part because they are on popular commuting routes, provide access to the University of Utah, or are frequented heavily by recreational bicyclists.

1.3.6.2 Analysis of Bicyclist Totals

Figure 1-11 shows observed trends in overall riders counted, helmet use, sidewalk riding, and female ridership.




Figure 1-11 Bike Counts, Sidewalk Riding, Female Bicyclists, & Helmet Use by Year

1.3.6.3 Sidewalk Riding

Sidewalk ridership is lower at locations near the University of Utah, at 800 E/800 S, and Beck St/Chicago Ave. Conversely, west side count locations have higher levels of sidewalk riding.

1.3.6.4 Helmet Use

Helmet use was observed during the 2010 and 2011 counts. It was highest in locations frequented predominately by recreational bicyclists and those commuting long distances. Count locations downtown and on the west side had lower levels. After collecting adequate baseline data, collecting helmet use data was discontinued after 2011.

1.3.6.5 Female Bicyclists

Since 2012, rider gender has been recorded during counts. This data enables City staff to see how changing infrastructure types (from conventional bike lanes to lower stress facilities), other improvements, and weather affect the share of female bicyclists.

The 600 E/1300 S count location had a higher share (30%) of female bicyclists than any other location. Like helmet use, count locations on the east side of the City generally had a higher share of female bicyclists, while the west side had lower percentages.

1.3.6.6 Context & Comparison

Salt Lake City is the only city in Utah that performs regular bicycle user counts. Portland (OR) has conducted annual counts since the early 1990s. They have experienced a two-decade-long upward trend, which includes a 211% increase since 2000. Portland and Tucson (AZ) have both experienced ups and downs at specific locations or in their overall annual totals for individual years while maintaining an upward long-term trend.

1.4 Relationship to City Plans

Many other City planning documents influence and are influenced by this Pedestrian and Bicycle Master Plan. Some of the major related planning efforts include:

- Plan Salt Lake (still in draft form)
- Downtown Master Plan
- · West Salt Lake Master Plan
- 9 Line Corridor Plan
- Jordan & Salt Lake Canal Trail Implementation Study

1.4.1 Plan Salt Lake

Plan Salt Lake is still in process and has not yet been adopted. The purpose of this plan is to set a citywide vision for the next 25 years and create an overarching master plan for the City. It considers where the City currently is, where people want to be, and establishes the framework for decision making that will accomplish the desired end result.



All community and system plans will be subsets of Plan Salt Lake and help to implement the goals contained within it. The City's Transportation Master Plan is one such system plan and the Pedestrian and Bicycle Master Plan fits within its umbrella.

Public input for Plan Salt Lake mirrors the strong interest in active transportation found during the public process conducted for the Pedestrian and Bicycle Master Plan (see Chapter 3). Comments received through Plan Salt Lake reflect a high level of interest in walking and bicycling, even outside of the "transportation" category. The following categories all had input related to active transportation:


- Air quality while most comments were related to public transit and idling, about 25% of responses mentioned walking or bicycling as partial solutions.
- Diversity about 15% of responses related to diversifying transportation choices with walking and bicycling strongly mentioned.
- Neighborhoods, Downtown, and Outdoors –
 each category included comments (about 1020% of those received) in support of walking
 and bicycling.
- Transportation between a third and half of comments referenced walking or bicycling, with expansion of the bikeway network being requested in about half of the comments. Nearly all comments were positive.

Public input for Plan Salt Lake closely mirrors results of local opinion polls. The most recent edition of the biennial Dan Jones phone survey found that approximately two-thirds of City residents would be very willing or somewhat willing to support tax increases for improving pedestrian and bicycling facilities.

Plan Salt Lake identifies connectivity and circulation as a necessary component of sustainable growth. Plan Salt Lake and the Pedestrian and Bicycle Master Plan share the goal of providing transportation options and improving connections. Plan Salt Lake also identifies key initiatives related to the Pedestrian and Bicycle Master Plan, including providing a complete network for all modes of travel and making walking and cycling viable, safe, and convenient transportation options in all areas of the City.

1.4.2 Other City Plans

This modal plan provides detail in support of the City's Transportation Master Plan (1996). It also provides corridor-specific recommendations for many of the general concepts recommended in the Downtown In Motion Master Plan (2008), a multi-modal plan focused on transportation in the downtown area. Some of the transit-focused recommendations of this plan will be furthered in the upcoming Transit Master Plan, which is just beginning as this plan approaches adoption. The updated Pedestrian & Bicycle Master Plan and Transit Master Plan will be incorporated into an update to the Transportation Master Plan in the future.



Recommendations from the Sugar House Circulation and Streetscape Amenities plan were incorporated into the Pedestrian and Bicycle Master Plan

Recommendations from the City's area, modal, and corridor master plans were also reviewed at the beginning of the master plan effort to gain ideas and make sure that previous planning efforts were appropriately incorporated. The Downtown, West Salt Lake, 9 Line, and Jordan and Salt Lake Canal Trail plans mentioned above are just a few examples of such plans that provided input and background for the Pedestrian and Bicycle Master Plan.

The Circulation and Streetscape Amenities Plan for the Sugar House Business District is also illustrative of how information from these plans was used. That plan included specific recommendations for bikeways in the area. Those recommendations were reviewed and included in the Pedestrian and Bicycle Master Plan.

1.5 Relationship to Regional Plans

This plan primarily recommends infrastructure and programs within the Salt Lake City municipal limits. The plan also strongly supports collaboration with regional efforts and neighboring municipalities in project and program implementation. As the Wasatch Front's premier urban center and capital city, Salt Lake City has for years been a regional leader in pedestrian and bicycle planning, implementation, and innovation.

Regional plans such as Wasatch Choices for 2040³⁷ and the Utah Collaborative Active Transportation Study (UCATS)38 considered and incorporated in developing this plan, including sharing data, comparing notes about relative municipal and regional priorities, and providing input through staff crossover on steering and stakeholder committees. In some cases, the regional plans seek to extend facilities out from Salt Lake's already-established core. In other cases, regional plans suggest a corridor driven by preferable conditions either north or south of the City's boundary. In both instances, the regional routes and priorities are generally compatible with the recommendations of this plan. Additional collaboration regionally and with neighboring municipalities also occurs as projects are implemented.39

Chapter 1 Sources

- 1. http://www.ers.usda.gov/publications/err79/
- 2. "The Future Isn't What It Used To Be: Changing Trends and Their Implications for Transport Planning." Victoria Transport Policy Institute. Page 6. 27 December 2012.
- 3. "Gen Y Eschewing V-8 for 4G Threatens Auto Demand: Cars." Bloomberg. Hasan Dudar & Jeff Green, 7 August 2012.
- 4. Santos, et al. (2011), Summary of Travel Trends: 2009 National Household Travel Survey. FHWA (http://nhts.ornl.gov); at http://nhts.ornl.gov/2009/pub/stt.pdf. Also see, Nancy McGuckin (2011), Summary of Travel Trends 1969 to 2009, Travel Behavior Associates (www.travelbehavior.us); at www.travelbehavior.us/Nancy-pdfs/Summary%200f%20Travel%20Trends%201969%20 to%t202009.pdf.
- 5. Zipcar (2011), Millennials & Driving: Survey Results. Zipcar (www.zipcar.com); at www.slideshare. net/Zipcar_Inc/millennial-slide-share-final.

- 6. Lester Brown (2010), U.S. Car Fleet Shrank by Four Million in 2009. Earth Policy Institute (www. earth-policy.org); at www.earth-policy.org/index.php?/plan_b_updates/2010/update87.
- 7. Ewing, R. and Dumbaugh, E. (2010). The Built Environment and Traffic Safety: A Review of Empirical Evidence. Injury Prevention 16: 211-212.
- 8. Jacobson, P. (2003). Safety in Numbers: More Walkers and Bicyclists, Safer Walking and Bicycling. Injury Prevention 9: 205-209.
- 9. North Carolina Department of Health and Human Services, Physical Activity and Nutrition Branch. Eat Smart, Move More NC: The Obesity Epidemic in North Carolina. Retrieved from: www.eatsmartmovemorenc.com/ObesityInNC/ObesityInNC.html.
- 10. Mokdad, A., Marks, J., Stroup, D., & Gerberding, J. (2000). Actual Causes of Death in the United States. 2000. Journal of the American Medical Association 291: 1238 1245.
- 11. CDC Behavioral Risk Factor Surveillance System: Prevalence and Trend Data Overweight and Obesity, U.S. Obesity Trends, Trends by State. 2010. Available online at http://www.cdc.gov/brfss/.
- 12. CDC. BRFSS Behavioral Risk Factor Surveillance System: Prevalence and Trend Data Physical Activity, U.S. Physical Activity Trends by State 2009–2010. Available online at http://nccd.cdc.gov/NPAO_DTM/.
- 13. http://www.slvhealth.org/programs/weighActiveAndHealthy/obesity.html.
- 14. Robert Wood Johnson Foundation. Active Transportation: Making the Link from Transportation to Physical Activity and Obesity. Active Living Research. Research Brief; 2009. Available at http://www.activelivingresearch.org/files/ALR_Brief_ActiveTransportation.pdf.
- 15. Gotschi, Thomas (2011). "Costs and Benefits of Bicycling Investments in Portland, Oregon." Journal of Physical Activity and Health, 8 (Suppl 1), S49-S58.
- 16. USGCRP (2009). Global Climate Change Impacts in the United States . Thomas R. Karl, Jerry M. Melillo, and Thomas C. Peterson (eds.). United States Global Change Research Program. Cambridge University Press, New York, NY, USA.
- 17. AAA (American Automobile Association)
- 18. National Association of Homebuilders. www.nahb.com.
- 19. Bureau of Transportation Statistics. (2010). Transportation Statistics Annual Report. Retrieved from http://www.bts.gov/publications/transportation_statistics_annual_report/2010/.
- 20. Racca, D.P. and Dhanju, A. (2006). Property Value/Desirability Effects of Bike Paths Adjacent to Residential Areas. Prepared for Delaware Center for Transportation and the State of Delaware Department of Transportation.
- 21. Cortright, J. (2009). Walking the Walk: How Walkability Raises Housing Values in U.S. Cities. CEOs for Cities.
- 22. Garrett-Peltier, H. (2010). Estimating the Employment Impacts of Pedestrian, Bicycle, and Road Infrastructure: Case Study: Baltimore. Political Economy Research Institute, University of Massachusetts, Bike League.

- 23. "Pathways to Prosperity: The Economic Impact of Investments in Bicycle Facilities" (http://atfiles.org/files/pdf/NCbikeinvest.pdf).
- 24. "Economic Effects of Traffic Calming on Urban Small Businesses" (http://www.bikewalk.org/2004conference/sessions/28_Business_calm/TrafficCalming_summary.pdf).
- 25. New York City Department of Transportation (2012). Measuring the Street: New Metrics for 21st Century Streets.
- 26. SQW. (2007). Valuing the Benefits of Cycling: A Report to Cycling England. Cycling England, UK Department for Transport. Retrieved from www.dft.gov.uk/cyclingengland/site/wp-content/uploads/2008/08/valuing-the-benefits-of-cycling-full.pdf.
- 27. League of American Bicyclists. http://www.bikeleague.org/.
- 28. CCSP (2008). Analyses of the effects of global change on human health and welfare and human systems . A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. Gamble, J.L. (ed.), K.L. Ebi, F.G. Sussman, T.J. Wilbanks, (Authors). U.S. Environmental Protection Agency, Washington, DC, USA.
- 29. EPA (2010). Our Nation's Air: Status and Trends Through 2008 (PDF). U.S. Environmental Protection Agency. EPA -454/R -09-002.
- 30. Office of Transportation and Air Quality, Environmental Protection Agency. (2006). Greenhouse Gas Emissions from the U.S. Transportation Sector: 1990-2003. Report number EPA 420 R 06 003.
- 31. Federal Highway Administration. (1992). Benefits of Bicycling and Walking to Health.
- 32. Flusche, Darren. "The Economic Benefits of Bicycle Infrastructure Investments." League of American Bicyclists. June 2009.
- 33. http://www.smartgrowthamerica.org/documents/dangerous-by-design-2014/dangerous-by-design-2014.pdf
- 34. Selecting Roadway Design Treatments to Accommodate Bicycles. (1994). Publication No. FHWA-RD-92-073.
- 35. Four Types of Cyclists. (2009). Roger Geller, City of Portland Bureau of Transportation: http://www.portlandonline.com/transportation/index.cfm?&a=237507.
- 36. Utah Household Travel Survey. (2013). Resource Systems Group, Inc., prepared for Wasatch Front Regional Council, Cache Metropolitan Planning Organization, Dixie Metropolitan Planning Organization, Mountainland Association of Governments, Utah Department of Transportation, and Utah Transit Authority: http://www.wfrc.org/new_wfrc/publications/Utah_FinalReport_130228.pdf.
- 37. http://envisionutah.org/wasatch-choice-2040
- 38. http://www.udot.utah.gov/main/uconowner.gf?n=9809803039696480
- 39. http://www.wfrc.org/new_wfrc/index.php/wfrc-programs/bike-and-pedestrian-planning



Vision statements, goals, and objectives are the guiding forces behind the development and implementation of infrastructure and programs. They direct resource allocations and priorities. A vision statement outlines what a city wants to be. It concentrates on the future and is a source of inspiration. Goals provide a guide to fulfilling the vision. Objectives are more specific statements that define how each goal will be achieved. They are measurable and allow tracking of progress toward achieving the goals and overall vision.

Main sections of this chapter are as follows:

- Updating the 2004 Plan
- Vision
- Goals & Objectives

2.1 Updating the 2004 Plan

A vision statement, goals, and objectives were part of the previous Bicycle and Pedestrian Master Plan adopted in 2004. These items were all updated during the course of this current master plan effort. The public had opportunities at both open houses to comment on how they would like to see the vision, goals, and objectives updated. The Steering and Stakeholder Committees were able to provide targeted input during their meetings. The documents were then reviewed and refined based on a series of meetings, including City Council meetings.

2.2 Vision

This master plan is guided by the following vision statement:

"Walking and bicycling in Salt Lake City will be safe, convenient, comfortable, and viable transportation options that connect people to places, foster recreational and economic development opportunities, improve personal health and the environment, and elevate quality of life."



Library patrons walking between the Downtown Main Branch and the City-County Building

Integrate walking and bicycling into community planning to enhance livability, health, transportation, the environment, and economic development.

- Update City policies and ordinances, including the Complete Streets Ordinance, to foster desired walking and biking outcomes.
- Educate City staff and leadership on benefits of active transportation to individuals, government, and business.
- Provide walking and bicycling context to the City's area master plans including support for neighborhood business areas and mixed use development to enable shorter trips that people are more likely to make by walking and biking.
- Coordinate with Plan Salt Lake, community master plans, and other City divisions on their planning documents and processes, including updates to zoning to allow for more commercial and retail within walking or bicycling distance of neighborhoods throughout the City.
- Use best design practices from appropriate publications.
- Participate in long-term regional active transportation planning efforts.
- Work with neighboring cities to extend walkways and bikeways beyond Salt Lake City boundaries, with special emphasis on connections to transit stations.
- Coordinate with UDOT regarding desired improvements on their roadways within the City.
- Work with the State of Utah Driver License Division to enhance active transportation curricula.
- Achieve higher level Bicycle Friendly Community status and continue to improve ranking.
- Partner with clean air advocates and health insurers to increase walking and bicycling rates.
- Work with the police department, used bicycle dealers, pawn shops, and other entities to address bike theft.
- Expand the bike sharing system throughout the City.
- Continue to support the annual Utah Bike Summit.
- Continue efforts to host conventions and conferences such as Outdoor Retailers, Interbike, and ProWalk/ ProBike, and recruit bike-related retailers and manufacturers to the City.
- As density of an area increases, evaluate neighborhood business districts and other areas as appropriate
 to ensure sidewalks are wide enough for pedestrian traffic.



Walking, running, and bicycling are healtl activities enjoyed by many Salt Lake City residents

Develop a safe, comfortable, and attractive walking and bicycling network that connects people of all ages, abilities, and neighborhoods to the places they want to go, such as work; home; school; shopping; places to socialize; places to worship; and parks, trails, and open space.

- Expand walking and bicycling networks to enhance connectivity across barriers such as freeways, rail lines, waterways, and disconnected street networks.
- Conform to pedestrian design standards that promote accessibility for people with disabilities and implement innovative ideas that enhance the pedestrian experience for a diversity of types of pedestrians.
- Implement a low stress bikeway network (multi-use paths, protected bike lanes, buffered bike lanes, and neighborhood byways) citywide to provide access for people who are uncomfortable riding close to or in traffic.
- More fully connect the various multi-use path systems (e.g. Jordan River Parkway, 9 Line Trail) and enhance wayfinding between them and other important crossstreets and destinations.
- Educate the community about neighborhood byways and protected bike lanes as they are constructed to heighten awareness and understanding of these new bikeway types, as well as highlight benefits to pedestrians.



Families enjoy walking and bicycling in Liberty Pa

- Educate the school district about planned active transportation projects that will help students walk or bike to school.
- Enhance traffic signal systems to detect bicycles through use of pavement markings and sensor technology.
- Enable connections to all destinations by walking and bicycling as well as by driving.
- Use turn queue boxes, intersection crossing markings, curb extensions, and other innovations to increase bicyclist and pedestrian comfort and safety at intersections. In areas with high pedestrian traffic, design streets to reduce motor vehicle speeds through smaller turn radii, pedestrian refuges, bollards, and lighting.
- Conduct bike counts throughout the year to determine long-term trends and seasonal ridership, and consider adding trend-monitoring pedestrian counts.
- Seek opportunities to enhance existing (and develop new) bicycle recreation facilities such as BMX and pump tracks.

Maintain the walking and bicycling system year-round.

- Increase enforcement of the City's sidewalk shoveling and landscape encroachment ordinances to encourage landowners to responsibly maintain their sidewalks for the public's safety.
- Provide City resources to maintain winter access to pedestrian refuge islands and sidewalks where public properties abut overpasses and underpasses, including State roads.
- Create a prioritized snow plowing schedule for bikeways.
- Create a snow plow team for plowing the bike lane network with appropriate equipment at the same time as car lanes are plowed.



Salt Lake City snow plow during a winter storm

- As needed, increase sweeping frequency and effectiveness for on-street facilities and multi-use paths.
- Consider maintenance needs during design of protected bike lanes to ensure that they can be maintained properly after construction.
- Enhance current efforts to manage undesirable plant growth (e.g. puncturevine) along multi-use paths, city streets, sidewalks, and private property.
- Formalize maintenance of unpaved bike parks and trails such as the I Street Jumps and Tanner Park trail system.
- Develop a system to evaluate and prioritize capital maintenance needs of the multi-use path network and end-of-trip facilities, similar to the pavement management monitoring of the City's street network.
- Prioritize the elimination and prevention of standing water and ice dams that obstruct pedestrian facilities.
- Identify and eliminate unsafe, deteriorated, and non-ADA compliant facilities.
- Continue to maintain sidewalks to remove trip hazards and other barriers to pedestrians and people with disabilities.

Promote the safety and attractiveness of walking and bicycling through education, encouragement, and enforcement programs.

- Continue to support efforts by the police department to enforce against driving and bicycling practices that endanger pedestrians.
- Educate all users on rules of the road regarding safe interaction: educate drivers about safely operating around people on foot and on bike, and educate people on foot and on bike about safe compliance with traffic laws.
- Use various forms of media to disseminate information to the public and heighten awareness of walking and bicycling issues.
- Distribute information to residents, employers, and other organizations about the health, environmental, and cost benefits of active transportation and educate them about how to more fully utilize the walking, bicycling, and transit systems.
- Encourage pedestrian and bicycle-friendly commercial/residential development and business practices through zoning requirements and encouragement incentives.
- Continue to support Open Streets events and explore other opportunities to selectively open roads to more walking and bicycling activities.
- Continue to produce online and printed bikeway maps and disseminate them to the public.
- Continue to coordinate with and support the Bicycle Collective's community education and encouragement efforts.
- Integrate active transportation education and encouragement activities into K-12 schools.
- Continue to enhance training of police officers so that they have the tools to properly enforce laws and regulations pertaining to walking and bicycling.
- Provide options for people to complete road safety courses in lieu of paying for pedestrian or bicycle related citations.




Information booth on the 2013 Road Respect Tour in Salt Lake City (Photo: Road Respect, UDOT)


Goal #5

Integrate pedestrian and bicycle facilities with transit routes, stations, and stops.

Objectives

- Plan and implement active transportation routes to serve major transit stops in order to foster access to destinations within 1/4-mile or ½-mile of the stations.
- Work with UTA to conduct a station-bystation, or stop-by-stop, audit for pedestrian and bicycle access.
- Work with UTA to include benches and bike parking at bus stops using UTA guidelines as a baseline for what should be installed.
- Work with UTA to install bike racks on TRAX light rail trains.
- Work with UTA to install bike racks capable of holding at least three bikes on all buses in the City (most buses currently accommodate two bikes each).
- Work with UTA to provide secure and sheltered bike parking at high demand transit stops.
- destinations.





Bike rack & seating near the Gallivan Center TRAX station

Coordinate with UTA to submit applications for bikeways eligible for Federal Transit Administration grant money.





Community engagement was vital to creating this plan. Various avenues were available for City staff, key community stakeholders, and the general public to participate in the Pedestrian and Bicycle Master Plan development. The planning process included direct input from thousands of residents in addition to the related comments received through Plan Salt Lake.

Conventional outreach such as open houses and more community-based outreach such as social media, online surveys, and attendance at events, concerts, and street fairs were cornerstones of the public engagement. This chapter describes the various input opportunities and summarizes the public feedback.

Main sections of this chapter are as follows:

- Master Plan Committees
- Public Open Houses
- Online Survey
- Other Outreach Events
- Key Themes

3.1 Master Plan Committees

Several distinct committees were convened to accomplish specific purposes in support of this master plan. Their various roles are outlined below.

3.1.1 Stakeholder Committee

The Stakeholder Committee provided direct and strategic input from community representatives with diverse interests in the outcome of the Pedestrian and Bicycle Master Plan. In general, documents and coordination items were taken to the Stakeholder Committee after they had already been vetted through the City's internal Steering Committee. Groups with representation on the Stakeholder Committee included:

- Active transportation advocates
- Downtown business community
- Government agencies with a regional or statewide transportation focus
- · University of Utah staff
- Key members of the project steering committee for the Utah Collaborative Active Transportation Study (UCATS) (i.e. UDOT, WFRC, UTA)
- Residents with strong convictions about both walking and bicycling

3.1.2 Downtown-to-University Focus Group

Providing a recommendation for a prioritized bikeway between the University of Utah and the downtown area was a specific focus of the master plan. A focus group was set up to provide guidance and feedback for concepts as they were developed. The focus group met twice and included representatives of:

- Affected community councils and neighborhood groups
- University of Utah staff

"When interviewing teachers for employment at my school, candidates ask whether they can easily walk or bike to school. Improving walking and bicycling is very important to me because it allows me to attract and hire good teachers."

 Vicki Mori, Principal, Guadalupe School

- Active transportation advocates, specifically residents in the area
- Downtown businesses

The focus group's input informed the City's selection of 300 South as the preferred corridor for a low-stress bikeway, beginning first with downtown and then extending to the University of Utah and to the Intermodal Hub. This has been incorporated into the bikeway recommendations in Chapter 6.

3.1.3 Steering Committee

Committee The Steering consisted of approximately 25 people from various City divisions and committees. Engineering, Planning, Parks and Public Lands, Streets, and Sustainability were just some of the City divisions with representation on the committee. The Steering Committee met a total of eight times to provide direction on such topics as key working documents, route planning, maintenance, public open house planning, and final document review.

3.2 Public Open Houses

Two public open houses were held, one near the beginning of the project and another after recommendations had been developed.



The first public open house in April 2013

3.2.1 Open House #1

The first public open house for the plan was held in April 2013. The purpose was to introduce the project to the public, disseminate information about the master planning process, and receive feedback about key elements of the process. Approximately 100 people attended. Attendees learned that the master plan would:

- Provide a blueprint for enhancing the City's walking and bicycling networks
- Recommend ways to strengthen education, encouragement, and enforcement programs
- Identify and prioritize an enhanced bikeway between downtown and the University of Utah
- Identify low-stress, family-friendly bikeways
- Provide phasing recommendations

Interactive informational stations highlighting different elements of the master planning process were set up. Attendees circulated to different stations and conversed with City staff and members of the consultant team about each topic. The stations addressed the following project emphases:

- Master plan vision and goals
- Importance of accommodating people of all ages and physical abilities
- Popular origins and destinations for people walking and bicycling
- Different types of infrastructure for pedestrians and bicyclists
- Desired improvements for walking
- Desired improvements to the bikeway network
- Education, encouragement, and enforcement programs to support walking and bicycling

Feedback received at this open house was used to inform the detailed project documents developed later in the process.

3.2.2 Open House #2

A second open house held in October 2013 presented the infrastructure and program recommendations to the public, explained how they were developed, and asked for feedback. Specific stations addressed the following topics:

- · Vision and goals
- Feedback received from Open House #1 and other City outreach events
- Pedestrian and bicycle facility descriptions
- Pedestrian design typologies
- Proposed pedestrian and bicycle spot improvements
- Proposed citywide bicycle network, including a network of downtown low-stress routes and a prioritized route from the University to downtown
- Proposed education, encouragement, and enforcement programs for walking and bicycling

There was general support for the goals and vision with very few specific critiques. Attendees strongly supported protected bike lanes and other low stress bikeways as a whole. However, there was targeted feedback about perceived problems with protected bike lane designs from a convenience and safety standpoint, particularly at intersections. It was clear that although the majority of people want more protected bike lanes, some experienced bicyclists would like to see their concerns addressed through changes to future designs.

An online version of the second open house was also available for those who could not attend the live event. Online input was added to the feedback received at the live open house.

3.3 Online Survey

An online survey soliciting preferences for different types of pedestrian and bicycle facilities as well as non-infrastructure programs was available to the public for nearly two months during Summer 2013. The survey received 969 responses. Figure 3-1 shows a demographic breakdown.

Responses to pedestrian questions showed a strong preference for sidewalks buffered from

traffic by parking or landscaping. They also showed an overwhelming emphasis on the importance of winter sidewalk maintenance.

Three-quarters of people support mid-block high-intensity activated crosswalk (HAWK) signals (only 11% dislike) and 78% support LED-illuminated flashing signs at crosswalks (only 5% dislike), with similar results for overhead flashing crossing beacons. Nearly everyone supports inclusion of countdown timers on pedestrian signals (only 2% dislike). Together these results show strong support for mid-block crossing and intersection features that make it easier and safer for people to cross busy streets.

Figure 3-2 illustrates how respondents selfidentified as different types of bicyclists. It is




Figure 3-2 Types of Bicyclists (Pedestrian & Bicycle Master Plan Public Survey)




Figure 3-1 Demographics of Public Survey Respondents

evident from this cross-section of the respondents that people with an interest in bicycling were much more likely to take the survey than those without such an interest.

Section 6.2 and Figure 6-1 in Chapter 6 describe survey respondents' preference for more protected, low-stress bicycling facilities.

3.4 Other Outreach Events

City staff set up tables and booths at nearly 30 events in Summer 2013 to inform people about this plan and solicit more input. Events included:

- Downtown Master Plan open house
- Downtown Streetcar Master Plan open house
- Rose Park Community Festival
- West Salt Lake Street Festival
- 9th & 9th Street Festival
- People's Market, Downtown Farmer's Market, and Sugarhouse Farmer's Market
- Twilight Concert Series (4 separate days)
- UTA Bike Bonanza
- Road Respect Festival
- Utah Arts Festival (2 separate days)
- Tour de France Viewing Party
- Midtown Employee Clinic open house
- Solar Day
- Bike light giveaway
- Night Out Against Crime (3 separate days)
- Tour of Utah Stage 4 Circuit Race
- Bike To the U Day
- Greek Festival (2 separate days)
- Active Transportation & Health Summit
- Blessing of the Bikes

Approximately 50 people also submitted comments through the Open City Hall web forum.

3.5 Key Themes

A number of key themes emerged amidst the large amount of information collected through the public input process. The most common and pervasive themes are:

- Support for the goals and objectives shown in Chapter 2, with few specific critiques or feedback.
- Heavy support of the City's efforts to install high-visibility pedestrian treatments such as HAWKs and LED-illuminated signs to improve crossings of major streets.
- A desire for better winter maintenance, particularly enforcement of laws requiring landowners to clear snow from public sidewalks.
- Support for all types of bikeways, both conventional and low stress.
- Heavy support for the City's vision of creating a system of low stress bike facilities, including protected bike lanes.
- Concern from some very experienced bicyclists about specific design elements of protected bike lanes, and a desire for the City to implement these types of facilities in ways that minimize intersection conflicts.
- Support for a designated low stress bikeway between the University and downtown, and a preference for it to be located on 300 South.

General support for the plan is mirrored by strong support for bicycle and pedestrian improvements in the City's biennial Dan Jones polling. For example, in the 2011 edition of the poll, the city asked about a tax increase:

- 66% would be very willing or somewhat willing to support a tax increase to improve pedestrian and bicycle trails.
- 63% would be very willing or somewhat willing to support a tax increase to improve commuter bike lanes.





Streets are an integral part of everyday life and public space. The term "Complete Streets" refers to designing streets for people of all ages and abilities using various travel modes such as walking, bicycling, transit, and driving.

Salt Lake City adopted a Complete Streets ordinance in 2010. The ordinance seeks to balance the competing needs of different transportation modes within the unique contexts and needs of each roadway.

The City proactively implements Complete Streets principles during roadway projects. Examples include the many new bike lanes that have been striped in conjunction with pavement overlay projects. Crosswalks are also evaluated and curb extensions have been added with some projects. Striping changes, such as repurposing space from a four lane to three lane change, can improve safety for all modes while maintaining motor vehicle capacity.

Main sections of this chapter are as follows:

- Relationship to Pedestrian & Bicycle Master
 Plan
- Strengthening the Complete Streets
 Ordinance
- Design Guidance for Complete Streets
- Complete Streets for East-West Connections
- Policy Considerations for Non-Bicycle Wheeled Transportation
- Speed Limit Policies

4.1 Relationship to Pedestrian & Bicycle Master Plan

The recommendations for enhanced facilities and programs presented in Chapters 5, 6, and 7 are consistent with and support Complete Streets principles. Table 4-1 illustrates how implementing the 10-year and 20-year bikeway recommendations in Chapter 6 would make Salt Lake City's transportation backbone much more accessible by bicycle in the future. Likewise, the pedestrian recommendations will enable people to more comfortably walk along and across streets.

Table 4-1 Percentage of Roads with Bikeways

Roadway Class	Existing	10 Yr	20 Yr
City Arterial	50%	67%	85%
State Arterial	11%	44%	55%
City Collector	56%	68%	84%
City Local	8%	16%	24%

4.2 Strengthening the Complete Streets Ordinance

The National Complete Streets Coalition annually evaluates policies from across the country. The Coalition's assessment of Salt Lake City's current ordinance reveals strengths and improvement opportunities. Based on this assessment, the City should consider the following enhancements:

- Modify language to explicitly reference other transportation options, particularly transit.
- Modify language in the ordinance's "Purpose" section to include users of all ages.
- Extend the ordinance to cover privately-built roads.
- Explicitly state the importance of the need to work with partnering agencies on roads passing through the City that are owned, operated, and maintained by other jurisdictions.
- Include specific references to additional best practice design guidance.

- Include language allowing for design flexibility to meet the needs of all transportation users.
- Include language pertaining to contextsensitive design.
- Include specific performance measures (e.g. changes in walking/bicycling mode shares, changes in pedestrian/bicyclist crash rates, number of ADA accommodations built) so that the City can evaluate the ordinance's effectiveness over time.
- Clearly state the City's implementation process, project selection criteria, and reporting requirements in the ordinance.

4.3 Design Guidance for Complete Streets

While this document touches on design guidance for both pedestrian and bicycle facilities, this master plan is not intended to be a design guide. Salt Lake City has recently endorsed the National Association of City Transportation Officials' (NACTO) Urban Street Design Guide and Urban Bikeway Design Guide; a Transit Design Guide is in the works. In some cases, these documents may benefit from local addenda specifying Salt Lake City's decisions when national guides provide several choices.

This plan generally makes recommendations that work within Salt Lake City's existing right of way, and in many cases within existing curbs. In this respect, this plan concentrates on providing doable guidance. However, when, in rare instances, the roadway condition; utility work; or significant redesign such as a light rail, streetcar, or other corridor redevelopment provide greater opportunity to incorporate pedestrian and bicycle accommodation, additional significant improvements should be incorporated as appropriate to the network concepts and connections in this plan.

Locally, the Mid-Block Walkway Design Guide informs the development of the downtown walking network. Salt Lake City's Urban Design Element, compiled in the 1980s and finalized in 1990, should also be updated to reflect current best practice in urban design. This document primarily addresses land use, development, and buildings, but also offers some guidance on transportation corridors.

4.4 Complete Streets for East-West Connections

Salt Lake City's division by I-15 and freight and passenger rail lines is challenging for all modes of transportation, but is especially problematic for those walking and biking.

Many east-west streets do not traverse this division, and those that do may be inhospitable due to freeway interchanges and railroad crossings where trains routinely stop across an intersection. When a corridor is blocked by a train for an hour or more at a time, pedestrians and bicyclists must make a long detour which may add 2-3 miles and up to an hour of walking. A considerable safety concern arises in that many people choose instead to scramble between the railroad cars of a stopped train.

This plan recommends improvements to several east-west corridors, including low-stress bikeway connections at 300 North, North Temple, 400 South, 900 South, and 1700 South.

As part of these bikeway corridor improvements and/or as pedestrian spot improvements, the City should consider pedestrian and bicycle overpasses/underpasses, redesign of freeway interchanges, significant changes to train operations, or other innovative solutions to address the considerable safety concerns and transportation barriers of these crossings. In addition to basic functionality, these crossings should be transformed into safe, inviting passages that are safe, comfortable and aesthetic. Art and placemaking creativity, in addition to engineering solutions, could help transform these crossings into landmark experiences.

4.5 Policy Considerations for Non-Bicycle Wheeled Transportation

As the City moves forward in planning a connected bicycle network, policy questions may arise regarding accommodations for other wheeled transportation devices such as skateboards, inline skates, motorized wheelchairs, and scooters. Such questions should be referred to the City's Transportation Advisory Board, ADA Committee, and Bicycle Advisory Committee for further consideration.

This is generally an esoteric area of vehicle code, with many cities and states having original language. There is little national guidance or accepted best practice; for example, the Uniform Vehicle Code is mostly silent on these topics. There have been only a few academic and governmental papers published providing solid recommendations or suggestions.

Motorized wheelchair users are most often legally considered to be pedestrians, but questions may arise whether motorized wheelchairs may also be used in bike lanes, especially protected bike lanes. Neither Utah nor Salt Lake City codes currently address this potential use. Some states, including Oregon and Rhode Island, have statutes that permit motorized wheelchairs to use bicycle lanes.

Utah statute is currently silent on the topic of skateboards, roller-skates, and other similar devices being used on roadways, other than to allow local governments to regulate these uses. Additionally, state law protects these users as "vulnerable users" in a recent statute providing that motorists must give at least three-feet of clearance to bicyclists, pedestrians, and others. The City's current ordinances regarding skateboards, inline skates, and non-motorized scooters provide that these devices may be used in bike lanes while having the responsibilities of pedestrians – thus facing traffic rather than going with the follow of traffic. The City ordinance does

not permit skateboards on neighborhood streets without bike lanes. The use of skateboards, inline skates, and similar devices is currently prohibited on sidewalks in the Central Traffic District, as well as in the Sugar House Traffic District. Bicycles are currently prohibited on sidewalks in the Central Traffic District, but are permitted in the Sugar House Traffic District.

Electric bicycles are legally defined in Utah statute as equivalent to a bicycle. City code does not currently address electric bicycles. Within the context of the state law, the City could regulate some aspects of electric bicycle use such as speed limits.

The above discussion serves to illustrate that these are complex topics, with little standard guidance, and many nuances for safety considerations between many types of users traveling at different speeds. The City has an interest in promoting transportation choice, balanced with safety for all, and may wish to further consider these topics for additional public input and possible policy changes:

- Allowing devices other than bicycles in onroad bikeways
- Clarifying the applicability of shared lane markings
- Allowing devices on slow-speed, low-traffic residential streets
- Requiring safety equipment, such as lights, for other on-road uses
- Providing storage for non-bicycle devices at destinations
- Allowing devices on City sidewalks or in certain sections of the City
- · Allowing devices on transit vehicles

4.6 Speed Limit Policies

Appropriate speed limits, in tandem with other changes to the streetscape, are a vital part of making urban streets safe and comfortable for pedestrians and bicyclists. Since the rise of the automobile, major urban arterials throughout the country have been designed for increasing capacity and higher speeds, to the potential detriment of those walking and bicycling.

Around the country, cities are now reconsidering lower speed limits, particularly on downtown streets. Cities as diverse as New York City, Burlington (VT), Miami Springs (FL), and San Mateo (CA) have recently implemented downtown speed limits of 25 mph. While some larger arterials in Salt Lake City are likely to keep higher speeds in keeping with their role in regional travel, many downtown collector streets are appropriate for reduced speed limits. Lower speeds produce less traffic noise, improve crosswalk yielding behavior, and contribute to a more people-friendly environment.

In addition to creating a more pleasant urban streetscape for people, reduced speed limits are critical for safety. Research shows that a pedestrian who is hit by a car traveling 30 mph is over twice as likely to die as someone hit by a car traveling 25 mph, and five-times more likely than someone hit by a car traveling only 20 mph.

The de facto speed limit in Salt Lake City is 25 mph when not otherwise posted. This applies to many local streets. However, most through streets in downtown are classified as collectors or arterials and many speed limits have been posted at 30 or 35 mph.

Downtown speed limits were considered in the 2008 Downtown in Motion Master Plan, which recommends lowering speed limits in the downtown area to a maximum of 25 mph, with local and collector streets preferably at 20 mph, toward the goal of maintaining speeds "compatible with pedestrian and bicycle activity". In accordance with these recommendations, speed limits on several downtown streets were lowered to 20 or 25 mph in 2010.

Lower speeds will also contribute to the safety and comfort of the emerging low stress bikeway network that the City seeks to expand. In 2014, the 20 mph speed limit on 300 South was extended east to 600 East in conjunction with the 300 South protected bike lane project.


Speed reductions should generally be achieved through physical roadway changes rather than only changing signs. Studies show that most people will drive at a speed that feels safe based on the physical conditions presented to them. Arbitrarily lowering speed limits leads to poor compliance, difficult enforcement, and resentment of regulatory speed limits.

Consideration of speed limits, tighter curb radii, and updated considerations for turn lanes citywide should be further incorporated in an update to the City's Transportation Master Plan, as the overarching multi-modal document guiding transportation in the City.

Chapter 4 Sources

1. Rosen, Erik and Sander, Ulrich. "Pedestrian fatality risk as a function of car impact speed". Accident Analysis and Prevention 41 (2009). Viewed online at: http://nacto.org/docs/usdg/pedestrian_fatality_risk_function_car_impact_speed_rosen.pdf





Complete Streets principles dictate that the transportation network should accommodate pedestrians with a variety of needs, abilities, and possible impairments. Sidewalks are the most fundamental element of the pedestrian network. They provide an area for pedestrian travel that is separated from vehicle traffic. Fundamental tenets of good sidewalk design include:

- Accessibility for all users
- Separation from traffic by landscaped park strips and/or parking
- Continuity
- Proper drainage
- Street lighting
- Sun in winter and shade in summer
- Social space for standing, sitting, and visiting in neighborhood and business districts

Intersections are also an important piece of the pedestrian realm. Although design decisions will vary according to context, typical attributes of pedestrian-friendly intersection design include:

- Areas for pedestrians to congregate
- Appropriate accessibility to (and maintenance of) all corner pedestrian features
- Corner and intersection design for pedestrian safety and comfort
- Minimization of pedestrian crossing distances
- Lighting that promotes visibility, legibility, and accessibility
- Transit stops where appropriate

Primary subsections of this chapter include:

- Walking Facility Descriptions
- Traffic Signal & Warning Beacon Considerations
- Pedestrian Counts
- Enhancing Corridors and Neighborhood Byways for Pedestrians
- Pedestrian Spot Improvements
- Pedestrian Typologies

5.1 Walking Facility Descriptions

Most trips begin and end as walking trips even when a car, bicycle, bus, or train is also involved. Generally, Salt Lake City has a very complete walking network and there are few places where walking facilities are not available. The City continually adds sidewalk improvements as a part of redevelopment, street reconstruction, new or upgraded traffic signals, and targeted spot improvements.

5.1.1 Linear Facilities

Pedestrians use several different types of facilities to travel in Salt Lake City, primarily sidewalks and multi-use paths. Every street in the City should be designed for pedestrians.

5.1.1.1 Multi-Use Paths

These facilities are shared by many active transportation and recreation users including pedestrians, bicyclists, and in-line skaters. The Jordan River Parkway Trail, Legacy Parkway Trail, Liberty Park Path, 9-Line Trail, and Parley's Trail are all examples of multi-use paths in Salt Lake City. This plan recommends 38.5 miles of new multi-use paths (Figure 5-2).



A family riding on the Jordan River Parkway Trail (Photo: Suzanne Stensaas)

5.1.1.2 Neighborhood Byways

Neighborhood byways are multi-modal linear facilities on streets with low traffic volumes and speeds. Additionally, intersection improvements that allow bicyclists and pedestrians to cross large or busy streets are critical to their utility. Wayfinding signage and shared lane markings are also important components. Traffic diversion and calming measures are often used when traffic volumes or speeds are higher than desirable. This plan recommends 68 miles of neighborhood byways.



Pedestrians and bicyclists on a neighborhood byway in Long Beach (CA)

5.1.1.3 Sidewalks

Sidewalks are the most common walking facility in Salt Lake City, approximately 1,400 miles total. Some are directly adjacent to travel lanes without any buffer or barrier, while others are buffered by landscaping, parking, seating, or other physical means.

While City Ordinance requires adjacent property owners to be responsible for sidewalk maintenance, the City also provides some assistance:

- Concrete saw-cutting service to level steps created by broken or lifted sections of sidewalk
- Fixing approximately 10,000 tripping hazards by sawing off uneven sections of concrete to be level with the surrounding sidewalk

 Federal and other funding as available to replace failed sidewalk in priority and qualifying areas. Some improvements are made directly while others are made through a matching program with the adjacent resident

Many residential streets in the city are lined with large trees in the park strip, which can lift sidewalks and make them difficult to use. In these cases, the City's Urban Forestry and Engineering Divisions work with the property owner to identify a solution.

The identification of gaps in the City's sidewalk network is a very fine-grained exercise. Sidewalks



Sidewalk on South Temple separated from traffic by landscaping



Sidewalk separated from traffic by trees, planters, and parking

are missing on some corridors, such as Redwood Road, and in some developments, such as in the International Center. These sidewalks should be filled in as redevelopment allows. However, in the interim, the pedestrian typology in Figure 5-5 recommends that pedestrians may be accommodated in painted bike lanes, similar to pedestrians in a rural setting using paved shoulders to walk, run, or jog.

5.1.1.4 Landscaping & Street Furniture

Landscaping, street trees, and street furniture can have a profound effect on improving the pedestrian feel of a corridor. The City should include the following in appropriate streetscape designs:

- Landscaping and street trees, especially shade trees.
- Planters
- Benches, tables, and chairs

5.1.1.5 Lighting

Street lighting is often designed primarily for the safety and comfort of motorists except at intersections, where crosswalks are typically illuminated. The illumination of sidewalks and other walkways is often a separate consideration.

Pedestrian lighting typically includes shorter lights (14-18' maximum pole heights) directly above walkways and accent lighting that illuminates features on or near buildings. Pedestrian lighting increases drivers' visibility of pedestrians, promotes perceived personal security, illuminates potential hazards, and creates vibrant and inviting streetscapes. Salt Lake City should consider the addition of pedestrian-scale lighting primarily in downtown and neighborhood business districts, along multiuse paths, and in conjunction with significant street reconstructions.

5.1.2 Crossings and Intersections

Every intersection in Salt Lake City should be designed for pedestrian safety and comfort, with pedestrian enhancements appropriate to traffic speed, traffic volume, pedestrian crossing distance, and other similar factors. The section below, together with the following signals section, describes the primary palette of options that should be considered for crossing and intersections improvements. As streets are repaved and reconstructed, pedestrian crossing ramps are being added. When reconstruction projects allow, additional improvements should be considered as part of those projects.

5.1.2.1 Crosswalks

Crosswalks exist everywhere that sidewalks and streets intersect, whether marked or not. Marked crosswalks provide a delineated space for pedestrians and other sidewalks users to cross. Differences in striping patterns (e.g. double ladder or piano key crosswalks) and paving surfaces (e.g. raised and/or brick crosswalks) offer varying levels of visibility and delineation between pedestrians and automobiles, bicyclists, and other roadway users.

5.1.2.2 Crosswalk Flags


Salt Lake City has been providing crosswalk flags at downtown crosswalks for many years. Flags are simple, low cost, popular, and effective at improving pedestrian safety. The Adopta-Crosswalk program allows individuals, schools, neighborhood councils, and businesses to install crosswalk flags by sponsoring a crosswalk. The City installs the flag equipment and the sponsors maintain their flags by providing labor and minimal financial assistance.

5.1.2.3 Bulbouts

Bulbouts reduce the width of roadway crossings at intersections and mid-block crossings. They also create a visual traffic calming cue to drivers to slow for pedestrians, improve pedestrian visibility,



Salt Lake City uses double ladder crosswalks in school zones and at midblock crosswalks in the downtown Central Business District



This raised crosswalk on 2nd Ave calms speeds and elevates the crossing for better visibility



Mid-block double ladder crosswalk with crossing flags at 300 S/Regent St



Intersection bulbouts on 400 West

and protect transit passengers as they board or alight from buses or streetcars. Sufficient space for bicyclists is a necessary design consideration.

5.1.2.4 Traffic Circles & Roundabouts

Traffic circles and roundabouts allow for constant vehicular traffic flow through intersections and do provide some benefits to pedestrians and bicyclists, such as reduced traffic speeds. However, they also have drawbacks. Yielding compliance at crosswalks may be reduced if the facility is not designed properly. Also, designs often require bicyclists to merge into traffic through the roundabout, which is uncomfortable for many riders.

5.1.2.5 Median Refuge Islands

Refuge islands enable pedestrians to cross one direction of a street at a time. They are typically used in conjunction with crosswalks where traffic



Median refuge island near Bennion Elementary on 800 East

volumes or speeds are high or roads are wide. Sometimes other traffic control measures such as signals or flashing beacons are also used.

5.1.2.6 Mid-Block Crossing Prioritization Process

The City uses a process to prioritize appropriate mid-block crossing treatments. Prioritization factors include traffic volume, nearby pedestrian traffic generators, traffic speed, crash history, roadway crossing distance, and gaps in traffic. Refinements and updates to this process were completed as part of this master planning effort.

5.1.3 Other Treatments

Salt Lake City uses additional treatments to improve the pedestrian experience, calm traffic, and create streets more amenable to walking.

5.1.3.1 Curb Ramps

The City will continue to place high priority on increasing accessibility by converting stepup curbs to curb ramps. Approximately 200 accessible ramps are installed annually.

5.1.3.2 Transit Stop Amenities

Bus shelters and benches protect pedestrians from rain, snow, and the sun; increase comfort; and may encourage more people to ride transit.



Bus shelter at Ogden Intermodal Center (Photo: UTA)

"There should be better ways to cross major and busy streets, and not just for bicyclists, but also for pedestrians."

- Comment from 2013 public survey

5.1.3.3 "LOOK" Pavement Markings

Salt Lake City installs pavement markings in the downtown area to encourage pedestrians to look both ways before entering a crosswalk.



"LOOK" pavement marking in Salt Lake City

5.2 Traffic Signal & Warning Beacon Considerations


Traffic signal standards are well established in the U.S. Salt Lake City has been in the forefront of implementing many pedestrian and bicycle related best practices including countdown timers, audible signals, HAWK signals, and other innovations.

Section 4 of the Utah Manual on Uniform Traffic Control Devices (Utah MUTCD) defines minimum requirements for signal timing, displays, pushbuttons, and other pedestrian signal considerations. The City carefully adheres to state and national standards and exceeds them in many cases. Typical concerns that pedestrians experience at signalized crossings include:

- Delays caused by long signal cycles
- Lack of understanding of WALK and flashing DON'T WALK indications
- Uncertainty about whether the button must be pressed to activate a pedestrian signal, particularly in downtown areas where signals operate differently during different times of day
- Lack of confirmation that someone has already pressed a pushbutton
- Conflicts with turning vehicles at intersections

5.2.1 Pedestrian Countdown Timers

The City installs pedestrian countdown timers at all City owned traffic signals. Many UDOT owned signals also have pedestrian countdown timers and as UDOT upgrades pedestrian facilities, new countdown timers are installed. Pedestrian countdown timers improve safety by providing information to assist pedestrians with crossing decisions. Pushbuttons with confirmation lights are also sometimes used so that people can see whether the signal has been activated.



Pedestrian countdown timer at 200 E/200 S intersection

5.2.2 Actuated & Recalled Signal Phasing

Phasing determines which traffic movements are allowed to operate simultaneously and which occur separate from one another. Timing refers to the amount of time given to particular movements during a phase.

For many years, Salt Lake City has not had pedestrian buttons in the downtown area, meaning that the pedestrian phase is recalled on every signal cycle 24 hours a day. This allows a pedestrian phase at all times without having to push a button. One negative aspect of the "nobutton" approach is that signals operate in a pre-timed fashion 24 hours a day regardless of actual traffic flows and pedestrians, which leads to unnecessary stops and driver delay in the downtown area, especially late at night, early morning, and weekend periods when there is little pedestrian or vehicle traffic.

The City recently began installing pushbuttons in the downtown area when traffic signals are upgraded. However, during the day (typically 6 AM to 10 PM) most signals operate in coordination to achieve efficient flow, meaning that one or both of the principal directions are recalled automatically regardless of traffic detection and the pedestrian phase is also displayed. This is the most efficient way to operate signals when car volumes are steady and predictable (as they are on most weekdays). It is also better for pedestrians during these hours.

The downside of this method is that when traffic volumes are light and few pedestrians are present, pedestrians must push the button to activate the signal. Pedestrians who use the signals during the day and are accustomed to receiving a WALK signal automatically may not realize that they need to push a button during the off-peak hours.

5.2.3 Exclusive Pedestrian Phases & Scrambles

Exclusive pedestrian phases allow pedestrians to cross the street in both directions simultaneously. Salt Lake City operates a few traffic signals this way in locations where pedestrian volumes are high, such as the Main/South Temple, 100 S/West Temple, and 400 S/University St intersections.

"Scrambles" permit pedestrians to cross all four legs of an intersection or to cross diagonally while all motor vehicle traffic is stopped. This benefits car traffic by reducing turning conflicts and allowing cars to clear intersections more efficiently during their signal phase.

Scrambles are not widely used in the U.S., but when used they are typically found at downtown intersections with high volumes of pedestrians relative to motor vehicles. While they provide the convenience of a diagonal crossing, they have a number of disadvantages including longer pedestrian crossings times, complications to coordination with other nearby signals, and delay to pedestrians that only need to cross one leg of the intersection. Salt Lake City has not implemented any scrambles to date.



Scramble in Carlsbad (CA) that serves 8,000 pedestrians per day

5.2.4 Leading Pedestrian Intervals

Leading Pedestrian Intervals (LPI) are common in cities across the U.S. They give pedestrians a WALK indication before (typically 3-7 seconds) vehicles are given a green light. The advantage of LPI is that it puts pedestrians in the crosswalk in advance of cars and makes them more visible to turning motorists. The LPI can be omitted if no pedestrians press the pushbutton.

5.2.5 Accessibility for People with Disabilities

Accessible pedestrian features at traffic signals consist of audible and/or tactile communication to assist visually impaired persons with locating pushbuttons, identifying the appropriate button for the desired crossing, locating the curb ramp, and conveying the pedestrian signal status.

Currently, the City and UDOT install accessible signals where there is an identified need. Accessible signals may be a requirement at all new and reconstructed pedestrian signals when the Public Rights-of-Way Accessibility Guidelines (PROWAG) are adopted. The City and UDOT have installed accessible pedestrian features at many locations with known needs, such as the audible "chirp" signals in the downtown and Sugarhouse areas.

The City will consider upgrades to signals and other devices as advances in technology emerge. For example, there are now signals that verbally describe the active direction to cross at an intersection and the number of seconds in the countdown timer.

5.2.6 Mid-Block Crossings

In addition to standard pedestrian traffic signals, the following three types of mid-block pedestrian traffic control devices may be used to improve safety:

- Warning Sign with Flashing Beacons
- Pedestrian Hybrid Beacon (also known as a High Intensity Activated Crosswalk or "HAWK")
- Toucan Signal (signalized pedestrian crossing that also allows bicyclists to cross simultaneously)

5.2.6.1 Flashing Beacons

Various types of flashers may accompany warning signs. Examples include rectangular rapid flashing beacons (RRFB), yellow ball flashers, and LED flashers outlining the signs. Although these methods differ, they share a common goal of garnering motorists' attention with flashing beacons. Flashing beacons are typically used at marked mid-block crosswalks where extra motorist warning is desired. They are relatively inexpensive compared to higher-level mid-block signalization options like HAWKs, Toucans, and standard traffic signals.

Yellow ball flashers are often attached to overhead mast arms, whereas RRFB and LED flashers are typically used in combination with street signs. The Utah MUTCD contains the most up to date state and national standards for these devices. RRFB is currently the accepted standard for flashing beacons on signs, but LED flashers are being considered as well.



RRFB pedestrian crossing at 1100 East South Temple



Flashing yellow ball crossing at Regent St/200 South



LED flashing sign at Presidents Circle/200 S

5262 HAWKs

HAWK signals consist of two red lenses above a single yellow lens. The beacon head is dark until a pedestrian activates it by pushbutton. After brief yellow flashing and steady yellow intervals, the signal displays a steady red indication to drivers and a WALK indication to pedestrians, allowing them to cross the road while traffic is stopped.

After the WALK phase ends, the pedestrian indication changes to a flashing upraised hand and countdown timer. During the countdown phase, the hybrid beacon displays alternating flashing red lights to drivers, indicating a STOP condition just as if a STOP sign were present. After stopping for crossing pedestrians, drivers can then proceed when pedestrians are outside of their lane and the adjoining lane(s). After



HAWK signal on 100 S between West Temple and Main St

the countdown phase ends the overhead traffic signal goes completely dark and the pedestrian signal displays a solid upraised hand.

HAWKs are much more expensive than flashing beacons, typically costing almost as much as a standard traffic signal. However, they are more effective than flashing beacons because they require vehicles to stop, helping pedestrians cross busy high-speed streets safely and comfortably while minimizing traffic flow interruptions better than a standard traffic signal.

5.2.6.3 Toucans

Toucan signals allow pedestrians and bicyclists to make mid-block crossings simultaneously (i.e. "two can cross"). These signals are commonly used where multi-use paths or neighborhood



Toucan signal in Tucson (AZ)

byways cross a road. Separate pedestrian and bicycle signal heads allow the signal to time the crossing differently depending on which button is pushed, thereby minimizing delay. These heads are displayed to pedestrians and bicyclists as they approach the signal.

Toucans are typically activated by pushbuttons but passive detection can also be used. Conventional three-section traffic signal heads are displayed to drivers. The signal rests in green until activated by a pedestrian or bicyclist. It displays a yellow signal followed by a steady red during the pedestrian/bicycle phase. Costs are similar to HAWK signals.

5.2.7 Pedestrian-Related Signal & Warning Beacon Recommendations

- In the downtown area, continue to provide an automatic walk sign at signalized intersections even when the pedestrian button is not pushed (or "recalled" signal phasing) during peak, or busy, hours; require use of the pedestrian button to obtain a walk sign during off-peak, light traffic hours. This represents the best balance between being pedestrian-friendly and creating unnecessary vehicle delays and air pollution.
- Continue installing countdown timers and latching pushbuttons with confirmation lights as new signal equipment is installed and old equipment is replaced.
- Evaluate protected bike lane impacts to pedestrian phasing and timing at specific intersections on a case-by-case basis as the City builds more of those types of facilities.
- Continue to consider exclusive pedestrian phases and scrambles in conjunction with special events, at signals with significant year-round pedestrian loads, or where they may yield signal operation benefits.
- Consider using LPIs in the downtown and other areas where pedestrian volumes are relatively high. Also consider using "No Turn on Red" blank-out signs in conjunction with LPIs.

- Consider implementing a proactive policy to identify locations where additional accessible signal features may be desirable, standardize equipment according to best practices and PROWAG guidelines, and describe conditions under which they will be installed.
- Continue installing mid-block pedestrian warning beacons and signals using the treatments most appropriate for specific sites, per the City's current process that considers traffic speeds, volumes, number of lanes, and expected pedestrian use as major determining factors.
- Where possible, ensure that pedestrian signals on opposite legs of an intersection are both triggered by pedestrian buttons on one of the two legs. Work with UDOT to ensure application at intersections as appropriate.

5.3 Pedestrian Counts

Salt Lake City recently purchased infrared counters that can be used to count pedestrians on a regular basis. Resources to assist the City with future pedestrian counts may be found at the National Bicycle and Pedestrian Documentation Project website.

5.4 Enhancing Corridors and Neighborhood Byways for Pedestrians

This plan recommends three initiatives in addition to the citywide guidance to accommodate pedestrians at every intersection and on every street. The combined goal is to create more inviting and comfortable byways for people on foot, linking neighborhoods, business areas, downtown, and parks and open space. These initiatives further enhance the existing sidewalk network and help focus recommended improvements to mid-block crossings.




Figure 5-1 Mid-Block Walkways Map from the draft Downtown Community Master Plan (Note: The mid-block walkway network shows the potential for improved pedestrian connectivity on alleys and minor streets.)

5.4.1 Downtown Mid-Block Walkways

Within the downtown area, the mid-block walkways already in adopted master plans, as well as the additional walkways proposed in the draft Downtown Community Master Plan, serve to penetrate Salt Lake's formidably sized blocks with human-scale corridors. These walkways create inviting spaces, convenient short cuts, and a pedestrian experience primarily away from busy automotive traffic.

Mid-block walkways included in the City's master plans have been regulated by the zoning ordinance since 1995, so that any new development on a parcel where the Downtown Master Plan identifies a midblock walkway is required to provide the portion that is on their property. The Downtown Community Master Plan draft proposes additional mid-block walkways, as shown in Figure 5-1.

This network and the related Mid-Block Walkway Guidelines are both recommended for shaping the future of Salt Lake's walkable downtown.

5.4.2 Neighborhood Byways

A proposed network of "neighborhood byways" taps quiet neighborhood streets and formalizes them into transportation corridors designed to

crisscross the city and link to key destinations including neighborhood retail areas and corridors, parks, schools, and transit stations. Few changes are needed on the quiet streets themselves; the network is realized by providing for safe, often signalized crossings at the major barrier streets, and reducing traffic volumes to make walking safer and more enjoyable. "Neighborhood byways" is a term recognizing that these corridors create a network for both pedestrians and bicyclists.

5.4.3 Urban Trails

In addition to the Jordan River Trail, Salt Lake City has in recent years developed an increased focus on trails both within the City limits and in partnership with our neighboring municipalities. Several sections of the Parley's Trail have recently been constructed spanning Salt Lake County, Salt Lake City, and City of South Salt Lake. Other urban trails in development are shown in Figure 5-2, and include:

5.4.3.1 Parley's Trail

The trail, with recently constructed connections through Hidden Hollow and along the S-Line as the Sugar House Greenway, is heavily used as a pedestrian corridor. Extensions east are in this plan; the western connection to the Jordan River Trail is in the City of South Salt Lake.

5.4.3.2 9 Line Trail

A segment from 700 West to Redwood Road was recently constructed, with extensions east and west in the works. The TransValley Corridor study will likely incorporate this area.

5.4.3.3 Jordan & Salt Lake City Canal Trail

Also known as the McClelland Canal Trail, construction on this corridor will begin in 2015. This project has some portions that are off-street multi-use paths and some sections that are on neighborhood streets.

5.4.3.4 Folsom Trail

This proposed trail is on an abandoned rail line from 500 West, connecting downtown to the Jordan River Trail.

5.4.3.3 Antelope Island Trail

This proposed trail would connect the International Center to Antelope Island. Primarily a recreational trail, the corridor could use one of several historical access points to the Island, provided that access could be secured from several institutional property owners and with proper considerations for wildlife habitat.

5.4.3.3 Surplus Canal Trail

Adjacent to a canal, this proposed trail would tap an existing maintenance road and has the potential to connect Glendale neighborhoods to the International Center.

5.5 Pedestrian Spot Improvements

Some recommended locations for the signals and treatments discussed previously are identified in this plan as spot improvements. Spot improvements are small non-linear projects, such as intersection upgrades, crosswalks, and mid-block crossing installations, that cannot be easily represented by lines on a map. Figure 5-2 shows recommended pedestrian spot improvements associated with this plan. This map is not an exhaustive representation of pedestrian spot improvements that will be planned or implemented in Salt Lake City. As mentioned in Section 5.1.2.6, the City will use a pedestrian crossing and signalization toolbox to improve pedestrian crossings throughout the City.

Some bicycling spot and linear recommendations also benefit pedestrians. Neighborhood byways help pedestrians cross busy roadways and protected bike lanes also offer benefits as illustrated in Figure 5-6.

5.6 Pedestrian Typologies

The pedestrian typologies shown in Figures 5-3 to 5-6 are not specific corridor or site designs. Rather, they provide conceptual design information for four typical situations that the City may encounter when trying to improve pedestrian conditions. Similarly, the conceptual designs shown in Figures 5-7 and 5-8, while based on two real world corridors, are included to illustrate the type of fine-grained analysis that is needed to improve pedestrian connections along a corridor.



A.8.d

Figure 5-2 Multi-Use Trails, Neighborhood Byways, & Enhanced Pedestrian Crossings Map

Recommended Pedestrian Spot Improvements

- Enhanced Road Crossings and Signals
- Intersections and Signage
- New Pavement and Curb Cuts
- Structure Improvements
- Neighborhood Byways Crossings & Improvements

Recommended Facilities

- Multi-Use Paths (0-10 Yrs)
- Multi-Use Paths (10-20 Yrs)
- Transvalley Corridor*
- East-West Pedestrian Priority Corridors
- Neighborhood Byways (0-10 Yrs)
- Neighborhood Byways (10-20 Yrs)

Existing Facilities

- Multi-Use Paths
- ---- Natural Surface Trails (Bonneville Shoreline)

Existing Transit and Other Facilities

O TRAX/Streetcar/FrontRunner Stop

IIIII TRAX/Streetcar/FrontRunner Line

^{*}The exact alignment for the Transvalley Corridor (800 S/900 S) is pending. Per the 1992 Salt Lake City Open Space Plan, the Transvalley Corridor is an opportunity to link "the City east of I-15 to the City west of I-15 and provide a pedestrian and bicycle route from the foothills, through the urban area, into the wetlands." The map shows a western terminus based on the City's 1992 Open Space Plan. Due to changes in this area of the city, a different western connection may now be appropriate, possibly extending to the Salt Lake Marina or Antelope Island.













Figure 5-3 Neighborhood Business Node

Description

Neighborhood business nodes are usually intersections where a concentration and mix of uses exist, particularly retail and entertainment (e.g. movie theatres, retail stores, coffee shops, restaurants, outdoor dining and seating, etc.). Neighborhood business nodes usually incorporate streetscape ele-

ments like trees and planter boxes, on-street parking, curb extensions, reduced speed limits, and medians that provide a pleasant environment for walking, dining, shopping and bicycling, and opportunities for placemaking and gathering.



Guidance

- Back-in angled parking is recommended when adjacent to a bike lane.
- Curb extensions, sidewalk furniture, median refuge islands, benches, and marked crossings create more space and an enjoyable setting for pedestrians and also reduce vehicle speeds.
- Curb extensions should use under-utilized or unused space on the street, like space needed for parking setbacks. They should not block bike lanes.





Discussion

Livable streets and sidewalks are the living rooms of neighborhoods – where neighbor meets neighbor. They are also social spaces, rallying points, incubators for ideas and business, and where community is built. Sidewalks are often the life of neighborhood business nodes. They should be more than areas to travel; they should provide places for people to gather and interact. There should be places for standing, visiting, and sitting. Sidewalks and streetscape design should contribute to the character of neighborhoods and business districts, strengthen their identity, and be an area where adults and children can safely participate in public life.

Additional References & Guidelines

Salt Lake City Planning Division. (2013). "Outdoor Dining Design Guidelines".

Salt Lake City. (2013). Downtown Master Plan Guideline. "Mid-block Walkways".

Materials and Maintenance

Due to Salt Lake City's winter climate, some sidewalk and on-street amenities (like chairs and tables) may need to be seasonal in nature and removed for safekeeping.




Figure 5-4 Strip Mall Retrofit

Description

Strip malls are often characterized by large surface parking lots that divide store frontages from the roadway and sidewalks. Additional buildings that front the sidewalk and streetscape will create a more walking-friendly environment and decrease the

reliance on automobiles for access to work, shopping, entertainment, and socializing. Improving the streetscape with vegetation and travel lane reductions (where possible) will also contribute to a more attractive environment.



Guidance

- Buildings should be located near the sidewalk to increase pedestrian and bicyclist access as well as to better define the street from the motorist perspective.
- Widen sidewalks where possible.
- Excess roadway width can be converted into street parking, bike lanes, and/or traffic buffers
- Strip malls are often characterized by frequent driveway access. Where possible, driveway access should be consolidated and remaining driveways should be calmed through the use of narrower entrances, curb extensions, and other designs that reduce vehicle speeds and make walking more comfortable.

Before:



After:



Discussion

Road reconstruction and private business investments are essential elements of strip mall retrofits. In order to successfully remake strip malls into more pedestrian- and bicycle-friendly streetscapes, zoning changes may be required.

Materials and Maintenance


In Salt Lake City's winter climate, adding square footage to or creating new building footprints will reduce the need for parking lot snow removal and snow storage.



Figure 5-5 Suburban Business Park Without Sidewalks

Description

Historically, these job centers have been located on the fringes of a city or town and combine suburban development elements with the daytime employment peak hours and demands. They are primarily designed for motorists in single occupancy vehicles arriving in the morning and departing in the evening and frequently lack sidewalks. A retrofit of this type of land use would accommodate and encourage more walking, exercise, and more options for transportation to and from the site, as well as mid-day users.



Guidance

- Sidewalks may replace some green space in order to accommodate walking, access to and from transit, and exercising.
- Due to the frequent presence of large surface parking lots, on-street parking is, for the most part, unnecessary. Providing it may not be an efficient use of roadway space.
- Encourage Transportation Demand Management including corporate transit pass programs, bike to work promotions, and showers/bicycle storage as part of a strategy to improve air quality and decrease peak-hour congestion.

Bicyclist & pedestrian lane interface:



Transit stop accomodation:



Discussion

Businesses within suburban business parks are often self-contained, which reduces the need for employees to go out for lunch or other needs. However, some people like to use their lunch hour for exercise or to walk to a lunch destination and providing places for them to walk and bike helps to satisfy this demand. Specific attention should be given to making transit stops more accessible and attractive to employees.

When the opportunity to retrofit suburban business parks arises, consideration should be given to consolidating parking between the various businesses. Unused green space should also be consolidated into more productive, usable vegetated spaces. Building accesses should be added or reoriented to face the street rather than only face parking lots located at the rear of the buildings. Sidewalks would preferably be added along all streets as part of retrofits but this graphic emphasizes improvements that could be made in lieu of continuous sidewalks.






Figure 5-6 Protected Bike Lane Streetscape

Description


One-way protected bike lanes are physically separated from motor traffic and distinct from the sidewalk. Protected bike lanes are either raised or at street level and use a variety of elements for physical protection from passing traffic.

Bike lane protection is provided through physical barriers and can include bollards, planter strips, raised curbs, on-street parking, or medians. Protected bike lanes using these protection elements are typically "street level" and share the same elevation as adjacent travel lanes.



Guidance

- 7 foot recommended minimum protected bike lane width to allow passing.
- 3 foot buffer between parked cars and protected bike lane recommended to allow for standard plows to clear snow, to make passenger loading easier, and to prevent bicyclist collisions with car doors.
- When placed adjacent to a travel lane, one-way raised protected bike lanes may be configured with a mountable curb to allow entry and exit from the bicycle lane for passing other bicyclists or to access vehicular turn lanes.



Note: actual numbers of lanes and dimensions of those lanes will vary from street to street.

7-9'

Discussion

Special consideration should be given at transit stops to manage bicycle and pedestrian interactions. Driveways and minor street crossings are unique challenges to protected bike lane design. Parking should be prohibited within 30 feet of each intersection and major driveway to improve visibility. Color, yield markings, and "Yield to Bikes" signage should be used to identify the conflict area and make it clear that the protected bike lane has priority over entering and exiting traffic.

Additional References and Guidelines

NACTO. (2012). Urban Bikeway Design Guide.

Salt Lake City. (2013). Downtown Master Plan Guideline. "Mid-block Walkways".

Materials and Maintenance

In cities with winter climates, barrier-protected bike lanes may require special equipment for snow removal.





Figure 5-7 Conceptual Design for Improving Neighborhood Connections Across an Arterial Street

Note: This conceptual design shows the type of fine-grained, yet corridor-based analysis that is appropriate for pedestrian access across a busy arterial. Several improvements are likely to be considered together to make the area more pedestrian friendly.



Example pedestrian crossing on 1700 South in Salt Lake City



Raised center median with left turn bays for turning traffic on 700 East near Liberty Park in Salt Lake City

Construct a hard- or greenscaped raised median to replace the existing paint-striped center turn lane. Leave gaps for left turning motorists to enter major destinations and adequate entrances for left turning motorists



Proposed at-grade or grade-separated crossing





Planters and curb extensions in the parking lane on Sunset Blvd in Santa Clara, UT



HAWK crossing (Photo: Mike Cynecki)



Wayfinding signage in Portland, OR (Photo: PBOT)





CHAPTER FIVE: PEDESTRIAN RECOMMEND.

Figure 5-8 Conceptual Design for Improvements to a Neighborhood Commercial Area

Note: This conceptual design shows the type of fine-grained, yet corridor-based analysis that is appropriate for pedestrian friendly.



Bike lane and one travel lane in each direction, and a landscaped center median and turn bay area

Buffered bike lane and one travel lane in each direction, and a landscaped center median and turn bay area

South side parking lane, buffered 🗻 bike lane, two travel lanes in each direction, and a landscaped center median and turn bay



Buffered bike lanes and a raised center median



Textured and colored intersection (Photo: FHWA)



Brick RRFB-controlled crossing in a school zone (Photo: Safe Routes to School Coalition)

Intersection changes to include refuge islands, curb extensions, and physical changes to lower traffic speeds.



Pedestrian crossing in a roundabout







Bicyclists are much more affected by facility design, construction, and maintenance practices than motor vehicle drivers because of their exposure level. They lack the protection from weather and roadway hazards provided by an automobile's structure and safety features. By understanding their unique characteristics and needs, Salt Lake City can provide Complete Streets for bicyclists.

People who bicycle vary in their physical abilities, experience levels, and the types of bicycles that they ride. In the context of bicyclists, a Complete Street is one that is designed to comfortably accommodate the different types of people expected to ride there. Many streets such as low speed, low volume local streets may not need any special facilities to accommodate bicyclists, while others with larger volumes and higher speeds may require significant bikeway infrastructure investments.

The bicycling recommendations provided in this chapter represent a master planning level of thought and detail. Recommendations may change as individual projects are implemented.

Primary subsections of this chapter include:

- Bikeway Type Descriptions
- Evolution Toward Low-Stress Bicycling
- Bikeway Recommendations
- Interim Bypass Routes
- Bikeway Maintenance
- Traffic Signal Considerations
- Bicycle Parking and Other End-of-Trip Facilities
- Mountain Biking & BMX
- Bicycle Counts & Surveys

6.1 Bikeway Type Descriptions

Bicycle facilities can generally be grouped into two categories – conventional and low stress facilities. Salt Lake City currently has nearly every type of facility described in this chapter in its network.

The bikeway classes described in this chapter are organized first by group (conventional and low stress) and then within each group by degree of separation from motor vehicle traffic, from most separation to least separation.

6.1.1 Conventional Bike Facilities

Conventional facilities like bike lanes and shared lane markings have been standard practice in the U.S. for many years. They provide dedicated or shared space for confident bicyclists who have experience riding next to traffic.

6.1.1.1 Conventional Bike Lanes

This type of bikeway uses signage and striping to delineate roadway space for exclusive use of bicyclists. Conventional bike lanes are typically located to the right of the outside car lane. Parking may be allowed to the right of the bike lane.

6.1.1.2 Shared Lane Markings

Shared lane markings (i.e. "sharrows") indicate a travel lane shared by bicyclists and motor vehicles. According to NACTO, shared lane markings "reinforce the legitimacy of bicycle traffic on the street and recommend proper bicyclist positioning."

6.1.1.3 Signed Shared Roadways

This type of facility is typically used on streets with lower motor vehicle traffic volumes or speeds where bike lanes are not feasible or necessary. It's defining characteristic is the green "Bike Route" sign used to mark the route.



Conventional bike lane on 200 S



Shared lane marking on 1700 S



Bicyclist on signed shared roadway; depending on network connectivity, a similar street could be included in a neighborhood byway

"I wish there were more protected and buffered bike lanes in Salt Lake City."

- Comment from 2013 public survey

6.1.2 Low Stress Bike Facilities

Low bikeways stress appeal to a broader section of the public cross facilities. Their than conventional low stress nature is a result of greater separation from traffic; use of low volume, low speed streets depending on the specific facility type; and/ or directional wayfinding signage that directs bicyclists to destinations and specific routes much like interstate highway signage for automobiles.

6.1.2.1 Multi-Use Paths

Multi-use paths are separated from cars by open space or barriers and are for the exclusive use of bicyclists, pedestrians, and other non-motorized users. They are frequently located along waterways, utility corridors, and other rights-of-way where interactions with cars are limited.

6.1.2.2 Protected Bike Lanes

Protected bike lanes are separated from traffic by a physical barrier of some kind and are also distinct from the sidewalk. Barriers may be in the form of planters, raised curbs, parking, bollards, or other streetscape elements. Protected bike lanes can be configured for either one-way or two-way travel.

6.1.2.3 Buffered Bike Lanes

These are similar to conventional bike lanes with the difference being a painted buffer between the bike lane and adjacent car lane. Alternatively, the buffer may also be placed between the bike lane and parked cars. Where space permits, buffers are sometimes placed on both sides of the bike lane. Buffered bike lanes differ from protected bike lanes because the buffer space is paint rather than a physical barrier.



Child riding on the Jordan River Parkway Trail (Photo: Suzanne Stensaas)



Bicyclist on 300 E protected bike lane



People riding in a buffered bike lane on 300 $\rm E$

6.1.2.4 Neighborhood Byways

Neighborhood byways, described in further detail in 5.1.1.2, are multi-modal linear facilities on streets with low traffic volumes and speeds designed for bicyclists and pedestrians of all ages and abilities.

6.2 Evolution Toward Low Stress Bicycling

Salt Lake City's established system of multi-use paths and on-street bike lanes enables a modest percentage of the population to feel comfortable traveling by bicycle. People who feel comfortable riding in mixed traffic or in bike lanes adjacent to mixed traffic are generally able to access most places in the City currently. However, a much larger segment of the public would like to ride bicycles more but are discouraged from doing so by the currently available bikeways.

Surveys both nationally and locally show that 50-60% of people say they would ride more (or start riding) if they had access to bikeways that provide more separation from traffic, lower traffic speeds, and lower traffic volumes. For this reason, identifying opportunities for more low stress bikeways was an emphasis of this master plan. Input received from the nearly 30 community event tables also indicated a strong demand for more facilities like the 300 South and 300 East protected bike lanes.

In the online survey (see Section 3.3), people were asked to rank bicycle facilities by their preference. Results reveal that even those who are currently urban bicyclists generally favor bikeways with more separation, as illustrated by Figure 6-1. Support for non-separated facilities also remains high.

Particular emphasis was placed in this master plan upon providing recommendations for a low stress bikeway network in the downtown area. Downtown Salt Lake City is a destination for jobs, residential housing, entertainment, and shopping. Many people desire to ride to these destinations but historically the downtown bikeways on City streets have not been comfortable enough to appeal to a wide cross section of the public.

Bringing more people downtown without cars benefits businesses, frees up valuable street parking, reduces car traffic, and improves air




Figure 6-1 2013 Public Survey Bicycle Facilities Preference

quality. It also supports business employment of highly educated professionals, who are often more interested in bicycling to work. Large employers, especially those in high-tech industries, are finding that this lifestyle choice is key to attracting and retaining the best employees.¹

6.3 Bikeway Recommendations

The bikeway recommendations – both low stress and conventional – presented in this section are based on public input, coordination with the Stakeholder and Steering Committees, and connectivity needs. Non-City entities such as UDOT and the University of Utah were included in the Stakeholder Committee. Additional coordination will be needed to implement facilities in corridors owned by outside agencies. Recommendations may change as individual projects are implemented.

6.3.1 General Network Maps

Figure 6-2 shows how implementation of the bikeway recommendations over the next 20 years would increase the percentage of roads that include bikeways. Approximately 85% of City arterial and collector mileage would have bikeways if all recommendations are brought to fruition.

Figures 6-3 presents the City's existing bicycling network. Figure 6-4 shows the short term recommendations (0-10 years), Figure 6-5 shows the long term recommendations (10-20 years), and Figure 6-6 shows all bicycle facility recommendations (0-20 years). Phasing recommendations are based on building a logical network as well as tapping the City's pavement maintenance process as a good opportunity to change street designs.




Figure 6-2 Percentage of Road Miles With Bikeways

6.3.2 Low Stress Network Maps

Figures 6-7a and 6-7b show the low stress recommendations for the entire City and downtown, respectively.



Figure 6-3 Bicycling Network Existing Conditions Map

Existing Bikeways

--- Multi-Use Paths

- Buffered or Protected Bike Lanes

---- Bike Lanes

---- Shared Roadways*

Natural Surface Trails (Bonneville Shoreline)

*Includes marked & signed shared roadways

Existing Transit Facilities

O TRAX/Streetcar/FrontRunner Stop

IIIII TRAX/Streetcar/FrontRunner Line










Figure 6-4 Bicycling Network Existing Conditions + Short Term (0-10 Years) Recommendations Map

Recommended Bikeways Multi-Use Paths - Buffered or Protected Bike Lanes Bike Lanes Neighborhood Byways Neighborhood Byways Crossings & Improvements Shared Roadways* Bikeways Proposed in Univ. of Utah Bicycle Master Plan ***** Requires Further Study Transvalley Corridor** Existing Bikeways All Existing Bikeways ---- Natural Surface Trails (Bonneville Shoreline) **Existing Transit Facilities** O TRAX/Streetcar/FrontRunner Stop IIIII TRAX/Streetcar/FrontRunner Line *Includes marked & signed shared roadways

**The exact alignment for the Transvalley Corridor (800 S/900 S) is pending. Per the 1992 Salt Lake City Open Space Plan, the Transvalley Corridor is an opportunity to link "the City east of I-15 to the City west of I-15 and provide a pedestrian and bicycle route from the foothills, through the urban area, into the wetlands." The map shows a western terminus based on the City's 1992 Open Space Plan. Due to changes in this area of the city, a different western connection may now be appropriate, possibly extending to the Salt Lake Marina or Antelope Island.

Note: The protected bike lanes on 200 E (South Temple to 900 S) and 300 E (100 S to 600 S) are both shown on the map, but only one of the two options will be constructed.










Figure 6-5 Bicycling Network Existing Conditions + Long Term (10-20 Years) Recommendations Map

Recommended Bikeways Multi-Use Paths

- Buffered or Protected Bike Lanes

Bike Lanes

Neighborhood Byways

 Neighborhood Byways Crossings & Improvements

Shared Roadways*

Bikeways Proposed in Univ. of Utah Bicycle Master Plan

***** Requires Further Study

Transvalley Corridor**

Existing Bikeways

- All Existing Bikeways

--- Natural Surface Trails (Bonneville Shoreline)

Existing Transit Facilities

O TRAX/Streetcar/FrontRunner Stop

IIIII TRAX/Streetcar/FrontRunner Line

*Includes marked & signed shared roadways

**The exact alignment for the Transvalley Corridor (800 S/900 S) is pending. Per the 1992 Salt Lake City Open Space Plan, the Transvalley Corridor is an opportunity to link "the City east of I-15 to the City west of I-15 and provide a pedestrian and bicycle route from the foothills, through the urban area, into the wetlands." The map shows a western terminus based on the City's 1992 Open Space Plan. Due to changes in this area of the city, a different western connection may now be appropriate, possibly extending to the Salt Lake Marina or Antelope Island.

Note: The protected bike lanes on 200 E (South Temple to 900 S) and 300 E (100 S to 600 S) are both shown on the map, but only one of the two options will be constructed.



Map Produced: 2/25/2015








Figure 6-6 Bicycling Network Existing Conditions + 20 Year Vision Map (2035)

Recommended Bikeways

---- Multi-Use Paths

Buffered or Protected Bike Lanes

---- Bike Lanes

Neighborhood Byways

 Neighborhood Byways Crossings & Improvements

Shared Roadways*

Bikeways Proposed in Univ. of Utah Bicycle Master Plan

***** Requires Further Study

Transvalley Corridor**

Existing Bikeways

All Existing Bikeways

--- Natural Surface Trails (Bonneville Shoreline)

Existing Transit Facilities

O TRAX/Streetcar/FrontRunner Stop

IIIII TRAX/Streetcar/FrontRunner Line

*Includes marked & signed shared roadways

**The exact alignment for the Transvalley Corridor (800 S/900 S) is pending. Per the 1992 Salt Lake City Open Space Plan, the Transvalley Corridor is an opportunity to link "the City east of I-15 to the City west of I-15 and provide a pedestrian and bicycle route from the foothills, through the urban area, into the wetlands." The map shows a western terminus based on the City's 1992 Open Space Plan. Due to changes in this area of the city, a different western connection may now be appropriate, possibly extending to the Salt Lake Marina or Antelope Island.

Note: The protected bike lanes on 200 E (South Temple to 900 S) and 300 E (100 S to 600 S) are both shown on the map, but only one of the two options will be constructed.



Map Produced: 2/25/2015








Figure 6-7a Low Stress Bicycling Network Recommendations Map (Citywide)

Recommended Low Stress Bikeways

--- Multi-Use Paths

- Buffered or Protected Bike Lanes

--- Neighborhood Byways

 Bikeways Proposed in the Univ. of Utah Bicycle Master Plan

· · · Requires Further Study

Transvalley Corridor*

Existing Low Stress Bikeways

All Low Stress Bikeways

- Natural Surface Trails (Bonneville Shoreline)

Existing Transit and Other Facilities

O TRAX/Streetcar/FrontRunner Stop

IIIII TRAX/Streetcar/FrontRunner Line

*The exact alignment for the Transvalley Corridor (800 S/900 S) is pending. Per the 1992 Salt Lake City Open Space Plan, the Transvalley Corridor is an opportunity to link "the City east of I-15 to the City west of I-15 and provide a pedestrian and bicycle route from the foothills, through the urban area, into the wetlands." The map shows a western terminus based on the City's 1992 Open Space Plan. Due to changes in this area of the city, a different western connection may now be appropriate, possibly extending to the Salt Lake Marina or Antelope Island.

Note: The protected bike lanes on 200 E (South Temple to 900 S) and 300 E (100 S to 600 S) are both shown on the map, but only one of the two options will be constructed.



Map Produced: 2/25/2015









Figure 6-7b Low Stress Bicycling Network Recommendations Map (Downtown)

0-10 Year Recommended Low Stress Bikeways Multi-Use Paths Buffered or Protected Bike Lanes Neighborhood Byways ••• Requires Further Study 10-20 Year Recommended Low Stress Bikeways - Multi-Use Paths Buffered or Protected Bike Lanes Neighborhood Byways · · · Requires Further Study Transvalley Corridor* Existing Low Stress Bikeways All Low Stress Bikeways Existing Transit and Other Facilities O TRAX/Streetcar/FrontRunner Stop IIIII TRAX/Streetcar/FrontRunner Line Central Business District (Downtown)

*The exact alignment for the Transvalley Corridor (800 S/900 S) is pending. Per the 1992 Salt Lake City Open Space Plan, the Transvalley Corridor is an opportunity to link "the City east of I-15 to the City west of I-15 and provide a pedestrian and bicycle route from the foothills, through the urban area, into the wetlands." The map shows a western terminus based on the City's 1992 Open Space Plan. Due to changes in this area of the city, a different western connection may now be appropriate, possibly extending to the Salt Lake Marina or Antelope Island.

Note: The protected bike lanes on 200 E (South Temple to 900 S) and 300 E (100 S to 600 S) are both shown on the map, but only one of the two options will be constructed.









"Being able to more easily take my bike on TRAX trains would be awesome."

- Comment from 2013 public survey

6.3.3 Transit Station Access

Many transit trips begin and end as walking or bicycling trips. Figure 6-8 shows the existing and recommended bikeways overlaid on the transit network within Salt Lake City limits. This figure illustrates how people in various parts of the City can access major transit stations by bicycle. Identification of needed spot improvements at transit stations will be handled as part of a separate Transit Master Plan.

6.3.4 Spot Improvements

The bicycle spot improvements presented in Figure 6-9 complement the linear bikeway recommendations. Spot improvements may consist of short gap closures, intersection upgrades, bridges, underpasses, curb cuts, or other improvements that are best represented by a dot on a map instead of a line. Maintenance items like pothole repair and minor striping changes are not included in this list because the City handles them routinely through a separate process.

Many of the spot improvements shown in Figure 6-9 also benefit pedestrians. Only spot improvements independent of linear bikeways are included in the spot improvements map. For example, intersection upgrades necessary for implementation of a particular neighborhood byway are assumed to be included in that linear project.

6.4 Interim Bypass Routes

Some bikeway implementations require difficult tradeoffs such as removal of traffic lanes or changes to on-street parking. In some cases the City may decide that the tradeoffs are not currently feasible in some segments. Interim bypass routes can be created to help bicyclists travel around the problematic areas until a more desirable, permanent solution is found. Figure 6-10 uses a challenging section of 1300 South to illustrate how this can be done.

6.5 Bikeway Maintenance

The Salt Lake City Streets Division currently sweeps roads with bike lanes on them twice per month, whereas roads without bike lanes are swept once a month. Streets are also sometimes swept by special request. Bike lanes, buffered bike lanes, and shared lane markings are plowed of snow at the same time as the streets where they are located.




Sweepers in Copenhagen are designed specifically for bicycle facilities and can sweep or clear snow (Photo: Copenhagenize)

Protected bike lanes may require greater maintenance efforts than conventional bikeways because of their separated nature. Protected bike lanes may require specialized equipment or processes, whereas conventional bikeways can usually be maintained as part of normal roadway maintenance activities. A technical memorandum discussing protected bike lane maintenance was developed as part of this project and is attached as an appendix.

In 2014 Salt Lake City established a pilot program to declare snow alert nights to facilitate plowing on selected streets with on-street parking. Pending the results of this pilot program, additional streets may be added to the system. Bike lanes are among the considerations when selecting streets to be included.

6.5.1 Maintenance Recommendations

 Develop a bikeway maintenance plan to address priority sweeping, priority plowing, equipment needs, weed management, and other bikeway maintenance elements.



Small vehicle clearing a buffered bike lane in Vienna, Austria (Photo: I Bike Oulu)

Figure 6-8 Bicycling Access to Fixed Route Transit Stations Map

Recommended Bikeways

Multi-Use Paths

Buffered or Protected Bike Lanes

---- Bike Lanes

Neighborhood Byways

Shared Roadways*

Bikeways Proposed in Univ. of Utah Bicycle Master Plan

· · · · Requires Further Study

Existing Bikeways

All Existing Bikeways

— Natural Surface Trails (Bonneville Shoreline)

Existing Transit Facilities

O TRAX/Streetcar/FrontRunner Stop

IIIII TRAX/Streetcar/FrontRunner Line

1/2 Mile Buffer Around Fixed Route Transit Stations

The bolder colored and grayed lines inside the dashed-bordered area are proposed and existing bikeways, respectively, that are within about one 1/2 mile (typical walking trip distance) from a fixed route transit station (TRAX or FrontRunner).

*Includes marked & signed shared roadways

Note: The protected bike lanes on 200 E (South Temple to 900 S) and 300 E (100 S to 600 S) are both shown on the map, but only one of the two options will be constructed.










Figure 6-9 Bicycling Spot Improvement Recommendations Map

Rec'd Bike Spot Improvements

- Enhanced Road Crossings and Signals
- Accelerated repaying
- Intersections and Signage
- New Pavement and Curb Cuts
- Structure Improvements

Recommended Bikeways

- --- Multi-Use Paths
- Buffered or Protected Bike Lanes
- ---- Bike Lanes
- Neighborhood Byways
- --- Shared Roadways*
- Bikeways Proposed in Univ. of Utah Bicycle Master Plan
- · · · · Requires Further Study
- Transvalley Corridor**

Existing Bikeways

- All Existing Bikeways
- Natural Surface Trails (Bonneville Shoreline)

Existing Transit Facilities

O TRAX/Streetcar/FrontRunner Stop


IIIII TRAX/Streetcar/FrontRunner Line

**The exact alignment for the Transvalley Corridor (800 S/900 S) is pending. Per the 1992 Salt Lake City Open Space Plan, the Transvalley Corridor is an opportunity to link "the City east of I-15 to the City west of I-15 and provide a pedestrian and bicycle route from the foothills, through the urban area, into the wetlands." The map shows a western terminus based on the City's 1992 Open Space Plan. Due to changes in this area of the city, a different western connection may now be appropriate, possibly extending to the Salt Lake Marina or Antelope Island.

Note: The protected bike lanes on 200 E (South Temple to 900 S) and 300 E (100 S to 600 S) are both shown on the map, but only one of the two options will be constructed.



Map Produced: 2/25/2015






^{*}Includes marked & signed shared roadways



Figure 6-10 1300 South Interim Bypass Route



General Application of Bypass Routes

This specific example of a interim bypass route for bicyclists is on 1300 South between 500 West and 200 East in Salt Lake City. The recommendations for a interim bypass route on this corridor are typical of other situations where the City may have the need for a temporary bypass.

Challenges & Solutions

Bypass routes south of 1300 South are not feasible because the UTA TRAX light rail train corridor (~200 West) does not have any east-west crossings between 1300 and 1700 South. Approval of a bike/ped at-grade crossing by UTA is very unlikely and a grade-separated crossing would be very expensive.

The 1300 South bypass route is intended to be a interim solution to providing bicycle access through the area. The City's ultimate vision is accommodating bicyclists on 1300 South itself as parcel redevelopment opportunities arise and building setbacks can be increased. An overlay zone should be created along 1300 South to facilitate the long-term goal of acquiring additional right-of-way that would allow more comfortable facilities for pedestrians and bicyclists. However, such a process can take years if not decades to implements. As a result, this interim solution is expected to endure for some time.

Cost

The 1300 South Interim Bypass Route has an estimated cost of \$550,000.



Solid lines represent existing bikeways. Dashed lines denote proposed facilities – thick represents the 1300 South Interim Bypass Route and thin represents other bikeways proposed in the 2014 Pedestrian & Bicycle & Plan.





6.6 Traffic Signal Considerations

Traffic control for bicyclists is a rapidly evolving field. Many recent advances are attributable to a growing demand for protected bike lanes. Protected bike lanes are more likely to need dedicated bicycle signals than conventional bikeways because bicyclists must be re-integrated with car traffic through intersections after having been separated between them.

Typical concerns that bicyclists experience at signals include:

- Inability to trigger detection sensors or know if a sensor has been triggered
- Inadequate time for bicyclists to cross wide streets
- Conflicts between right turning cars and bicyclists trying to go straight
- Difficulty turning at (or crossing) intersections with unusual geometry or multiple traffic lanes
- Lack of signal coordination to facilitate steady bicycle speeds

6.6.1 Detection

Bicycle detection is used to inform signal controllers that a bicyclist is waiting to use an intersection. Detection occurs primarily through automated means (passive detection) such as inpavement inductive loops, video, and microwave radar. In recent years bicycle detection has become more important as traffic signals are increasingly operated in an actuated or semi-actuated mode rather than in a pre-timed mode.

An actuated signal is one where operations are adjusted automatically based on what the signal is detecting. A pre-timed signal's operations are fixed and unresponsive to demand. Semi-actuated signals operate under actuated and pre-timed conditions at different times of day.

Bicyclists may be "stranded" at a red light if the signal cannot detect them and no cars arrive to trigger the sensor. This scenario often leads to bicyclists running red lights.

Historically, the most common form of detection has been inductive (electrical) loops. The introduction of metal within the magnetic field triggers the traffic signal controller. Loops can be designed specifically for bicycles but the design and sensitivity must be appropriate.

In many cases, existing inductive loops installed primarily for motor vehicles may be capable of sensing a bicycle. However, bicyclists may not be aware of loop locations or want to use them if they are located in the middle of a traffic lane where bicyclists may not feel comfortable. Detection pavement markings are useful for showing bicyclists where they should place their bicycle to achieve the best likelihood of detection.

Many bicycle frames are now made with carbon fiber or other materials that are less likely to be detected by inductive loops. Other forms of detection such as video and radar are able to detect any type of bicycle regardless of material.

Salt Lake City and UDOT use radar as their standard detection technology. New or retrofitted signals in the City will now be better equipped to sense bicycles. Radar is capable of detecting



Standard loop detection pavement marking (Photo: NACTO)

both bicycles and vehicles and has softwareconfigurable detection zones. This provides cost savings by combining vehicle and bicycle detection needs without compromising bicyclist safety or convenience.

6.6.2 Confirmation Lights

Bicycle detector confirmation lights have been used in Portland (OR) at three locations. The lights illuminate when the bicycle detector is actuated and are relatively inexpensive to purchase and install. At this time, the use of confirmation lights is experimental and there are no formal studies that indicate clear benefits to bicyclists or a reduction in red light running.



White bicycle detector confirmation light (Photo: Jonathan Maus/BikePortland.org)

6.6.3 Bicycle Signal Heads & Phases

Bicycle signals and phasing have been used for many years in Europe but are relatively new to the U.S. More U.S. cities are installing them, particularly in conjunction with protected bike lanes where bicycles are separated from car traffic at intersections.

Bicycle signal heads are typically used at signalized intersections to give indications to bicyclists when special traffic signal phases are in effect for them. Typical displays in the U.S. consist of three-section red-yellow-green heads with bicycle symbols on the lenses.



Bicycle signal head (Photo: NACTO)

Supplementary signing may be required when special bicycle traffic signal phases are implemented. Of most concern is the possibility of vehicles turning right across the path of bicyclists who are proceeding straight ahead. The NACTO Urban Bikeway Design Guide recommends all-arrow displays for vehicle right turns, supplemented by an active blank-out "No-Turn-On-Red "sign.

Typical applications for bicycle traffic signal phases include the following:

 Where a multi-use path or neighborhood byway crosses a street, especially where the needed bicycle clearance time differs substantially from the needed pedestrian clearance time.



"No Right Turn on Red" blankout sign

- To split signal phases at intersections involving protected bike lanes where a predominant bike movement conflicts with a main motor vehicle movement during the same green phase.
- At intersections where a bicycle facility transitions from a protected bike lane to a conventional bike lane if car turning movements are significant.
- At intersections with contra-flow bicycle movements that otherwise would have no signal indication and where a normal traffic signal head may encourage wrong-way driving by motorists.
- To give bicyclists an advanced green (like a leading pedestrian interval) or to indicate an "all-bike" phase where bicyclist turning movements are high.
- At complex intersections that may otherwise be difficult for bicyclists to navigate.

While bicycle signal phases may improve bicyclist safety, they may also increase delays to bicyclists if they are no longer permitted to move concurrently with motor vehicle traffic. Safety needs and extra delay should be weighed on a case-by-case basis. Several cities have adopted specific warrants for bicycle phases and bicycle signal heads.



Sign instructing turning motorists to yield to through bicycle traffic (Photo: NACTO)

6.6.4 Signal Timing

Traffic signal timing considerations for bicycles include the following:

- Ensuring adequate initial green time plus clearance time for a bicyclist to cross an intersection safely.
- Considering a "head start" phase to allow bicyclists to start their crossing of an intersection a few seconds before vehicles are released in order to reduce conflicts with right-turning vehicles.
- Considering "green wave" timing of signals allowing bicyclists to move smoothly down a street without stopping at multiple red lights.

6.6.4.1 Minimum Green Time

Traffic controllers are typically programmed to provide a minimum green time when a vehicle is detected on an actuated approach and to extend the green time by two or three seconds for each additional vehicle. The minimum green time may be set as short as five seconds for lightly traveled side streets, with the objective of minimizing unnecessary delay to a heavily traveled arterial street. This situation may create a problem for bicyclists if they are attempting to cross a wide street on a green light at the same time as a single vehicle. An initial time of five seconds plus the yellow and all red time may be adequate for the single vehicle but inadequate for the bicyclist. There are three potential solutions:

- Ensure that vehicle minimum times at each intersection are also adequate for a bicyclist to safely cross the intersection even if bicycles are not detected separately.
- Detect bicycles separately from vehicles and utilize a separate "bike minimum green", which is a built-in feature of the controllers used in Salt Lake City (although not currently used).
- In exceptional cases of very wide streets intersecting low-traffic minor streets, provide a bicycle push button near the curb on the minor street approach so that bicyclists can call the pedestrian phase or a special bicycle phase.

Extension of green time for bicyclists arriving after the start of green is possible with certain types of detection. The detection must be capable of sensing the bicycle in motion. In the absence of a dedicated bicycle lane, detection must be capable of sensing the bicycle in any of the vehicle travel lanes.

6.6.4.2 Leading Bicycle Interval

Leading intervals for pedestrians were described previously in Chapter 5. A similar tactic can be used for bicyclists to give them a head start into the intersection in advance of cars. Leading Bicycle Intervals (LBI) improve visibility of bicyclists to right-turning vehicles. This mostly applies to protected bike lane situations where there is some form of separation between the bikeway and the space occupied by motor vehicles. LBI can be implemented very quickly and easily by programming of the controller and has minimal impact on motor vehicle delay. Turning movements that conflict with LBIs should be prohibited.

6.6.4.3 Bicycle Green Waves

Establishing green waves for bicycles is a traffic signal timing technique called "progression" that allows bicycles to proceed on a street with a minimum of stops at red lights. It normally requires designing the signal timing for the speed of bicycles instead of cars. However, in some congested urban environments, a speed of about 15 MPH has been found to be effective for both cars and bicycles. Green waves for bicycles have been implemented in European cities, particularly in Netherlands and Denmark, and on some streets in Portland and San Francisco.

Progression is much easier to achieve on oneway streets. On two-way streets establishing progression in both directions is mathematically dependent on the cycle length of the traffic signals and the spacing. In Salt Lake City, it is necessary to use relatively long cycle lengths because wide streets require long pedestrian crossing times. In addition, the presence of light rail also tends to impact cycle lengths.

Establishing a progression speed designed specifically for bicyclists also imposes the same speed for vehicles. Motorists may perceive this as adding to congestion and stops. Prioritizing one street for a bicycle green wave may interfere with signal progression on intersecting routes, particularly in Salt Lake City's downtown grid where signals every block are the norm. Implementing a bicycle green wave could prove especially challenging where State routes must be crossed. UDOT is willing to work with the City to evaluate signal timing changes that do not place unnecessary delay within a corridor.

6.6.5 Two-Stage Left Turn Queue Boxes

Two-stage left turn queue boxes are designed to facilitate left turn maneuvers at locations where bicyclists have difficulty crossing multiple lanes of through traffic to reach a left turn lane. To make a two-stage left turn a bicyclist first proceeds straight through the intersection on the green light and stops in a bicycle box on the far



Two-stage left turn queue box at 200 S/Main St

side of the intersection. The bicyclist then turns 90 degrees to the left, waits for a green light in the cross street direction, and proceeds through. This combination of movements allows bicyclists to effectively make left turns without being required to merge across traffic. Care must be taken to place queue boxes in locations that do not unduly interfere with right turning motor vehicles.

Typical two-stage queue box applications include:

- Signalized intersections with high traffic volumes and/or multiple lanes of through traffic.
- Along protected bike lanes.
- At streetcar or light rail tracks where perpendicular crossings are encouraged.
- Signalized intersections where left turns for motorists are prohibited but bicyclists may be permitted to safely and legally make a two-stage left turn.

6.6.6 Bike-Related Signal Recommendations

- Continue installing radar detection to sense bicycles at signals and use bike-specific pavement markings as needed on a case-bycase basis.
- Consider the use of confirmation lights if a suitable test site becomes apparent.
- Consider adopting specific warrants for bicycle phases and bicycle signal heads.

- Review signal timing algorithms to identify whether adjustments need to be made to provide bicyclists with safe minimum green time lengths.
- Consider using LBI and green wave timing in conjunction with protected bike lanes.
- Continue to install left turn queue boxes where appropriate.

6.7 Bicycle Parking and Other End-of-Trip Facilities

The City has several initiatives relating to endof-trip facilities for bicyclists. These currently include:

- City-installed bike racks on the public way by business or customer request.
- Seasonally-installed bicycle corrals (April to November) converting one on-street motor vehicle parking space to parking for 10 bicycles.



Bike corral at Bruges Waffles and Frites on 300 S

- Bicycle racks and lockers/secure parking areas required in new commercial and residential buildings and significant remodels; quantities based on use. This ordinance was strengthened in 2013.
- Additional secure parking areas, showers, and bike share sponsorship are available as developer incentives while reducing the amount of motor vehicle parking.

- Bicycle valet services encouraged through the special events permitting process.
- Bicycle lockers at several transit stations; the Utah Transit Authority has recently added day-use lockers in addition to lockers to be rented annually.
- Artistic bike racks commissioned by the Salt Lake City Arts Council.

This plan recommends that the City continue these programs.



Custom bike racks for the 21st & 21st Business District

Additionally, the City and the Utah Transit Authority should develop a program to routinely add bicycle parking at transit stops. Bike SPAs (Secure Parking Areas) should be added at rail transit stops and selected larger bus stops.

The City may also wish to reevaluate whether bicycle valet services should be required for larger events now that the program has been established for several years on an encouragement basis.

6.8 Mountain Biking & BMX

While the focus of this plan is on transportation, this plan supports the addition of recreational mountain bike trails on public lands within City limits, and recommends they be considered further as part of an update to the City's 1992 Open Space Plan or in a new recreational trails master plan. Salt Lake City has been a regional leader in developing the Bonneville Shoreline Trail and the trail is complete within the City limits.

The City has several skateboard and BMX areas in City parks. The Division of Parks & Public Lands has recently gone through a public process to formalize the user-created I-Street jumps and create a system for bicycle terrain park partnerships with local organizations. Where appropriate to watershed concerns, this plan recommends that Parks & Public Lands continue to consider the addition of mountain bike parks, pump tracks, skateboard and BMX parks, and bike polo courts as part of neighborhood-based parks and open space planning citywide.



Bonneville Shoreline Trail in the Wasatch foothills adjacent to Salt Lake City

6.9 Bicycle Counts & Surveys

Bicycle counts demonstrate where bicycling is most popular and where certain trends (e.g. sidewalk riding, helmet use, and percentage of female riders) are more or less prevalent. This information informs how cities plan infrastructure and implement programs. Salt Lake City has been conducting bicycle counts since 2011. The City has also used travel survey data from numerous sources to supplement the counts.

6.9.1 Data Anomalies

Situations periodically arise where it is not feasible to conduct counts at specific stations due to construction or other factors. One method for handling years when one or more count stations are inoperable is to calculate the percent change for the valid stations and apply that percentage to the previous year total for the inoperable stations. Such extrapolations should be noted for transparency. In the following year's count this value should be replaced with an average of the two years on either side of the extrapolated year.

6.9.2 Rolling Averages

Rolling averages are a statistical method used to smooth out yearly spikes, highlight long-term trends, and make it easier to absorb isolated data anomalies. For example, a three-year rolling average for 2014 would include data from 2012, 2013, and 2014. At the time this master plan was created, Salt Lake City only had four years of bicycle count data collected. A minimum of five years is needed before it makes sense for the City to use rolling averages for trend analysis.

6.9.3 Automated Count Technologies

Salt Lake City's annual bicycle counts currently are done manually with the help of citizen volunteers following protocols established by the National Bicycle and Pedestrian Documentation Project. These manual counts are relatively inexpensive but are subject to significant variability due to small sample sizes, which makes year-to-year comparisons less statistically robust.

Manual counts may be supplemented with continuous automatic count data. Increasingly affordable technologies include active infrared, inductive loops, and pneumatic tubes that exclude motor vehicles in mixed traffic environments. Automatic counts can greatly expand the amount of data available to the City for trend analysis.

6.9.4 Travel Surveys

Salt Lake City already uses data from various travel survey sources such as the National Household Travel Survey, American Community Survey, and Utah Travel Survey. One advantage of these surveys is their statistical significance owing to randomized and broad-reaching sample sizes.

6.9.5 Bicycle Count & Survey Recommendations

- Handle data anomalies according to the process detailed in Section 6.7.1.
- Report three-year rolling averages for bike counts instead of individual yearly totals once five years of data has been collected.
- Continue performing manual counts but supplement them with continuous automatic count data.
- Install permanent counters in important locations or rotate a limited number of automatic counters in a mobile count program.
- Continue utilizing travel surveys to provide more data points for bicycling trends.

Chapter 6 Sources

1. "Tech Companies Use Bicycling to Attract Top Talent". People for Bikes. http://www. peopleforbikes.org/pages/tech-companies-and-bikes.; "Protected Bike Lanes Mean Business: How 21st Century Transportation Networks Help New Urban Economies Boom". People for Bikes and Alliance for Biking & Walking. https://www.sfbike.org/wp-content/uploads/2014/04/Protected_Bike_Lanes_Mean_Business.pdf; "Business Innovators Invest in Bicycling". League of American Bicyclists. http://bikeleague.org/content/business-innovators-invest-bicycling.

This page left intentionally blank





Education, encouragement, enforcement, and promotional programs enhance the walking and bicycling experience and can be cost effective complements to infrastructure investments. These types of programs help people learn how to use Salt Lake City's roads safely, whether traveling on foot, by bicycle, or in a car.

This chapter outlines recommended program investments for Salt Lake City over the next five years. The recommendations were developed and refined through multiple rounds of review including two public open houses, an online survey, the Steering and Stakeholder Committees, and tabling at community events during Summer 2013.

The following programs and accompanying strategies will help Salt Lake City be a safer, more educated, and more equitable walking and bicycling community where people of all ages and abilities feel comfortable walking or riding a bicycle for any trip.

The first pages of this chapter summarize each program while more detail about funding, partnerships, the City's role, time commitment, reach and impact, community interest, expected outcomes, priority, and implementation phasing for each program is provided in Sections 7.4 and 7.5.

The chapter is broken down into the following five subsections:

- Multi-Modal Programs
- Pedestrian-Specific Programs
- Bicycling-Specific Programs
- Program Implementation Schedule
- Program Summary Tables

7.1 Multi-Modal Programs

Multi-modal programs benefit multiple user groups. Some are targeted towards pedestrians and bicyclists only while others may also encompass transit riders, drivers, or other groups. The programs typically have an education, encouragement, or enforcement focus.



Beginning Driver Education

Improving driver awareness of pedestrians and bicyclists and increasing knowledge of pedestrian and bicycle rights, responsibilities, and common behaviors helps to make a safer and more comfortable road environment for all users. These courses can also increase public acceptance of enforcement actions. Salt Lake City can help support the safety of all road users by supporting efforts to require pedestrian and bicycle-related training within local, private, and statewide driver education courses.



Pedestrians cross 200 S/State St as a bus passes

Target Audience: Beginning drivers

Sample Programs: Illinois' Driver Education Video and Curriculum; Wisconsin's Share & Be Aware Driver Education Program



Media Campaign

Salt Lake City should partner with other groups to develop regional campaigns that address unsafe and illegal behaviors of motorists, pedestrians, and bicyclists while encouraging mutual respect among all road users and encouraging active transportation.

Target Audience: All road users; may be more specific for targeted campaigns

Sample Programs: Bikes Belong Safety Campaign Best Practices; Road Respect (Utah); How We Roll (Columbus, OH); Coexist Campaign (San Francisco, CA); Heads Up Boulder: Mind the Crosswalk (Boulder, CO)



Road Respect is a statewide program that promotes cooperation and respect between all road users (Photo: UDOT)



Open Streets Event

On Saturday May 4, 2013, Salt Lake City hosted an Open Streets event to engage people in walking, bicycling, and physical activity. The event temporarily opened a route of City streets exclusively to walking, biking, and other forms of human-powered transportation, as well as supporting activities such as exercise classes, dance classes, music, food, games, and other attractions. The event took place along the iconic downtown corridor of 300 South/Broadway between the Main Library and the Intermodal Hub. The Transportation Division led route selection, permitting, traffic control, and public funding, while Bike Utah led promotion, programming, and private sponsorship. A volunteer Event Chairperson assisted with all aspects of planning, and the Salt Lake City Volunteer Coordinator led volunteer recruitment and management.



A child and his dog at the May 2013 Open Streets

Target Audience: General public

Sample Programs: Open Streets Project/Open Streets Guide; Cyclovia Tucson (Tucson, AZ)



Police Training

Strengthening the walking and bicycling information in police education courses and training will help officers improve public safety and enforce existing laws more effectively. Police training will enhance many other educational and enforcement programs.

Target Audience: All SLCPD officers, including bike and foot patrols

Sample Programs: Traffic Enforcement for Bicyclist Safety Training Video (Chicago, IL)



Police education training at the Public Safety Building



Multi-Modal Crash Analysis and Reduction

A multi-modal approach to crash reduction is a comprehensive safety program that includes establishing measurable goals for reducing incidents and collisions for all modes of travel. By developing a system for routine analysis for pedestrian and bicycle-related crashes, other cities have been able to implement safety-driven, multi-modal enforcement programs along with strategic infrastructure changes.

Successful and balanced enforcement comes from a strong, communicative relationship between transportation staff and local law enforcement. The Salt Lake City Transportation Division can build on their successful partnership with the Police Department from the bike light giveaway program. Enforcement initiatives should focus on behaviors known to be the most dangerous from both local and national data, such as motorists not yielding to pedestrians and/or bicyclists when required to do so by law and bicyclists not using lights at night.

Target Audience: All transportation mode users

Sample Programs: NYC's Vision Zero (New York City, NY); Targeted Multi-Modal Enforcement (Tucson, AZ); Tucson police are available to speak with other law enforcement departments to offer insight and advice



SmartTrips

This is a neighborhood-based program that encourages public and active transportation through free bike/walk/transit kits, coupons to local businesses, educational newsletters, and collaborative community events. The program seeks to educate interested people on how to find a safe route to work, to the store, to ride, walk, or take transit with their children to school, and to reach other destinations without using a car. The Salt Lake City program is modeled after one that was started in Portland (OR). Other communities that have implemented SmartTrips programs have all successfully reduced the number of vehicle trips. Between 2012 and 2014, SmartTrips in Salt Lake City engaged the East Liberty Park, Rose Park, Wasatch Hollow, Sugar House, and Fairpark neighborhoods.

Target Audience: Residents of targeted neighborhoods

Sample Programs: SmartTrips Program (St. Paul, MN); SmartTrips Program (Portland, OR)



The SmartTrips team rides the S-Line Streetcar



Traffic Citation Diversion

Other than one-time drivers education courses, there are few formal opportunities for motorists and/or bicyclists to learn the legal rights and responsibilities specific to bicycling and walking. The Salt Lake City Transportation Division can work with the Police Department and other appropriate City divisions to develop traffic citation diversion classes so that road users (pedestrians, bicyclists, and/or motorists) who commit offenses known to endanger pedestrians and bicyclists can, at the discretion of the officer, be invited to take a safety and diversion class in lieu of paying fines.

Target Audience: Road users (pedestrians, bicyclists, and/or motorists) who commit offenses known to endanger pedestrians and bicyclists



Salt Lake City police officers enforcing traffic violations near the State Capitol Building

Sample Programs: Share the Road Safety Class (Portland, OR); Bicycle Diversion Course (Pima County/City of Tucson, AZ)



Bus Driver Training

Bus driver training programs ensure that drivers know about laws related to walking and bicycling, and understand safe vehicle operation around pedestrians and bicyclists. The Salt Lake City Transportation Division should continue to encourage UTA and the Salt Lake City School District to train their bus drivers about how to safety drive near pedestrians and bicyclists.

Target Audience: UTA and School District bus drivers

Sample Programs: Bus Operator Education (Portland, OR); Frequent Driver Education (San Francisco, CA)



UTA bus driver (Photo: UTA)

7.2 Pedestrian-Specific Programs

These programs primarily benefit pedestrians and are focused on this group in particular. Summaries of the recommended pedestrian-specific programs are shown below.



Pedestrian Wayfinding

Well-designed pedestrian wayfinding is one of the most fundamental elements of a welcoming, pleasant walking environment. Wayfinding schemes should include destinations, sign types, travel time and/or distance where possible, and a plan for implementation. A cohesive and conspicuous pedestrian wayfinding network will help pedestrians identify the best routes to destinations. Efforts should begin in the



Pedestrians cross 1300 S at 600 E Liberty Park

downtown area and Sugarhouse where some pedestrian wayfinding is already present, with possible expansion to other areas in following years.

Target Audience: Residents and visitors

Sample Programs: Legible London (London, England)



Walking School Bus

The rate of children walking to school is at an all-time low and parents have become wary of allowing children to walk alone, primarily due to traffic concerns. Walking School Buses help alleviate the fear - and the time constraints for parents - associated with children walking to school. They may be stand-alone efforts or part of a broader Safe Routes to School program. Parents can take turns leading the "bus", which follows the same route every time and picks up children from their homes or designated "bus stops" at designated times. A Walking School Bus can be as informal as a few parents alternating to walk their children to and from school, but often it is a well-organized effort led by the PTA or a local agency or organization. Some schools such as Uintah Elementary have already organized walking school buses.



Walking school bus in Columbia (MO)

Target Audience: Students and their parents
Sample Programs: Walking School Bus Program

(Columbia, MO)



Park(ing) Day

Park(ing) Day is an annual event that happens around the world where neighborhood residents, artists, business owners, cities, counties, and others collaborate to temporarily transform parking spaces into small parklets as temporary public places for the day. Several businesses in Salt Lake City already participate in this event.

Target Audience: Neighborhood residents, business owners, shoppers

Sample Programs: Official Park(ing) Day



2013 Park(ing) Day at the 21st & 21st Business District (Photo: Architectural Nexus)



Targeted Crosswalk Enforcement

Motorists who routinely fail to yield the rightof-way to pedestrians, as required by law, are unlikely to change their behavior if they perceive that there are no consequences to their actions. Hundreds of communities around the U.S. implement targeted crosswalk enforcement. In Las Vegas, for example, crossing decoys often wear seasonal costumes (such as a turkey at Thanksgiving, or a leprechaun in March) to earn greater media attention. While targeted crosswalk enforcement often results in citations, the greater impact comes through media publicity of the event to reinforce the importance of obeying pedestrian crossing laws.

Target Audience: Drivers and bicyclists

Sample Programs: Back-to-School Crosswalk Stings (Shoreline, WA; Roseburg, OR; Plymouth, MN; and other locations)



Mid-Block Walkway Programming

An effort to reclaim and utilize mid-block walkways as public space requires a concerted effort among many stakeholders, including local government, businesses and business groups, advocacy organizations, and volunteers. These efforts increase vibrancy in hidden public spaces. Salt Lake City's Mid-Block Walkway Design Guidelines provide direction on the design and use of these spaces.

Target Audience: General public, property developers, land owners, SLC RDA

Sample Programs: Privately Owned Public Space (New York, NY); Alley Network Project (Seattle, WA); Alley Network Project Guide

7.3 Bicycling-Specific Programs

These programs support efforts to educate and encourage people who bicycle, as well as gather information to quantify bikeway use.



Annual Bicycle User Counts

Ongoing bicycle user counts provide important information used to approximate use and demand for facilities and programs. The National Bicycle and Pedestrian Documentation Project (NBPDP), a nationwide effort to provide a consistent model of data collection and ongoing data, states that "without accurate and consistent demand and usage figures, it is difficult to measure the positive benefits of investments in [bicycling], especially when compared to other transportation options such as the private automobile." Since September 2010. Salt Lake City has utilized the NBPDP data collection model in each of its annual bicycle user counts. Implementation of automated data collection methods would augment the volunteer-based data and allow for much more trend analysis.



Bicycle count volunteers and bicyclists participate in a supplementary survey

Target Audience: Volunteers and City staff (analysts)

Sample Programs: National Bicycle and Pedestrian Documentation Project



Classroom and On-Bike Training

Bicycle safety and skills education in elementary and middle/junior high schools can be an effective way to teach youth about bicycling safety and how to ride in a predictable, safe manner. These programs educate younger students about bicycling and other non-motorized transportation options that may go a long way in affecting their decision to choose bicycling for transportation and recreation later in life.

Target Audience: Elementary and middle/junior high school students

Sample Programs: The Florida Traffic and Bicycle Safety Education Program



Bike Rodeo organized by the Salt Lake City Police Department



Bicycle Friendly Businesses and Business Areas

Bicycle Friendly Business programs raise the profile of and show support for bicycling in a community, while also promoting local businesses and building a sense of community. As of Spring 2013, Salt Lake City has six businesses registered with the League of American Bicyclists' "Bicycle Friendly Business" designation. In May 2013, the City hosted a bicycle-friendly business workshop that included participation from a group of business owners, Neighborhood Business District representatives, transportation planners, and students. The workshop presented about how Bicycle Friendly Business Districts can support both bicycling and local business.

A Bicycle Benefits program in the City encourages businesses to offer discounts to customers who arrive by bicycle. As of 2014, there were about 60 Salt Lake City businesses participating in that program.

Target Audience: Current and potential bicyclists and the business community

Sample Programs: Bicycle Friendly Business Program (Long Beach, CA)



Bike Map

The Salt Lake City Bikeways Map has been published and distributed periodically since the 1980s. In spring 2013, an updated map was published and free copies are available throughout the City or via online download. Public feedback during the Salt Lake City Bicycle/Pedestrian Master Plan Update planning process showed strong support for a smartphone-based SLC bike map app. Rather than creating a stand-alone app, Salt Lake City should consider submitting GIS data to online map providers in order to improve the accuracy of bike layers and promote the online map app as a free source for turn-by-turn bicycle directions. Salt Lake City should continue to produce the hardcopy and digital copy of the citywide bikeways map approximately every other year.

Target Audience: Current and potential bicyclists

Sample Programs: Chicago (IL) CTA



The cover of the 2013-14 Salt Lake City Bikeways Map



Monthly Social Rides

Ongoing group bike rides can target many groups of people and cover countless topics or themes. In most cases, however, the purpose is the same: to provide a safe, comfortable, and social setting for bicycling. New riders experience riding safely in a group while learning bicycling skills and rules of the road, and all riders have the opportunity to meet neighbors, share in a feeling of camaraderie, and build community.

Target Audience: Current and potential bicyclists

Sample Programs: San Jose Bike Party (San Jose, CA); Kidical Mass (Eugene, OR, and many other locations)



Family attending the Super Hero-themed SLC Bike Party ride, June 2013 (Photo: SLC Bike Party Facebook)



Recreational Bike Routes

This program seeks to develop and promote Salt Lake City's recreational bicycle facilities for residents and tourists alike, highlighting great views, enjoyable rides, and the City's unique and intimate connection to the mountains, canyons, and the Great Salt Lake. It expands on the "Cycle the City" route created by the City and Visit Salt Lake in 2012-2013. Named routes would be created and geared toward recreational cyclists. Some routes would be either loop or out-and-back rides designed to be completed within one day, although regional opportunities may be identified to include multi-day trips. The routes would be developed with printed publications,

online resources (including mobile devices), and eventually route signs. Route signs, with the route name and identifying logo, may include simple signs to mark the route, destination wayfinding signs, and/or signs themed around hill climbs or canyon route grades. Recreational bike routes may include both road and mountain biking opportunities.

Target Audience: Residents and tourists

Sample Programs: Explore Maine by Bike; New York State Bike Routes; Denmark National Cycle Routes



School Bike Trains

School bike trains offer a safe, fun way to ride as a group to school and can be part of a broader Safe Routes to School program. Although the national Safe Routes to School program suggests that they are usually best suited for older elementary school children, they may be applicable for a wider age range. As children age and enter

secondary education, the need for oversight and companionship on rides to and from school may decrease.

Target Audience: Elementary school children

Sample Programs: SRTS Guide; Atlanta Walk and Roll to School Day (Atlanta, GA)



Women's Bicycling Programs

Women are often less comfortable with bicycling (particularly in traffic) than men, and user counts in the City confirm this trend. Because many potential bicyclists are women, encouraging, educating, and enabling women to ride a bicycle more often will attract a greater percentage of that group. By partnering with local organizations and bike shops to offer women-only clinics, workshops, and rides designed to be welcoming and supportive for participants at any stage of comfort, the City can promote and encourage women to ride.

Target Audience: Women who are current or potential bicyclists

Sample Programs: Women on Bikes Program (Portland, OR)



Bicyclist riding in Liberty Park



Bicycle Theft Prevention

As the desirability of bicycling increases in a community, there is often a corresponding increase in bicycle theft. Salt Lake City should develop a program to address bicycle theft, including consideration of registration options, lock promotions (coupons), and additional secured bicycle parking.

Target Audience: Current and potential bicyclists

Sample Programs: Sacramento Bait Bike Program (Sacramento, CA); Aspen Police Bait Bike Program (Aspen, CO); BART Bike Theft Prevention Program (San Francisco Bay Area, CA)



Winter Bicycling Programs

Winter weather is a pervasive barrier to bicycling for transportation. For many people, daily transportation choices are habitual and feeling as though you cannot bike in winter makes bicycling a less viable option throughout the entire year. During cold, snowy winters, people may also be less active, so encouraging winter biking is good for a community's public health and physical activity levels. Salt Lake City can encourage bicycling year-round by linking the community to winter cycling resources and hosting classes and events like Winter Bike to Work Day, Winter Bike Fest (indoor event with clothing and equipment demonstrations), and improving maintenance of facilities during the winter.

Target Audience: Current and potential bicyclists

Sample Programs: Bike Winter (Chicago, IL)



Lack of encouragement, education, and/or gear deters some from riding when it is cold and wet



Bicycle Wayfinding

As the City develops a low-stress bikeway network, including neighborhood byways, it will become appropriate to sign key corridors as the preferred way to connect key destinations, such as downtown, University of Utah, key neighborhoods, and transit stations. Bicycle wayfinding should address preferred routes, distance, and expected bicycling time. Time estimates should take into account both grade and intersections. Recreational bicycle routes will include a wayfinding sign element as well; these programs are complementary.

Target Audience: Current and potential bicyclists

Sample Programs: Design Guidelines for Bicycle Wayfinding Signage, Oakland Public Works (Oakland, CA); Portland Bureau of Transportation Bike Boulevard Wayfinding Signs (Portland, OR)



Bicycle wayfinding, such as this route sign in Portland (OR), usually provides both distance and time estimates

7.4 Program Implementation Schedule

Table 7-1 shows a general schedule for implementing the recommended programs. Priorities may appropriately change in coming years but this summary provides an outlook for where the City currently intends to invest its time and resources in future programs. Some programs such as enhancements to driver education may require significant lead time even though they are deemed to be high priorities.

7.5 Program Summary Tables

Tables 7-2 and 7-3 summarize key information for each of the recommended programs. They contain brief information about cost (both in money and time), expected outcomes, and priority. The Community Interest column is reflective of the level of support received through the public process. A value of "N/A" in that column means that the program idea surfaced as part of the public feedback and was thus not part of the open house and survey materials presented to the public. The column for Priority weighs factors such as cost, potential impact, feasibility, and public preferences.

Table 7-1 Program Implementation Schedule

	2015	2016	2017	2018	2019
Multi-Modal Programs					
Multi-Modal Crash Analysis and Reduction					
Open Streets Event					
Police Training					
Media Campaign					
Beginning Driver Education					
SmartTrips					
Traffic Citation Diversion					
Bus Driver Training					
Pedestrian-Specific Programs					
Targeted Crosswalk Enforcement					
Pedestrian Wayfinding					
Mid-Block Walkway Programming					
Walking School Bus					
Park(ing) Day					
Bicycling-Specific Programs					
Annual Bicycle User Counts					
Classroom and On-Bike Training					
Bike Map					
Bicycle Friendly Businesses and Business Areas					
Recreational Bike Routes					
Bicycle Theft Prevention					
Monthly Social Rides					
Bicycle Wayfinding					
School Bike Trains					
Women's Bicycling Programs					
Winter Bicycling Programs					

Priority	
High	
Medium	
Low	

Table 7-2 Multi-Modal Programs Summary

										Expected Outco	omes			
Program	City Role**	Likely Partners	Cost Estimate (Annual)	Staff and Volunteer Time Commitment	Number of People Reached	Community Interest	Increased Bicycling	Increased Walking	Improved Bicycling Safety Behavior	Improved Walking Safety Behavior	Improved Driving Safety Behavior	Economic/ Cultural Benefits	Enhanced Sense of Community	Priority
Multi-Modal Programs														
Multi-Modal Crash Analysis and Reduction	Lead (SLCPD)/Partner	SLC Transportation; Bicycle Advisory Committee; Media	•	•	•	•			√+	√ ₊	V+			•
Open Streets Event*	Lead (SLC Events)/Partner	Police Dept.; Health Dept.; Advocates; Volunteers; Media	•	•	•	•	√ ₊	√ +				√ ₊	√ ₊	•
Police Training	Lead (SLCPD)	SLC Transportation; Advocates; UDOT	•	•	4	N/A			√ +	√ ₊	√ +			•
Media Campaign*	Lead (SLC Transportation)/ Partner	Advocates; SLCPD; Business Groups; Media	4/●	4/●	•	•	√ ₊	√ +	√ ₊	√ ₊	√ ₊			•
Beginning Driver Education	Lead (SLCPD)/Partner	SLC Transportation; Advocates; Other Agencies	0	0	•	•			√ ₊	√ ₊	√ ₊			•
SmartTrips*	Lead (Agency TBD)	SLC Transportation; UTA	•	•	•	1	√ +	√ +	√	✓	√	✓	✓	•
Traffic Citation Diversion	Lead (SLCPD)/Partner	SLC Transportation; Medical Community; Legal Community; Advocates	•	•	0	•	√ ₊	√ ₊	√ +	√ +	√		√	•
Bus Driver Training*	Partner (Likely led by UTA)	SLC School Dist; SLCPD; U of U; Advocates; UTA	0/1	•	•	N/A			√	✓	V+			0

✓ + = Primary Outcome ✓ = Secondary Outcome

*Existing program

Cost Estimate Key	
Low	\$0-\$1000
Medium	\$1,000-\$5,000
High	\$5,000+



^{**}Lead = City instigates and carries out.

^{**}Lead/Partner = City instigates but partners help out with doing a lot of the work.

^{**}Partner = someone else instigates and the City helps in a lesser supporting role.

This page left intentionally blank



Table 7-3 Pedestrian & Bicycle Programs Summary

							Expected Outcomes							
Program Pedestrian-Specific Programs	City Role**	Likely Partners	Cost Estimate (Annual)	Staff and Volunteer Time Commitment	Number of People Reached	Community Interest	Increased Bicycling	Increased Walking	Improved Bicycling Safety Behavior	Improved Walking Safety Behavior	Improved Driving Safety Behavior	Economic/ Cultural Benefits	Enhanced Sense of Community	Priority
-		OT O T												
Targeted Crosswalk Enforcement*	Lead (SLCPD)	SLC Transportation; Advocates; Media	•	0/1	0	(✓	✓	√	✓	√ +			•
Pedestrian Wayfinding*	Lead (SLC Transportation)	Designers; Media; SLC Urban Design	•	•	•	•		√ +		✓		✓	\checkmark	•
Mid-Block Walkway Programming*	Lead (SLC Urban Design)	SLC RDA; Volunteers; Media; Business & Property Owners	4/●	0/1	•	N/A		√ +		√		√+	√ +	•
Walking School Bus	Lead (SLC School Dist)	l SLC Transportation; PTA Groups	•	0/1	0/1	•		√ +		✓	✓		√ +	•
Park(ing) Day*	Partner	SLC Transportation; Advocates; Small Business Districts; SLC Urban Design	0	0/1	0	N/A	√	√ +		√	✓	√+	√ +	0
Bicycle-Specific Programs														
Annual Bicycle User Counts*	Lead (SLC Transportation)	SLC Bicycle Collective; U of U	0	•	4	•	√ +					√	✓	•
Classroom and On-Bike Training	Lead (SLC School Dist)	SLC Transportation; Police Department; After School Programs	•	0/•	•	N/A	√ +		√ +					•
Bike Map*	Lead (SLC Transportation)	Bike Shops; Online Mapping Services	•	•	•	•	√ +		√ +			✓		•
Bicycle Friendly Businesses and Business Areas	Lead (SLC Econ Dev)/Partner	SLC Transportation; Business groups; Advocates; Media	0/1	○/¶	•	N/A	√ +					√+	✓	•
Recreational Bike Routes	Lead (SLC Transportation)/ Partner	State Agencies (UDOT, Outdoor Recreation); Adventure Cycling Assoc.; Visit Salt Lake	•	•	•	N/A	√ +					√	√ +	•
Bicycle Theft Prevention	Lead (SLC Transportation)/ Partner	SLCPD; SLC Bicycle Collective; U of U; Advocates	•	•	•	•	√					√	✓	•
Monthly Social Rides	Partner	Advocates; Volunteers; Bike Shops; Media	0	0	•	N/A	√ +		√				√ +	•
Bicycle Wayfinding	Lead (SLC Transportation)	UDOT; U of U; UTA	0	•	•	•	✓					√ +	√ +	•
School Bike Trains	Lead (SLC School Dist)	SLC Transportation; PTA Groups	0	0/•	•	N/A	√ +		√ +			√	✓	•
Women's Bicycling Programs	Partner	Advocates; Health Dept.; Bike Shops; Spoke Stoke	•	0/•	0/1	•	√ +		√		✓		√ +	•
Winter Bicycling Programs	Lead (SLC Transportation)/ Partner	Advocates; Health Dept.; SmartTrips; Bicycle Ambassadors	0	0	0	•	√ +	√	√			√	√ +	0

Packet Pg. 685


^{**}Lead = City instigates and carries out.

^{**}Lead/Partner = City instigates but partners help out with doing a lot of the work.

^{**}Partner = someone else instigates and the City helps in a lesser supporting role.

This page left intentionally blank





Cost estimates are crucial elements of the City's ability to plan for future investments in infrastructure and supporting programs. The estimate ranges provided in this chapter should be understood as high-level planning estimates that are subject to change due to variable construction costs, changes in design standards, and other factors that can introduce price volatility. Nevertheless, the estimates give the City reasonable targets for the funding amounts that must be secured through City budget appropriations, partnering with other agencies, or grants in order to bring this plan to fruition.

Main sections of this chapter are as follows:

- Spot Improvements
- Linear Bikeways
- Implementation

8.1 Spot Improvements

This section outlines cost ranges for the pedestrian and bicycle spot improvements outlined in Chapters 5 and 6, respectively. Some of the improvements serve both pedestrians and bicyclists, so the ranges are grouped by improvement type rather than user group.

Unlike the bikeway recommendations, the spot improvements were not divided into phases. Costs are assumed to occur over a 20-year period.

8.1.1 Capital Costs

Capital costs represent the amount of money needed to construct new improvements. Table 8-1 shows per-project spot improvement capital cost ranges. The Accelerated Repaving projects shown in Chapter 6 are not included in this table because their costs are assumed to already be included in the City's budget as part of normal paving maintenance. These projects entail the City advancing repaving on some streets to earlier years while delaying repaving on others, so there is no net cost difference.

Table 8-1 Spot Improvement Capital Cost Ranges

Improvement Type	Est. Cost Range
Enhanced Crossings	\$50,000-\$250,000
Intersections, Signals, & Signage	\$1,000-\$200,000
New Pavement & Curb Cuts	\$1,000-\$200,000
Structure Improvements	\$250,000-\$1 million
Major Structures	\$1 million-\$7 million

Table 8-2 Spot Improvement Annual Maintenance Cost Ranges

Improvement Type	Est. Cost Range
Enhanced Crossings	\$2,000-\$12,000
Intersections, Signals, & Signage	\$50-\$13,000
New Pavement & Curb Cuts	\$50-\$13,000
Structures (including major)	\$10,000-\$60,000

The values in Table 8-1 prorate pedestrian and bicycle costs in the case of projects that typically involve other work elements unrelated to walking and bicycling. For example, if bike lanes are added as part of a routine repaving project only the additional cost of bike lane striping and pavement markings are included.

In keeping with this plan's recommendations to considerably improve east-west connections across freeways and railroad tracks, Table 8-1 incorporates a major structure improvements category. This reflects the higher costs associated with longer tunnels or bridges, similar to the Parley's Trail tunnel under 1300 East or an overpass over a multi-track rail line.

8.1.2 Maintenance Costs

Maintenance costs represent the effort associated with caring for capital improvements and keeping them in good working condition. Typical examples of maintenance activities include sweeping, snow removal, landscaping (mostly for multi-use paths), and replacement of paint striping and pavement markings.

Awareness of maintenance costs and a commitment to proper upkeep are important factors to consider before investing in capital improvements. Table 8-2 shows estimated annual maintenance costs for the spot improvements.

8.2 Linear Bikeways

Linear bikeways encompass all bicycle facilities that have a beginning and ending point, whereas spot improvements represent upgrades to crossings or other locations that can better be represented on a map as a single point.

8.2.1 Capital Costs

Table 8-3 shows approximate per-mile cost ranges and assumed average values for the types of bikeways proposed in this plan. It also shows mileage ranges to reflect approximate total lengths of each bikeway type as shown in Figure 6-6.

Ranges are shown because facilities can be constructed at various levels of quality. Costs also depend heavily on local context and construction materials.

New multi-use paths may require right-of-way acquisition while other bikeway types generally do not. The cost ranges in Table 8-3 do not include right-of-way because land costs fluctuate greatly depending on location and right-of-way needs are difficult to predict at this advanced stage.

Maintenance costs should always be considered in project scoping. Projects that are constructed to lesser quality may trigger greater long-term maintenance.

The cost ranges shown in Table 8-3 represent 220 miles of bikeways at approximately \$330,000 per mile. Off-street multi-use pathways would account for roughly more than half of the total cost even though they represent only about 20% of the mileage. When multi-use pathways are taken out of the equation, the remaining on-street bikeways could be constructed for approximately \$193,000 per mile. As a comparison, the recently completed I-15 freeway reconstruction project in Utah County cost approximately \$55 million per mile. The entire spectrum of 20-year bikeway recommendations could be built for the same

Table 8-3 Per-Mile Capital Cost Estimate Ranges

Bikeway Type	Mileage Range		Cost/mi	
		Low	High	Assumed Average
Multi-Use Path	40-50	\$575,000	\$2,600,000	\$800,000
Protected Bike Lane	20-25	\$40,000	\$3,000,000	\$600,000
Buffered Bike Lane	35-45	\$17,500	\$135,000	\$25,000
Neighborhood Byway	45-55	\$200,000	\$1,300,000	\$350,000
Conventional Bike Lane	25-35	\$12,000	\$72,000	\$20,000
Shared Lane Markings	15-25	\$1,200	\$17,000	\$3,000
Signed Shared Roadway	1-5	\$4,000	\$5,200	\$4,500





Costs vary widely according to construction quality; inexpensive protected bike lane on 300 E (left) and more expensive protected bike lane on Grant Ave in Ogden (right; Photo: Ogden Bikes Facebook).

amount of money as widening 1.3 miles of freeway. All of the on-street bikeway recommendations in this plan could be built for the cost of widening **o.6** miles of freeway.

8.2.2 Maintenance Costs

Table 8-4 shows the annual estimated permile maintenance cost ranges. Future facility replacement (i.e. life cycle cost) is not included in the ranges. As Salt Lake City's bikeway system matures, expenditures are likely to transition gradually from an initial emphasis on capital improvements to a situation where the City constructs fewer new facilities and uses a larger share of funding to repair or replace aging facilities.

8.3 Funding Implementation

There are multiple ways funding can be secured for the implementation of bicycle and pedestrian related infrastructure projects in Salt Lake City. Internally administered City funding sources may include the Capital Improvement Project (CIP), Redevelopment Agency (RDA), and Community Development Block Grant (CDBG) programs.

Local, state, and federal funding is also available through programs administered by Salt Lake County, State of Utah Department of Natural Resources (DNR), Wasatch Front Regional Council (WFRC), and UDOT. Some common funding programs administered by these agencies include the Regional Bikeway Commuter Grant Program, Recreational Trails Program, Transportation Alternatives Program, Congestion Mitigation Air Quality Program, and the Safe Sidewalk Program.

City staff will need to remain vigilant in keeping up with the latest bicycle and pedestrian related program developments because local, state, and federal funding programs often change from year to year. Common methods for doing so include maintaining close relationships with local, state, and federal agencies, membership in related professional organizations, and attendance at local or national bicycle and pedestrian design and planning conferences or webinars.

8.4 Performance Measures

As SaltLakeCity implements the recommendations of this plan, some key indicators should be used to measure success and track progress. While the city already informally monitors many of the metrics below, the plan now recommends that formal annual analysis and associated reporting be conducted on a series of indicators. Indicators will seek to monitor key outcomes related to participation and safety and may include:

Table 8-4 Per-Mile Annual Maintenance Cost Estimate Ranges

Bikeway Type	Mileage Range		Cost/mi	
		Low	High	Assumed Average
Multi-Use Path	40-50	\$3,000	\$8,500	\$5,000
Protected Bike Lane	20-25	\$1,200	\$2,500	\$2,000
Buffered Bike Lane	35-45	\$5,000	\$12,000	\$7,000
Neighborhood Byway	45-55	\$2,000	\$8,000	\$3,000
Conventional Bike Lane	25-35	\$2,000	\$5,000	\$3,000
Shared Lane Markings	15-25	\$1,000	\$2,500	\$1,500
Signed Shared Roadway	1-5		\$500	\$250

- Participation data commuting and trip reporting as available through the American Community Survey (annual, U.S. Census Bureau); Utah Household Travel Survey (10 years); and local counts including the City's annual bike count and any counts available through automated counters.
- **Reported crashes** both pedestrianand bicycle-involved crashed, with special attention to patterns in severe or fatal crashes. Crashes should be indexed compared to participation rates in walking and bicycling. While not all crashes are reported, police reports represent the most accurate records of crashes currently available.
- Bicycle theft, indexed compared to participation in bicycling, based on police reports. As not all bicycle thefts are reported, this metric may experience data irregularities if, for example, the City actively encourages bicyclists to report bike theft more than has occurred in the past.

By way of measuring the City's work, the following outputs could be tracked:

- Implementation of facilities including pedestrian safety signals/improvements and miles of trails, bike lanes, protected bike lanes, and neighborhood byways. Landmark additions such as bridges and underpasses should be highlighted as significant investments beyond the corridor or spot improvement approach.
- **Implementation of programs** tracking measures may be appropriate for specific programs that are implemented.
- Infractions related to walking/biking safety concerns - tracked by tickets issued for violations such as speeding, failure to yield to pedestrians in crosswalks, red-light running, bicycle-related tickets, and walkingrelated tickets.

SALT LAKE CITY ORDINANCE No. of 2015

(Amending the Bicycle and Pedestrian Master Plan)

An ordinance amending the Bicycle and Pedestrian Master Plan pursuant to a petition by Mayor Ralph Becker.

WHEREAS, the Salt Lake City Planning Commission held public hearings on January 28, 201 and February 11, 2015 on an application submitted by Mayor Ralph Becker ("Applicant") to comprehensively update and amend the Bicycle and Pedestrian Master Plan, which plan was adopted by the Salt Lake City Council in 2004; and

WHEREAS, at its February 11, 2015 meeting, the planning commission voted in favor of forwarding a positive recommendation to the city council on said application; and

WHEREAS, after a hearing before the city council, the city council has determined that adopting this ordinance is in the best interest of the city.

NOW, THEREFORE, be it ordained by the City Council of Salt Lake City, Utah:

SECTION 1. <u>Amending and Renaming the Bicycle and Pedestrian Master Plan</u>. That the Bicycle and Pedestrian Master Plan shall be renamed the "Pedestrian and Bicycle Master Plan" and is amended to read and appear as provided in Exhibit "A" attached hereto.

SECTION 2. <u>Effective Date</u>. This ordinance shall become effective on the date of its first publication.

Passed by the City Council of Salt Lake Ci	ty, Utah, this day of
2015.	
ATTEST AND COUNTERSIGN:	CHAIRPERSON
CITY RECORDER	
Transmitted to Mayor on	
Mayor's Action:Approved	Vetoed.
MAY	TOR
CITY RECORDER	
(SEAL)	APPROVED AS TO FORM Salt Lake City Attorney's Office Date: March 11, 2015
Bill No of 2015. Published:	By: Paul C. Nielson, Senior City Attorney

 $HB_ATTY\text{-}\#43738\text{-}v1\text{-}Ordinance_amending_pedestrian_and_bicycle_MP.DOCX}$

CHRONOLOGY

Pedestrian & Bicycle Master Plan Update

August 22, 2012	• A request for Proposals was published seeking a consulting agency to help create the proposed mater plan update.
October 10, 2012	Alta Planning & Design was selected as the consulting agency.
January 3, 2013	• The contract was recorded between the City and Alta Planning & Design agreeing to terms and scope of work.
January 17, 2013	• Initial meeting was held with consultants to discuss the process and public engagement.
February 27, 2013	• Planning Commission was briefed on the plan update, including scope of work and reasons for updating the plan.
March 5, 2013	 City Council was briefed on the plan update, including scope of work and reasons for updating the plan. The Downtown Alliance Parking & Transportation Committee was briefed on the plan scope and 2013 Year of the Bike initiative.
March 28, 2013	 Initial Stakeholder Committee meeting was held to discuss vision and goals, local and national trends, and to review existing conditions. A meeting was held with Eric Shaw, CED Director to introduce the consultant team.
April 11, 2013	• Initial University to Downtown Focus Group meeting was held to discuss a technical memo that considered all potential corridors for connecting the University to Downtown with a low-stress bikeway.
May 4, 2013	 Attended Salt Lake City Open Streets on 300 South with a table to gather public input.
May 9, 2013	Attended the Downtown Master Plan Open House at the Salt Place to gather public input.
May 17, 2013	Attended the UTA Bike Bonanza at Gallivan Center to gather public input.
June 14, 2013	Attended the Road Respect Festival at Liberty Park to gather public input.
June 21 & 23, 2013	Attended the Utah Arts Festival - Sustainability Booth at Washington Square to gather public input.
June 25– August 12, 2013	 An online survey was conducted gathering input on preferences for facility types and programs. This received over 950 responses.
July 18, 2013	 Second Stakeholder Committee meeting was held to discuss preliminary recommendations for the two special projects of the plan, the University to Downtown bikeway the downtown low stress bikeway network. Second University to Downtown focus group meeting was held to review and give input on a more detailed corridor analysis with conceptual designs for 200 South and 300 South. Attended the Tour De France Viewing Party at the Gateway Cinemas to

July 18, 2013 (cont.)	gather public input.Attended the Twilight Concert Series - First Concert at Pioneer Park to gather public input.
July 20, 2013	Attended the Downtown Farmers Market at Pioneer Park to gather public input.
July 25, 2013	Attended the Twilight Concert Series at Pioneer Park to gather public input.
July 26, 2013	• Attended the Sugarhouse Farmers Market at Fabian Lakeside Pavilion to gather public input.
July 27, 2013	Attended the Solar Day at Liberty Park to gather public input.
August 1, 2013	 Attended the Bike Light Giveaway at 300 South/200 West to gather public input.
August 2, 2013	Attended the Night Out Against Crime - Jordan Meadows at Jordan Elementary to gather public input.
August 5, 2013	 Attended the Night Out Against Crime - Westpointe at 1100 N/200 West to gather public input.
August 5, 2013	Attended the Night Out Against Crime - Poplar Grove at the Hook & Ladder to gather public input.
August 7, 2013	Attended the Twilight Concert Series at Pioneer Park to gather public input.
August 9, 2013	Attended the Tour of Utah Downtown Circuit Race at Reservoir Park to gather public input.
August 29, 2013	 Third Stakeholder Committee meeting was held to discuss recommendations for citywide bike infrastructure and education, encouragement, and enforcement programs. Attended the Twilight Concert Series at the Pioneer Park to gather public input.
September 5, 2013	 Attended the Bike to the U Day at the University of Utah to gather public input.
September 6 & 7, 2013	Attended the Greek Festival at the Holy Trinity Cathedral to gather public input.
September 8, 2013	Attended the People's Market at Jordan Park to gather public input.
September 12, 2013	 Fourth Stakeholder Committee meeting was held to discuss citywide recommendations for pedestrian infrastructure. Attended the Downtown Streetcar Open House at the Harmon's Downtown to gather public input.
September 13, 2013	Attended the UTA Active Transportation & Health Summit at the Sheraton to gather public input.
September 14, 2013	• Attended the 9th and 9th Street Festival at 9th and 9th to gather public input.

September 28, 2013	• Attended the West Salt Lake City Street Festival at Jordan Park to gather public input.
September 28, 2013 (cont.)	• Attended the Blessing of the Bikes at the Church of the Magdalene to gather public input.
October 3, 2013	 Fifth Stakeholder Committee meeting was held to discuss pedestrian typologies, preparation for Open House #2, and remaining citywide bikeway recommendations.
October 8, 2013	• City Council was briefed on the plan, including a summary of the public input heard at events over the summer and the preliminary recommendations around the University to Downtown bikeway.
October 23, 2013	• Open House #2 was held at the SLC Main Library to gather community input on the preliminary recommendations of the plan.
October 31 – November 13, 2013	 A virtual open house was available online for additional input. The open house presented the same information as the in-person open house, for additional public input. This received over 200 responses.
November 5, 2013	Updated the Downtown Alliance Parking & Transportation Committee on the University to Downtown bikeway and other downtown preliminary recommendations of the plan.
January 30, 2014	Attended District 4 town meeting to present information about the plan.
February 26, 2014	 Planning Commission was briefed on the preliminary recommendations of the plan, including a summary of public input.
April 29, 2014	• City Council was briefed on the preliminary recommendations of the plan, including a summary of public input.
October 9, 2014	Sixth Stakeholder Committee meeting to provide an overview of the forthcoming draft plan.
November 26 – December 28, 2014	 The draft plan was made available on the project website walkbikeslc.com and linked on Open City Hall for public comment. Additional input was also sought from the stakeholder and steering committees.
January 14, 2015	• The public draft of the master plan was presented at the Planning Commission, including a summary of public input and resulting changes to be integrated into the plan before being passed out of Planning Commission.
January 28, 2015	• Planning Commission held a public hearing and voted to table the matter to allow more time for staff to integrate public input into the document.
February 4, 2015	 A revised plan draft was made available, with substantial changes resulting from public input. These changes are summarized in the Planning Commission staff reports included with this packet.
February 11, 2015	• Planning Commission reviewed the updated plan draft, heard additional input from the public, and voted to forward a positive recommendation to the City Council.