

**West Virginia Department of Health  
& Human Resources  
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name <b>Busy Bee II</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>Tracy Abercrombie</b>	Facility Telephone # <b>304 267-7024</b>	
Facility Address <b>5342 Tabler Station Rd Martinsburg , WV</b>	Licensee Address <b>,</b>	
<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>09/12/2017</b>	Total Time Spent <b>1.00</b>

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
<b>Kenmore</b>	<b>40</b>
<b>Hotpoint</b>	<b>39</b>
<b>Roper</b>	<b>40</b>

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
<b>3-BaySinkBleachbottle</b>	<b>Chemical</b>		<b>50</b>	<b>Chlorine</b>	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 1</b> <b>Repeated # 1</b> <b>6-501.111 - CONTROLLING PESTS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Fruit flies/gnats around bananas in storage room.

<b>ObservedNon-CriticalViolations</b>
<b>Total # 5</b> <b>Repeated # 1</b> <b>3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD</b> <b>OBSERVATION:</b> Need to label chicken that is out of its original packing <b>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION</b> <b>OBSERVATION:</b> Oven door glass missing and needs replaced/repared <b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>REPEAT OBSERVATION</b> Faucet at 3-Bay sink needs repaired (leaking/dripping) <b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> All drywall repairs need painted in kitchen <b>6-501.16 - DRYING MOPS</b> <b>OBSERVATION:</b> Mop needs to air dry

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge



**Sharon Baker**

Sanitarian



**Keith Allison**