# OMNISKATE



## **OMNI-SKATE**

The Hilman OMNI-SKATE is a multi-directional load skate capable of traveling in any direction and rotating on axis. Designed, engineered and manufactured in the USA, the OMNI-SKATE optimizes your move while being the most reliable and rugged solution in the industry.





Omni-Skates - 360 Degree Maneuverability - Move heavy loads in tight spaces and around sharp corners in any direction.

#### LIFT. SET. ROLL

Lift up the back end of the load first using one or two toe jacks. You can do this manually or with a hydraulic pump. If you use just one jack, lift the load directly next to the front dolly. You can also use 4 toe jacks to lift entire load simultaneously. Roll the rear dollies under the load then lower the load onto the dollies. Repeat for front dollies, remove toe jacks and you are ready to move!









## **FEATURES**

The Hilman OMNI-SKATE is available in capacities of 3, 6. 8 and 10 tons. They can also be combined into sets of 4 for capacities up to 40 tons!



## **SPECIFICATIONS**









	OMNI-3	OMNI-6	OMNI-8	OMNI-10
LOAD CAPACITY	3 ton	6 ton	8 ton	10 ton
WHEEL TYPE	NYLON	NYLON	NYLON	NYLON
HEIGHT	4.63 in	4.63 in	4.63 in	4.63 in
WIDTH	18.937"	24.125"	22.9375"	31.4375"
LENGTH	22.562"	30.125"	31.375"	38.75"
WHEEL DIAMETER	Ø 3.13	Ø 3.13	Ø 3.13	Ø 3.13
NUMBER OF WHEELS	6	9	12	15
PAD DIAMETER	Ø 8"	Ø 8"	Ø 8"	Ø 8"
WEIGHT	68 lb/31 kg	111 lb /50 kg	139 lb/63 kg	185 lb/84 kg

## **ACCESSORIES**


Handle for pulling



Alignment Bar with Coupling

## **OMNI-SKATE**

The Hilman Omni-Skate provides a stable, efficient solution for moving heavy loads.



#### **360 DEGREE ROTATION**



#### **ALIGNMENT BAR**

Combine dollies into pairs using an adjustable alignment bar.



#### Images are for representation purposes only. Actual product may differ.

### **CONFIGURATIONS**

Our dollies can be configured in a number of ways including attaching them to the Powerattack or using them in conjunction with our TK-EVO or Traksporter.



HILMAN INC. 12 Timber Lane Marlboro, New Jersey 07746 USA

Phone: +1-732-462-6277

E-mail: sales@hilmanrollers.com Website: www.hilmanrollers.com

ISO 9001