

Please complete all required information and fax to 203.284.9500

For questions or assistance with the program, please email Jeff at JQuamme@ctcertboard.org

S2S 2053 Recovery Oriented Methadone Maintenance White and Mojer-Torres Northeast ATTC/Great Lakes ATTC/DBHMRS, 2009

## Module 2 Post Test

 The recovery status of MM patients should be evaluated using a separate definition of recovery from that which applies to the resolution of all substance use disorders.
F

2. Controversy and stigma continue to surround the use of methadone in the treatment of opioid addiction despite \_\_\_\_\_\_ decades worth of scientific evidence of its effectiveness.

a. two

b. three

c. four

d. five

3. Public understanding of recovery as a \_\_\_\_\_\_ rather than a stable behavioral health status contributes to therapeutic pessimism and the social stigma attached to addiction and treatment. a. idealistic goal

b. motivational state

c. treatment outcome

d. abstinence only idea

4. According to a study by *Faces and Voices of Recovery* (2004) the majority of the American public surveyed thought recovery referred to someone who \_\_\_\_\_\_ the use of alcohol or drugs.

- a. had completely stopped
- b. had reduced
- c. planned to stop
- d. was trying to stop

5. \_\_\_\_\_\_ is about the substraction of pathology; recovery is ultimately about the achievement of global health, social functioning and quality of family/personal life.

- a. Abstinence
- b. Treatment
- c. Remission
- d. None of the above

6. The American Society of Addiction Medicine (ASAM) defines recovery as "overcoming both the physical and psychological dependence to a psychoactive drug while making a commitment to

- c. increase prosocial behaviors
- d. decrease antisocial behaviors

a. treatment

b. sobriety



Please complete all required information and fax to 203.284.9500

 $\label{eq:Formula} \textit{For questions or assistance with the program, please email Jeff at JQuamme@ctcertboard.org$ 

7. Optimum, individualized doses of methadone do not produce intoxication in stabilized MM patients; therefore, methadone prescribed under these circumstances meet the definition of a "drug."
T F

8. Methadone pharmacotherapy \_\_\_\_\_\_ the reduction/cessation of drug use and the broader processes of psychosocial rehabilitation.

a. enhances rather than interferes with

b. reduces rather than blocking

c. completes rather than assisting with

d. has little effect on

9. The authors cite the anti-methadone stance within Narcotics Anonymous on the experiences of many members who \_\_\_\_\_\_.

a. used methadone as an intoxicant

b. used MM for purposes other than recovery

c. who had little contact with highly stabilized MM patients

d. all of the above

10. For most patients, the \_\_\_\_\_\_ to methadone resulting from prolonged daily administration of optimum doses neutralizes the potentially intoxicating properties of the medication.

- a. sensitivity
- b. tolerance
- c. aversion
- d. addiction

11. MM studies consistently report decreased death rates (as much as \_\_\_\_\_\_), reduced transmission of infectious diseases and improvements in global health and social functioning.

- a. 25%
- b. 30%
- c. 50%
- d. 66%

12. Recent efforts have been made to encourage the National Institute on Drug Abuse (NIDA) to abandon use of \_\_\_\_\_\_ and "drug free" as treatment program designations.

- a. "abstinence"
- b. "harm reduction"
- c. "health promotion"
- d. "12 step based"

13. Recent attempts to define addiction recovery have focused on three essential elements: resolution of drug related problems, \_\_\_\_\_, and improvement in global health.

a. employment

- b. citizenship
- c. reduction in criminal behavior
- d. completion of formal treatment



Please complete all required information and fax to 203.284.9500

For questions or assistance with the program, please email Jeff at JQuamme@ctcertboard.org

- 14. According to the authors, there is growing consensus that recovery from severe alcohol and other drug problems involves more than \_\_\_\_\_\_ from one's life.
- a. subtraction of the substances
- b. desire to stop drug use
- c. removing social deviancy
- d. reducing psychological issues

15. The cultural/professional equation of methadone and heroin (substituting one addictive drug for another) is reinforced by the characterization of MM as \_\_\_\_\_\_.

- a. "a last resort"
- b. short term treatment
- c. replacement therapy
- d. palliative therapy

16. The Betty Ford Institute (BFI) Consensus Panel addressed the question of Opioid Treatment Program (OTP) medications by stating that "...formerly opioid dependent individuals who take \_\_\_\_\_\_ as prescribed and are abstinent from alcohol and all other nonprescribed drugs would meet [the] definition of sobriety."

- a. methadone
- b. naltrexone
- c. buprenorphine
- d. all of the above

17. The authors theorize that the stabilized MM patient is \_\_\_\_\_\_.

- a. separated from cultures of active drug use
- b. denied full membership in cultures of recovery
- c. socially stigmatized in the larger community
- d. all of the above

18. Addiction recovery is often the product of a highly personal synergy of \_\_\_\_\_\_.

- a. pain and hope
- b. craving and withdrawal
- c. identity and stigma
- d. active use and non use

19. \_\_\_\_\_\_ recovery involves reconstructing roles, rules and relationships; and enhancing the resistance/resilience/health of all members.

- a. 12 Step
- b. Psychosocial
- c. Sustained
- d. Family



Please complete all required information and fax to 203.284.9500

For questions or assistance with the program, please email Jeff at JQuamme@ctcertboard.org

20. Family recovery involves reducing \_\_\_\_\_\_ for substance use disorders.

a. spousal proclivity

b. intergenerational risk

- c. relapse potential
- d. enabling

21. \_\_\_\_\_\_ stigma constitutes a major obstacle, of not THE obstacle to methadone assisted recovery.

- a. Social
- b. Professional
- c. Cultural
- d. both a and b

22. White and Mojer Torres summarized that there are "multiple\_\_\_\_\_\_ of long term addiction and all should be cause for celebration."

a. pathways

b.outcomes

c. faces

d. all of the above

23. Widespread acceptance of methadone maintenance is contingent upon \_\_\_\_\_\_ in the United States and on launching an effective and sustained campaign of professional and community education regarding methadone, methadone maintenance treatment and methadone assisted personal and family recovery.

- a. increasing OTP availability
- b. cost reduction
- c. elevating the quality of MM treatment
- d. reducing methadone diversion

24. The prevalence of recovery within MM patients in the US based on the new definitions of recovery has been measured and studied.

Т

F