

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Musselman High School	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 229-1950	
Facility Address 126 Excellence Way Inwood , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 12/03/2018	Total Time Spent 1.43

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk-In	38
Victory Hot Hold -left	146
Victory Refrigerator	38
Victory Hot Hold -right	174
Milk-left	40
Milk Center Right	40
Milk Center Left	36
Beverage Air Milk	
Cres Cor Hot Hold	
FWE Hot Hold	
meal units-right	40
meal units-left	40
Lockwood hot box	

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
BucketDishmachine	ChemicalHeat	160		Heat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 1</b>

**Observed Non-Critical Violations**

**Total # 2**

**Repeated # 1**

**4-502.11 - GOOD REPAIR AND CALIBRATION**

REPEAT OBSERVATION Walk-In freezer condenser fins icing up, needs repaired

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Drain under steamers needs repaired (leaking)


**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**Crystal Benner**



**Keith Allison**