

Architrac®

Collection Overview


Architrac® Collection Updates for 2020

Architrac® Series Updates for 2020

- Newly designed Butt Master Carrier
 - Creates consistent spacing on first pleat regardless of fullness.
 - Allows Butt Master to travel to the end of the rod on one-way draw applications.




- Endcaps for Architrac K-Rail Series Rods
 - Perfect for K-Rail rods sold without finials, offered in four colors.



Architrac® Collection Overview


What is Architrac®?

- Series of heavy duty, aluminum traverse tracks.
- Carry heavier weight draperies with ease.
- Originally designed for commercial & hospitality.
- Variety of bracketing options.
- Specialty bends and curves.



Why recommend Architrac®?


- Perfect for commercial settings like hotels, hospitals or office buildings.
- Upgrade from basic drapery hardware for residential projects
 - Supports heavier weight draperies
 - Smoothest functioning
- Great solution for today's 'tough to treat' windows
- Variety of bracketing options, wide widths, specialty bends and curves



Architrac®

- Assembled set are listed at the beginning of each track series section.
- The components that are used in those assembled sets follow the assembled set pricing.

Architrac® Series 94001 Assembled Set



- Assembled sets includes all necessary components
- Heavy duty, ball bearing pulleys
- Heavy duty, wheeled (Ripplefold™) or ball bearing (pleated) carriers
- Can be curved or bent (not available with Briza™ Motorization)
- Wall or ceiling mount available
- Multiple draw options available
- Briza™ Motorization available
- For Briza™ Motorization, overlap master carrier and butt master carrier available on two-way draw. Overlap master carrier is only available for one-way draw with Briza™ Motorization.

BEND OR
CURVE
see notes
on page
166

PRODUCT NO.	FINISH
94270H025	WHITE
94270H090	ANODIZED
94270H064	BRONZE
94270H059	BLACK

See assembled set ordering guidelines on page 108.

TRACK SIZE	1.5' to 2'	4'	6'	8'	10'	12'	14'	16'	20'	24'	28'	32'	36'	40'
PRICE PER UNIT	\$71	\$83	\$103	\$124	\$145	\$165	\$187	\$208	\$250	\$292	\$334	\$376	\$418	\$460
ONE-WAY DRAW MAXIMUM														

To determine the price of your Architrac® Series 94001 with Briza™ Motorization, determine the per foot cost of the desired track length above, then select the Briza™ Motorization of your choice below and add the upcharge amount to the per foot cost total.

BRIZA™ MOTORIZATION UPCHARGE		BRIZA™ MOTORIZATION WITH NEO SMART CONTROLLER UPCHARGE		BRIZA™ MOTORIZATION WITH SOMFY® DRAPERY MOTOR ADAPTER UPCHARGE†	
Remotes not included. Order all remotes separately.					
DEALER COST	MSRP	DEALER COST	MSRP	DEALER COST	MSRP
\$500.00	\$1,050.00	\$710.00	\$1,491.00	\$150.00	\$315.00

Architrac® Series 94001 with Briza™ Motorization cannot be bent or curved.

†Does not include Somfy® motor.

Architrac®

- Ordering assembled sets
 - Assembled sets are cut-to-measure (CTM) custom tracks
 - Custom lengths to the nearest 1/8"
 - Priced every 2 feet
 - Set includes all necessary components
 - Price list makes it easy to identify all of the specifics of the track

TRACK SIZE	1.5' to 2'	4'	6'	8'	10'	12'	14'	16'	20'	24'	28'	32'	36'	40'
PRICE PER UNIT	\$71	\$83	\$103	\$124	\$145	\$165	\$187	\$208	\$250	\$292	\$334	\$376	\$418	\$460
ONE-WAY DRAW MAXIMUM														

Architrac® Order Form

- Order form is located at the end of the Architrac section in the price list.
 - Please note: All CTM bent or curved rods, except 90 degree bends, require a template for order placement.

K-Rail and Architrac® Order Form

ORDER DATE: _____ ACCOUNT #: _____ P.O. #: _____ SIDEMARK: _____

Account Information

COMPANY NAME: _____

CONTACT FULL NAME: _____

EMAIL: _____ PHONE: _____

SHIP TO/ATTENTION: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

Drop Ship Address (if different from above)

NAME OR COMPANY: _____ PHONE: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

Order Specifications

ORDER QTY: _____ PRODUCT NUMBER: _____ LENGTH (INCH): _____

Draw Preference

☐ ONE-WAY DRAW | STACK LEFT

☐ ONE-WAY DRAW | STACK RIGHT

☐ TWO-WAY DRAW

Control Type

☐ CORD ☐ HAND ☐ BATON

Briza™ Motorization for Architrac® Series 94001 only.
New model begins 2022.

☐ BRIZA™ MOTORIZATION

☐ BRIZA™ MOTORIZATION WITH NEO SMART CONTROLLER

☐ BRIZA™ MOTORIZATION WITH SOMFY® MOTOR ADAPTER

Control Location

☐ LEFT ☐ RIGHT

Cord Length

¹ CORD LENGTH (inches)
(order 0 to 8' max)

☐ 120% ☐ 100% ☐ 80% ☐ 60%

Mount Style

☐ WALL MOUNT

☐ CEILING MOUNT

Return Size

☐ 31" ☐ 4" ☐ OTHER _____ (inches)

Extra Parts

☐ SLIDES

☐ BRACKETS

Ripplefold™ Fullness

☐ 120% ☐ 100% ☐ 80% ☐ 60%

Drapery/Master Carrier Style

☐ RIPPLEFOLD™ | OVERLAP

☐ RIPPLEFOLD™ | BUTT MASTER

☐ PLEATED | OVERLAP

☐ PLEATED | THROUGH FABRIC

☐ PLEATED | OVER THE TOP

☐ CUBICLE

Bend Style

Please use online tool for bend styles. [www.kirsch.com](#)

Track Only
Select the region below if you need a track with no components.

☐ TRACK ONLY - NO COMPONENTS

Splicing
Made over 8' it can be spliced. Please note splice instructions.

Total Pricing

(prices from each section)

\$ TOTAL ROD COST

\$ TOTAL COMPONENT COST

\$ PACKING FEE**

\$ TOTAL COST

* Bend/Curve Fee: Any bent or curves will have a flat fee of \$25 per track.

/ 165

K-Rail and Architrac® Order Form

ORDER DATE: _____ ACCOUNT #: _____ P.O. #: _____ SIDEMARK: _____

IMPORTANT: Please Read Before Placing Order

How to Order

- Dimensions are shown from top view of rod
- Illustrations are of various wall designs
- Select the design that fits your room
- Provide all the measurements requested
- Indicate degree measurements of all angles (angle measuring protractor, order 22573 (C2))
- All Briza™ Motorized tracks and Briza™ Motorized with Somfy® adapter tracks cannot be bent or curved.

Custom Styles

For all styles you must provide a drawing with necessary measurements plus a full size pattern of the wall area to which the rod is to be mounted. Be sure to locate each end of the rod on your pattern. Give style track and set number. Unless stated, measurements given are wall measurements and the factory will make allowances.

ALL ORDERS MUST INCLUDE RETURNS, EXCEPT STYLE 4: CORNER, WITH A 90° BEND

- The definition of return is the distance from the wall to the front side of the rod
- On double rod sets, provide return measurements for both rods

Order Specifications

Bend Style	Cubicle Bend Style	Measurements	Degree of Bend	Wall/Rod Measurement
<input type="checkbox"/> STYLE 1: RECESS	<input type="checkbox"/> CUBICLE STYLE 1: L-SHAPED	A	AB	WALL
<input type="checkbox"/> STYLE 2: BOW	<input type="checkbox"/> CUBICLE STYLE 2: LONG-U	B	BC	ROD
<input type="checkbox"/> STYLE 3: BAY	<input type="checkbox"/> CUBICLE STYLE 3: J-TRACK	C	CD	
<input type="checkbox"/> STYLE 4: CORNER	<input type="checkbox"/> CUBICLE STYLE 4: J-TRACK OFFSET RIGHT	D	DE	
<input type="checkbox"/> STYLE 5: CURVED	<input type="checkbox"/> CUBICLE STYLE 5: J-TRACK OFFSET LEFT	E		
	<input type="checkbox"/> CUBICLE STYLE 6: OBTUSE J-TRACK RIGHT	F		
	<input type="checkbox"/> CUBICLE STYLE 7: OBTUSE J-TRACK LEFT	G		
	<input type="checkbox"/> CUBICLE STYLE 8: STRAIGHT OFFSET RIGHT	H		
	<input type="checkbox"/> CUBICLE STYLE 9: STRAIGHT OFFSET LEFT			
	<input type="checkbox"/> CUBICLE STYLE 10: CURVED			

Bend Styles

STYLE 1: RECESS

For pricing add A, B & C

STYLE 2: BOW

For pricing add A, B, C, D & E

STYLE 3: BAY

For pricing add A, B & C

STYLE 4: CORNER

For pricing add A & B

STYLE 5: CURVED

For pricing add A & B

Cubicle Bend Styles (Architrac® 9046 & 9400 only)

CUBICLE STYLE 1: L-SHAPED

For pricing add A & B

CUBICLE STYLE 2: LONG-U

For pricing add A, B & C

CUBICLE STYLE 3: J-TRACK

For pricing add A, B & C

CUBICLE STYLE 4: J-TRACK OFFSET RIGHT

For pricing add A, B & C

CUBICLE STYLE 5: J-TRACK OFFSET LEFT

For pricing add A, B & C

CUBICLE STYLE 6: OBTUSE J-TRACK RIGHT

For pricing add A, B, C & D

CUBICLE STYLE 7: OBTUSE J-TRACK LEFT

For pricing add A, B, C & D

CUBICLE STYLE 8: STRAIGHT OFFSET RIGHT

For pricing add A & B

CUBICLE STYLE 9: STRAIGHT OFFSET LEFT

For pricing add A & B

CUBICLE STYLE 10: CURVED

For pricing add A & B

/ 166

Architrac® Order Form

- Assembled sets will come standard with 4 carriers per foot (2 ½ drapery fullness on pleated draperies).

Draw Preference

- ☐ ONE-WAY DRAW | STACK LEFT
- ☐ ONE-WAY DRAW | STACK RIGHT
- ☐ TWO-WAY DRAW

Control Type

- ☐ CORD ☐ HAND ☐ BATON

Briza™ Motorization for
Architrac® Series 94001 only.
Max track length 20 ft.

- ☐ BRIZA™ MOTORIZATION
- ☐ BRIZA™ MOTORIZATION WITH
NEO SMART CONTROLLER
- ☐ BRIZA™ MOTORIZATION WITH
SOMFY® MOTOR ADAPTER

Control Location

- ☐ LEFT ☐ RIGHT

Cord Length

" CORD LENGTH (inches)
(standard is 8 feet)

Drapery/Master Carrier Style

- ☐ RIPLEFOLD™ | OVERLAP
- ☐ RIPLEFOLD™ | BUTT MASTER
- ☐ PLEATED | OVERLAP
- ☐ PLEATED | THROUGH FABRIC
- ☐ PLEATED | OVER THE TOP
- ☐ CUBICLE

Ripplefold™ Fullness

- ☐ 120% ☐ 100%
- ☐ 80% ☐ 60%

Mount Style

- ☐ WALL MOUNT
- ☐ CEILING MOUNT

Return Size

- ☐ 3½" ☐ 6"
- ☐ OTHER " (inches)

Extra Parts

- SLIDES
- BRACKETS

Bend Style

Please see reverse
side for bend styles.
Architrac® Only.

Track Only

Select the option below
if you only need a track
with no components.

- ☐ TRACK ONLY -
NO COMPONENTS

Splicing

Rods over 8 ft can be spliced.
Please note splice instructions.

Total Pricing (totals from both sides)

\$
TOTAL ROD COST

\$
TOTAL
COMPONENT COST

\$
PACKING FEE**

\$
TOTAL COST

Architrac®

- There are two handy guides in the price list to help choose the right track; Architrac® at a Glance and Track Performance Data















Architrac® at a Glance

To help determine which system is right for your project, use the guideline below to select the best fit.

ARCHITRAC® SERIES	94001 BEST SELLER	93001	94003	94004 BEST SELLER	94005	9046	9600	K-RAIL
What is your preferred Draw type?								
Cord Draw	*	*						
Hand Baton Draw	*		*	*	*	*	*	*
Briza® Motorized	*							
What is your preferred Drapery Heading type?								
Pleated	*	*	*	*	*	*	*	*
Cubicle	*	*	*	*	*	*	*	*
Ripplefold™	*	*	*	*	*	*	*	*
What is your mounting location?								
Ceiling Mount	*	*	*	*	*	*	*	*
Wall Mount	*	*	*	*	*	*	*	*
Recessed Mount	*	*	*	*	*	*	*	*
Suspension Mount						*	*	
Is an Angular Bend or Curve needed?								
Can be bent*	*	*	*	*	*	*	*	*
Can be curved*	*	*	*	*	*	*	*	*
What is the Track Length?								
One-Way Draw Max Track Length	UP TO 20'	UP TO 16'	UP TO 20'	UP TO 16'	UP TO 16'	UP TO 16'	UP TO 20'	UP TO 16'
Two-Way Draw Max Track Length	UP TO 40'	UP TO 32'	UP TO 20'	UP TO 32'	UP TO 32'	UP TO 32'	UP TO 40'	UP TO 16'
* Architrac Series 94001 with Briza® Motorization max track length is 20'.								
What are the Fabric Weight requirements? (Weight shown is pounds per linear foot)								
One-Way with Cord, Hand/Baton	4 LBS	2 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS
Two-Way with Cord, Hand/Baton	4 LBS	2 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS
One-Way with Briza™	6.75 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Two-Way with Briza™	6.75 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A

* Architrac Series 94001 with Briza® Motorization cannot be bent or curved.

Track Performance Data

STYLE	DESCRIPTION	HEADING STYLE	MOUNT	DRAW	MAX. TRACK LENGTH (FT.)	MAX. FABRIC WEIGHT (LBS.)	LBS. PER FT.
	Superfine® Cord Draw	Pleated	Ceiling, Wall	One-Way	15	15	1
				Two-Way	25	20	0.8
	9000 Regular Cord Draw Can be angular bent using 8" radius or circular curved	Pleated	Ceiling, Wall	One-Way	16	20	1.25
				Two-Way	32	32	1.0
	9003 Heavy Duty Cord Draw	Pleated	Ceiling, Wall	One-Way	16	20	1.25
				Two-Way	32	30	1.0
	93001 Cord Draw Can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	16	32	2
				Two-Way	32	32	1
						1 1/4" Pulley lbs. per ft.	1 1/4" Pulley lbs. per ft.
						32	2
						64	2
						Cord/Hand Briza™	Cord/Hand Briza™
	94001 Cord Draw, Hand/Baton Draw, Briza™ Can be angular bent using 12" radius or circular curved (max) with Briza™ cannot be bent or curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	20	80	100
				Two-Way	40	160	100
						Cord/Hand Briza™	Cord/Hand Briza™
						64	4
						100	4
						160	4
	93601 2" Estate™ Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100
						Cord/Hand Briza™	Cord/Hand Briza™
						64	4
						100	4
						160	4
	9046 Cubicle Hand/Baton Draw Can be angular bent using 8" or 12" radius or circular curved	Pleated	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	9400 Cubicle Hand/Baton Draw Can be angular bent using 12" or 14" radius or circular curved	Pleated	Ceiling, Wall, Recessed, Suspended	One-Way	20	80	4
				Two-Way	40	160	4
	94003 Cubicle Hand/Baton Draw Can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	20	80	4
				Two-Way	40	160	4
	94004 Cubicle Hand/Baton Draw cannot be curved or bent	Pleated, Ripplefold™	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	94005 Cubicle Hand/Baton Draw Can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	84003 1 1/2" K-Rail Hand/Baton Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	4
				Two-Way	16	64	4
	83601 2" Estate™ for Chroma Fascia Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100
						Cord/Hand Briza™	Cord/Hand Briza™
						64	4
						100	4
						160	4
	83611 1 1/2" Estate™ Cord Draw, Hand/Baton Draw, Briza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100
						Cord/Hand Briza™	Cord/Hand Briza™
						64	4
						100	4
						160	4

*Maximum track lengths and maximum fabric weight do not apply to curved track. Check with customer service for feasibility. Send complete specifications and fabric weight.

Architrac®

- Architrac® at a Glance
 - Guide asks six questions to help choose the right track.
 - 1. Draw?
 - 2. Heading?
 - 3. Mount location?
 - 4. Bent or curved?
 - 5. Track length?
 - 6. Fabric weight?
 - Asking these questions narrows down the options.
 - Located at the front of the Architrac section of the price list and the Resource Library on kirsch.com

Architrac® at a Glance

To help determine which system is right for your project, use the guideline below to select the best fit.















ARCHITRAC® SERIES	94001 BEST SELLER	93001	94003	94004 BEST SELLER	94005	9046	9600	K-RAIL
What is your preferred Draw type?								
Cord Draw	*	*						
Hand Baton Draw	*		*	*	*	*	*	*
Briza™ Motorized	*							
What is your preferred Drapery Heading type?								
Pleated	*	*	*	*	*	*	*	*
Cubicle			*	*	*	*	*	*
Ripplefold™	*	*	*	*	*			*
What is your mounting location?								
Ceiling Mount	*	*	*	*	*	*	*	*
Wall Mount	*	*	*	*	*		*	*
Recessed Mount	*	*	*	*	*	*	*	
Suspension Mount						*	*	
Is an Angular Bend or Curve needed?								
Can be bent*	*	*	*	*	*	*	*	
Can be curved*	*	*	*	*	*	*	*	
What is the Track Length?								
One-Way Draw Max Track Length	UP TO 20'	UP TO 16'	UP TO 20'	UP TO 16'	UP TO 16'	UP TO 16'	UP TO 20'	UP TO 16'
Two-Way Draw Max Track Length	UP TO 40'	UP TO 32'	UP TO 20'	UP TO 32'	UP TO 32'	UP TO 32'	UP TO 40'	UP TO 16'
* Architrac Series 94001 with Briza™ Motorization max track length is 20'.								
What are the Fabric Weight requirements? (Weight shown is pounds per linear foot)								
One-Way with Cord, Hand/Baton	4 LBS	2 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS
Two-Way with Cord, Hand/Baton	4 LBS	2 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS	4 LBS
One-Way with Briza™	6.25 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Two-Way with Briza™	6.25 LBS	N/A	N/A	N/A	N/A	N/A	N/A	N/A

* Architrac Series 94001 with Briza™ Motorization cannot be bent or curved.

Architrac®

- Track Performance Data
 - Highlights performance details
 - Draw options
 - Mounting options
 - Max track length
 - Max fabric weight
 - Pounds per foot
 - Located in the appendix part of the price list and the Resource Library on kirsch.com

Track Performance Data


STYLE	DESCRIPTION	HEADING STYLE	MOUNT	DRAW	MAX. TRACK LENGTH (FT.)	MAX. FABRIC WEIGHT (LBS.)	LBS. PER FT.
	Superline® Cord Draw	Pleated	Ceiling, Wall	One-Way	15	15	1
				Two-Way	25	20	0.8
	9000 Regular Cord Draw Can be angular bent using 8" radius or circular curved	Pleated	Ceiling, Wall	One-Way	16	20	1.25
				Two-Way	32	32	1.0
	9003 Heavy Duty Cord Draw	Pleated	Ceiling, Wall	One-Way	16	20	1.25
				Two-Way	32	30	1.0
	93001 Cord Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	-	-	1/4" Pulley lbs. per ft.	1/4" Pulley lbs. per ft.
				One-Way	16	32	2
				Two-Way	32	32	1
	94001 Cord Draw, Britza™ can be angular bent using 12" radius or circular curved (94001 with Britza™ cannot be bent or curved)	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	20	80	100
				Two-Way	40	160	100
	93601 2" Estate™ Cord Draw, Hand/Baton Draw, Britza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100
	9046 Cubicle Hand/Baton Draw can be angular bent using 8" or 12" radius or circular curved	Pleated	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	9600 Cubicle Hand/Baton Draw can be angular bent using 12" or 14" radius or circular curved	Pleated	Ceiling, Wall, Recessed, Suspended	One-Way	20	80	4
				Two-Way	40	160	4
	94003 Cubicle Hand/Baton Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Wall, Recessed	One-Way	20	80	4
				Two-Way	40	160	4
	94004 Cubicle Hand/Baton Draw cannot be curved or bent	Pleated, Ripplefold™	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	94005 Cubicle Hand/Baton Draw can be angular bent using 12" radius or circular curved	Pleated, Ripplefold™	Ceiling, Recessed	One-Way	16	64	4
				Two-Way	32	128	4
	84003 1 1/4" K-Rail Hand/Baton Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	4
				Two-Way	16	64	4
	83601 2" Estate™ for Chroma Fascia Cord Draw, Hand/Baton Draw, Britza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100
	83611 1 1/4" Estate™ Cord Draw, Hand/Baton Draw, Britza™	Pleated, Ripplefold™	Ceiling, Wall	One-Way	16	64	100
				Two-Way	16	64	100

*Maximum track lengths and maximum fabric weight do not apply to curved track. Check with customer service for feasibility. Send complete specifications and fabric weight.


/ 160

Architrac® Cord Draw Tracks

- Series 93001 and 94001 Cord Drawn Tracks
 - Both series are great for
 - Cord draw draperies
 - Pleated and Ripplefold™ heading style
 - Ceiling, wall or recessed mount
 - Bent or curved rods






Series 94001



Series 93001

Architrac® Cord Draw Tracks

- Why recommend Series 94001?
 - Offers Briza™ Motorization operating method
 - Heavy duty, carries more weight, up to 6.25 lbs. per foot (note: weight is for Briza Motorization)
 - Wider track lengths
 - Offers ball bearing carriers
 - Heavy duty ball bearing pulleys – smoother function
 - Intermediate pulley – more draw flexibility
 - Track available in four colors
- Why recommend Series 93001?
 - Lower profile face ($5/8"$ vs $1\ 1/16"$)
 - Ceiling mount without brackets
 - Front loading carriers – easy installation
 - Less expensive than 94001



Architrac® Baton Draw Tracks

- Series 94003, 94004 & 94005 Baton Draw Tracks
 - All three series are great for:
 - Baton draw ONLY
 - Pleated and Ripplefold™ header style
 - Ball bearing carriers & masters offered
 - Ceiling or recessed mount
 - Draperies up to 4 lbs. per foot
 - Tracks available in four colors



White



Bronze






Anodized



Black

Architrac® Baton Draw Tracks

- Why recommend Series 94003?
 - Wall, ceiling or recessed mount
 - Can be bent or curved
 - Wider lengths available (up to 40 feet)
- Why recommend Series 94004?
 - Direct ceiling mount without brackets
 - Lower profile face ($\frac{3}{4}$ " vs 1")
 - Less expensive
- Why recommend Series 94005?
 - Direct ceiling mount without brackets
 - Can be bent or curved



Architrac® Cubicle Tracks

- Series 9046 and 9600 Cubicle Tracks
 - Both series are great for:
 - Baton draw ONLY
 - Cubicle curtains or pleated
 - Ceiling or recessed mount
 - Bent or curved rods
 - Tracks available in four colors



White



Bronze





Anodized



Black



Architrac® Cubicle Tracks

- Why recommend Series 9046?
 - Lower profile face ($1/2''$ vs $11/16''$)
 - Less expensive than 9600
- Why recommend Series 9600?
 - Heavy duty
 - Offers wall and suspension mounts
 - Wheeled carriers for smoother function
 - Wider maximum size



Architrac® Brackets

- 94003 Ceiling Mount Brackets
 - Four colors
- 94003 3" Wall Mount Brackets
 - Four colors
- 94001 and 94003 3", 5" and 6" Wall Mount Base Extension Brackets
 - Four colors



White



Anodized



Bronze




Black

- Note: wall bases will require a ceiling bracket

Architrac® Master Carriers


- General Overview
 - Always a right and a left carrier for each “style”
 - Two types
 1. Overlap Masters
 2. Butt Masters
 - Two qualities
 1. Wheeled (best)
 2. Slide




Architrac® Master Carriers

- Pleated Overlap Master Carriers
 - One type
 - Overlap style
 - One quality
 - Wheeled (best)
 - Ensures closure for light control and privacy

Cord




84103xxx
RH




84104xxx
LH

Baton



84203xxx
RH




84204xxx
LH


Architrac® Master Carriers

- Ripplefold Overlap Master Carriers and Butt Master Carriers
 - Overlap Master Carriers
 - Ensure closure, light control and privacy on split draw draperies
 - Available baton and cord draw
 - Available wheeled and slide
 - Available in white and black (excludes Series 93001)

Cord




84103xxx
RH




84104xxx
LH

Baton



84203xxx
RH



84204xxx
LH

Architrac® Master Carriers

- Ripplefold Overlap Master Carriers and Butt Master Carriers
 - Butt Master Carriers
 - Continuous soft, flowing appearance of draperies
 - Available in baton and cord draw
 - Available in wheeled and slide
 - Available in white and black (excludes Series 93001)
 - Note: certain fabrics are prone to “tenting” which can result in loss of privacy and light control

Cord



Baton





Architrac® Carriers and Slides

- For Pleated and Cubicle Draperies
 - Good – Slides
 - Slides are less expensive
 - Slides along the track
 - Better – Wheeled Carriers
 - Carrier rolls along the track
 - Best – Ball Bearing Carriers
 - Smoothest traversing because the ball bearing reduces drag on the textile as it rolls across the track
 - 16mm colored ball bearing carriers
 - Four colors
 - Reduces stack back by 36%
 - Three holes to adjust pin setting




Architrac® Ripplefold™ Carriers and Pendants

- Two Sided Ripplefold Snap Pendants
 - Available in four colors



White



Black





Bronze



Grey

- Wheeled Ripplefold Carrier Base
 - Available in two colors for all four fullness factors (60%, 80%, 100% and 120%)




White



Black

- 1" Ripplefold Snap Tape
 - Available in three colors



White







Black



Clear

Ripplefold™ Fullness and Carrier Types

- Connected carriers dictate the fullness of draperies
- Wheeled carriers offer smoother function
- Wheeled carriers have removable pendant for easier installation
- Four fullness factors available. Carrier spacing determines drapery fullness and stackback width. For stackback chart please reference the Ripplefold Fabrication Manual on the Resource Library on kirsch.com

↑ Fullest	FULLNESS		APPEARANCE OF	WHEELED CARRIER SPACING
	120%		2.5 x Fullness	1 7/8"
	100%		2 x Fullness	2 1/8"
	80%		1.8 x Fullness	2 3/8"
	60%		1.6 x Fullness	2 5/8"

Architrac®

- All tracks use 3.5mm cord
 - Four colors to color coordinate with track
- Tension Device
 - Four colors to color coordinate with track





@kirsch

Experience more, visit kirsch.com