



# Chlorhexidine Gluconate & Alcohol Disinfectant

# SuperRUB सुपररब

Alcohol Based Hand Sanitizer, Hand Rub and Skin Disinfectant



Passes EN1040, EN1656, EN 1275, EN 1657 European Norms.



Easy to use skin friendly hand rub effective against bacteria including tubercle bacillus, fungi and viruses.

For hygiene and surgical disinfection in operating theatres, intensive care units, OPDs, laboratories, emergency wards, reception desk, waiting lobby area, canteen and various other general & special zones across the hospital premises.

#### For Rapid Hand Disinfection

Use 3 ml of SuperRUB on clean dry hands for minimum 10 seconds. For surgical hand disinfetion use 9 ml and rub it upto elbows for 1.5 to 3 mins.

#### For Skin Disinfection

Apply SuperRUB on operative and pre-operative skin region to be treated. Allow to dry (upto 30 secs) before incision. Paint skin 2-3 times for optimum results.

#### For External Use Only

#### Available In


, wanabie iii		
Pack Size	MRP	
5 Litre	Rs 2500/-	
500 ml Bottle with Pump (Dispenser/Mist/Trigger)	Rs 250/-	
100 ml Bottle (with Mist Spray / Flip-top Cap)	Rs 50/-	







Manufactured By:



More than anything, it's the specialist's personal touch that reassure patients.









A highly effective formulation for those who *care* and *take care*.

WHO Recommended Handrub Formulation - 1

# SuperRUB सुपररब

Alcohol Based Hand Sanitizer, Hand Rub and Skin Disinfectant

Passes EN1500, EN12791 Norms (EU), ASTM E2755 Norms (USA)

#### For Rapid Hand Disinfection

Use 3 ml of SuperRUB WHO 80% on clean dry hands for minimum 10 seconds. For surgical hand disinfection use 9 ml and rub it upto elbows for 1.5 to 3 mins.

#### For Skin Disinfection

Apply SuperRUB WHO 80% on operative and pre-operative skin region to be treated. Allow to dry (upto 30 secs) before incision. Paint skin 2-3 times for optimum results.

#### Available In

Pack Size	MRP
5 Litre	Rs 2500/-
500 ml Bottle with Pump (Dispenser/Mist/Trigger)	Rs 250/-
100 ml Bottle (with Mist Spray / Flip-ton Cap)	Rs 50 /-









SuperRUB 80 % is a complete bactericidal including MRSA, fungicidal, tuberculicidal, and virucidal against enveloped viruses. (including COVID-19)\*

Ref. The World Health Organization Guidelines on Hand Hygiene in Health Care and Their Consensus Recommendations JULY 2009, VOL.30, NO.7



Formulation In Accordance With
World Health Organisation Recommendations

Manufactured Bv:







# SuperRUB सुपररब प्रो PRO 70%

Alcohol Based Hand Sanitizer, Hand Rub and Skin Disinfectant



Passes EN1040, EN1656, EN 1275, EN 1657 European Norms.



**Indications:** Sanitization & Cleansing of hands, Surfaces, Pre injection site, surgical items.

Caution: Keep away from fire or flame and children. In case of contact with eyes, rinse thoroughly with water. In case of irritation discontinue use. Consult a doctor if irritation persists or product is swallowed.

#### For External Use Only

#### Available In

Pack SizeQuantity Per Carton5 Litre2 Cans500 ml Bottle with Pump (Dispenser/Mist/Trigger)20 Bottles250 ml Bottle with Pump (Dispenser/Mist)30 Bottles

250 ml Bottle with Pump (Dispenser/Mist) 100 ml Bottle (with Mist Spray / Flip-top Cap) 25 ml Spray Card

50 Bottles 10 Bottles







Manufactured & Marketed By:





# WHO Recommended Handrub Formulation - 1

# SuperRUB WHO 75%

Alcohol Based Hand Sanitizer, Hand Rub and Skin Disinfectant

Passes EN1500, EN12791 Norms (EU), ASTM E2755 Norms (USA)

#### For Rapid Hand Disinfection

Use 3 ml of SuperRUB WHO 75% on clean dry hands for minimum 10 seconds. For surgical hand disinfection use 9 ml and rub it upto elbows for 1.5 to 3 mins.

#### For Skin Disinfection

Apply SuperRUB WHO 75% on operative and pre-operative skin region to be treated. Allow to dry (upto 30 secs) before incision. Paint skin 2-3 times for optimum results.

#### Available In

Pack Size Quar	ntity Per Carton
5 Litre	2 Cans
500 ml Bottle with Pump (Dispenser/Mist/Trigger	r) 20 Bottles
250 ml Bottle with Pump (Dispenser/Mist)	30 Bottles
100 ml Bottle (with Mist Spray / Flip-top Cap)	50 Bottles
25 ml Spray Card	10 Bottles





Handrub Formulation - 1
SuperRUB

Alcohol Based Hand Sanitizer, Hand Rub and Skin Disinfectant

World Health Organization

HEALTH SECURE

WHO 75%

 $\bigcirc$ 




SuperRUB 75% is a complete bactericidal including MRSA, fungicidal, tuberculicidal, and virucidal against enveloped viruses. (including COVID-19)\*

Ref. The World Health Organization Guidelines on Hand Hygiene in Health Care and Their Consensus Recommendations JULY 2009, VOL.30, NO.7



Formulation In Accordance With World Health Organisation Recommendations

Manufactured & Marketed By:



C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration

For Feedback & Queries:

Call Customer Care: +91 8100 77 8100 Email: customercare@healthsecure.co.in Website: www.healthsecure.co.in



HEALTH SECURE



Alcohol-Based Hand Rub (ABHR)

## SuperRUB PRO सुपररब प्रो

Aldehyde Free Alcohol Based Hand Sanitizer, Hand Rub And Skin Disinfectant









Passes EN 1499, EN1500, EN12791, EN13727, EN13624, EN 14348 European Norms.

Easy to use skin friendly hand rub. Effective against bacteria including tubercle bacillus, fungi and viruses.

#### For External Use Only

#### For Skin Disinfection:

Apply SuperRUB PRO on operative and pre-operative skin region to be treated, and allow to dry (upto 30 secs) before incision.

#### **Precautions:**

Store in a cool place. Avoid direct contact with eyes. Keep out of reach of children. Do not use with water and towel.

#### **Composition:**

2-Propanol IP	45% w/w
1-Propanol IP	30% w/w
Ammonium Ethyl Sulphate	0.2% w/w
(Mecetronium Ethyl Sulphate)	
Aqueous Base	q.s.
With Emollients And Moisturizer	

Perfume Free

Colour: Brilliant Blue FCF & Tartrazine

**Prevents Skin Irritation** 

#### Available In

Pack Size	MRP
100 ml	Rs 190/-
5 Litre	Rs 3600/-
500 ml Bottle with Pump (Dispenser/Mist/Trigger)	Rs 650/-

Manufactured By:





Povidone-Iodine Gargle

SuperDON

Germicide Gargle 1%

सुपरडॉन गार्गल

HOSPIT An exclusive hospital range



SuperDON 1% Gargle is an antiseptic and disinfectant agent that is used as a mouthwash to kill germs that cause infections of the mouth. It also relieves dryness of the mouth and sore throat.

#### **Uses of SuperDON1% Gargle**

- Treatment of Mouth infection
- Treatment of Sore throat
- Treatment of Dry mouth
- Treatment and prevention of Wound

#### How to use SuperDON Gargle:

This medicine is for external use only. Use this medicine in the dose and duration as advised by your doctor. Do not dilute the solution. Gargle in the mouth for at least 30 seconds and spit after use.

#### How SuperDON Gargle works:

SuperDON 1% Gargle Mint is an antiseptic medicine. When used as a mouthwash, it kills harmful microorganisms of your mouth. This is how it works to prevent and treat infections.

#### Composition:

Povidone-Iodine IP 1% w/v
Available Iodine 0.1% w/v
Excipients q.s

Pack Size: 100 ml





Manufactured & Marketed By:



C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration

For Feedback & Queries:

Call Customer Care: +91 8100 77 8100 Email: customercare@healthsecure.co.in Website: www.healthsecure.co.in



# SuperRUB S-25 Surface and Equipment Disinfectant

# For the sector that is epitome of hygiene and cleanliness!











Ethanol, 2-Propanol And 1-Propanol Solution

# SuperRUB<sup>™</sup>S-25

Surface and Equipment Disinfectant

Instant disinfection within 25 seconds.

Effective against bacteria, fungi, and viruses.

Infused with corrosion inhibitors.

For External Use Only Keep Away From Eyes



#### **Areas of Application:**

Electronic devices, imaging machines, respirators, ventilators, cardiac monitors, emergency trolleys, CT scanners, haemo-dialysis systems, operation tables, and lights etc.

Emergency disinfection of operation theatre in between surgeries, ICU, ICCU, NICU, CT Scan.

Pharmaceutical sterile sections.



Trusted by Healthcare, Hospitality, and Various Hygiene Concious Industries.

#### **Composition:**


Ethanol (Denatured with 1% DEP) 2-Propanol IP 1-Propanol BP

10 % w/w 9 % w/w 6 % w/w

#### **Precautions:**

No disinfection to be done when combustible vapours are present within the room. Hot surfaces must be cooled sufficiently before using SuperRUB S-25. Do not use if electronic devices are in use.

Manufactured By:





# Wash it, clean it, be safe.







Chlorhexidine Gluconate Surgical Hand Wash 4.0 % w/v

# SuperRUB सपररब

Hand & Body Wash, Disinfictant Solution

Topical Antiseptic Solution Enriched With Emollient And Moisturiser









TAKE

WASH

RINSE

DRY

#### **Composition:**

Chlorhexidine Gluconate Solution IP Eq. to Chlorhexidine Gluconate With Emollient and Moisturizer.

Colour: Carmoisine

20.0 % w/v 4.0 % w/v Keep away from eyes.

Keep out of reach of children.

If swallowed, get medical help immediately.

Do not dilute it or mix it with detergent or any other chemical.

Store in cool and dry place.

#### **Uses:**

For antimicrobial hand washing and surgical hand washing. For pre-operative body washing and skin preparation.

#### Available In

Pack SizeQuantity Per Carton120 ml Bottle with Pump (Dispenser)100 Bottles250 ml Bottle with Pump (Dispenser)50 Bottles500 ml Bottle with Pump (Dispenser)20 Bottles5 Litre Can2 Cans

SuperRUB













- SuperLLP Light Liquid Paraffin belongs to the group of medicines called 'laxatives' used to treat constipation in conditions like piles, fistula, fissure, pre/post-operative conditions, elderly and bed-ridden patients.
- SuperLLP is a lubricant that works by lubricating the bowels and softens the stools, it helps relieve Constipation.

#### **Directions for Use:**

You can take SuperLLP with or without food, shake the bottle well before each use.

#### Storage:

Store in a cool and dry place away from sunlight.

#### **Composition:**

Liquid Paraffin IP

Pack Size: 120 ml - MRP: Rs 82/-

Pack Size: 500 ml - MRP: Rs 340/-









C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration

For Feedback & Queries: Call Customer Care: +91 8100 77 8100 Email: customercare@healthsecure.co.in Website: www.healthsecure.co.in



Glutaraldehyde is a used for cold sterilization of medical and dental equipment. It is used to disinfect equipment's like dialysis instruments, surgical instruments, suction bottles, endoscopes, ENT instruments.

Glutaraldehyde based products are effective sterilises and disinfectants for medical devices that cannot be steam sterilants, are particularly heat sensitive, for lensed instruments that are commonly subjected to high-level disinfection between patient uses.

#### **Available Composition:**

SuperDEX 2.45% : Gluteraldehyde 2.45% w/v SuperDEX 2.0% : Gluteraldehyde 2.0% w/v



### **SuperDEX 2.0%** and **2.45%** (With Liquid Activator) is a high level disinfectant for heat sensitive Instruements and anaesthesia accessories.

#### Uses:

SuperDEX 2.0% and 2.45% is use for disinfection and Sterilization of:

- Dental and medical equipment
- Heat-sensitive instruments, such as endoscopes, bronchoscopes, and dialysis equipment.
- Endoscopes.
- Instruments that are made of metal, glass, plastics, stainless steel and rubber.
- Disinfection of histology/pathology laboratory table tops.

#### **Directions For Use:**

- Activate the Glutaraldehyde solution by adding the entire contents of the Activator Plus activator vial which is attached to the Glutaraldehyde solution container. Shake well.
- Activated solution immediately changes color to bluish-green, thereby indicating solution is ready to use.
- Glutaraldehyde solution is intended for use in the manual (bucket and tray) systems made from polypropylene, ABS, polyethylene, glass-filled polypropylene or specially molded polycarbonate plastics.
- Immersion Time:

Total Disinfection: 10min-15minutes

Total Sterilization: 10 hours

#### **Precautions:**

- Protective gloves (butyl rubber, nitrile rubber, polyetylene or double-gloved latex), eye protection, face masks, and liquid-proof gowns should be worn when cleaning and sterilizing/disinfecting soiled devices and equipment.
- Contaminated, reusable devices MUST BE THOOUGHLY CLEANED prior to disinfection or sterilization, because residual contamination will decrease effectiveness of the germicide.
- The reusable device manufacturer should provide the user with a validated reprocessing procedure for that device using Glutaraldehyde.
- Avoid contamination of food.
- Use in well-ventilated area in closed containers.

#### **Packing Size:**

• 5 Litre Jars.













Glycerine IP







- Hydrate the outer layer of the skin (stratum corneum)
- Improve skin barrier function
- Provide protection against skin irritants
- Accelerate wound-healing processes
- Relieve dry skin
- May help with psoriasis

**COMPOSITION: - Glycerine IP** 

#### How to use on Skin

- First, rinse your face with cold water.
- Put glycerin on a cotton pad or tissue and gently blot your face.
- Let the glycerin absorb into your skin for a few minutes.
- Gently rinse off the glycerin with water.

Pack Size: 120 ml - MRP: Rs 72/-

Pack Size: 500 ml - MRP: Rs 299/-









C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration



Hydrogen Peroxide Solution is an antiseptic and antifungal agent used on the wounded skin to prevent infection. When applied to the skin, it releases oxygen and causes effervescence (foams). This helps remove dead skin and cleans the wound making the recovery process faster.

#### **DIRECTION FOR USES:**

- Hydrogen Peroxide Solution is for external use only. You should always use it exactly as your doctor has told you.
- The affected area should be clean and dry before application. You must wash your hands thoroughly before and after applying this medicine. This medicine should be used regularly to get the most benefit from it.

#### **COMPOSITION:**

Hydrogen Peroxide Solution 6% w/v

PACK SIZE: 500ml /5 Litre





Manufactured & Marketed By:





Benzyl benzoate is used to treat lice and scabies infestations. This medicine is believed to be absorbed by the lice and mites and to destroy them by acting on their nervous system.

#### Direction For Use This Medicine For Lice:

- If your hair has any cream, lotion, ointment, or oil-based product on it, shampoo, rinse, and dry your hair and scalp well before applying benzyl benzoate.
- Apply enough medicine to thoroughly wet the dry hair and scalp or skin.
- Allow the medicine to remain on the affected areas for 24 hours.
- Then, thoroughly wash the affected areas with warm water and soap or regular shampoo.
- Rinse thoroughly and dry with a clean towel.
- After rinsing and drying, use a fine-toothed comb (less than 0.3 mm between the teeth) to remove any remaining nits (eggs) or nit shells from your hair, or, if you have fine hair, you may use a tweezer or your fingernails to pick nits out.

#### **Direction For Use This Medicine For Scabies:**

- If your skin has any cream, lotion, ointment, or oil on it, wash, rinse, and dry your skin well before applying benzyl benzoate.
- If you take a bath or shower before using benzyl benzoate, dry the skin well before applying the medicine.
- Allow the medicine to remain on the body for 24 hours.
- Then, thoroughly wash the body with warm water and soap.

#### Composition:

Benzyl Benzoate IP 25 % w/v Emulsified base QS

Pack Size: 100 ml/400 ml





Manufactured & Marketed By:



Trademark Under Registration



- Calamine is used to relieve the itching, pain, and discomfort of minor skin irritations, such as those caused by poison ivy, poison oak, and poison sumac.
- This medicine also dries oozing and weeping caused by poison ivy, poison oak, and poison sumac.

#### **How To Use Calamine Lotion:**

- Use this medication on the skin only.
- Follow all directions on the product package, or use as directed by your doctor.
- Shake the bottle well before using.
- Apply the medication with a cotton pad, and allow the medication to dry on the skin.

#### Composition:

Calamine IP 15% w/v Zinc Oxide IP 5% w/v Bentonite IP 3% w/v Sodium Citrate IP 0.5 % w/v Liquefied Phenol IP 0.5% v/v Glycerin IP 5% v/v **Purified Water IP OS** 

Pack Size: 100 ml







HOSPIT An exclusive hospital range

Manufactured & Marketed By:



C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration

For Feedback & Queries:

Call Customer Care: +91 8100 77 8100 Email: customercare@healthsecure.co.in Website: www.healthsecure.co.in





**SuperRUB** *CHG* 80%-85% सुपररब सीएचजी



#### SuperRUB CHG 80-85% Features

- SuperRUB CHG 80-85% is microbicidal against all bacteria including MRSA, EHEC, Fungi and viruses. It has residual.
- Effect throughout the procedure.
- No staining as Bacto Prepis colourless.
- Rapid healing of skin after surgery.
- SuperRUB CHG 80-85% is highly effective in the prevention of CRBSI\* and CVC colonization.
- Bacto Prep can be used to clean the site prior to CVC insertion and also the maintenance of catheters.
- Bacto Prep does not need more than 1 wet swab; highly economical for preparation of surgical skin.

#### Mode Of Use

- Ready to use without dilution. Use externally and undiluted only.
- Skin disinfection: Wet with swab of SuperRUB CHG 80-85% the area to be disinfected and allow to dry.
- Dries up quickly within 30 seconds.
- Exposure time at least 15 seconds.

#### **Precaution**

- Store in a cool place, protect from light.
- Keep out of eyes and reach of children.

#### **Precaution**

 Centres for Disease Control and Prevention - USA, recommends use of Tincture of 2% Chlorhexidine gluconate preparation in place of either 10% povidone iodine or 70% alcohol.

#### **SuperRUB CHG 80% Composition**


Chlorhexiduine Gluconate 2.5% w/v equivalent to Chlorhexidine Gluconate (0.5% w/v) Ethanol DEP (80% v/v) Glycerin IP (0.9% w/v) Myristyl alcohol IP (0.4% w/v) with Emollient and Moisturizer

#### **SuperRUB CHG 85% Composition**

Chlorhexiduine Gluconate 2.5% w/v equivalent to Chlorhexidine Gluconate (0.5% w/v) **Ethanol DEP** (85.5% v/v) Glycerin IP (0.9% w/v) Myristyl alcohol IP (0.4% w/v) with Emollient and Moisturizer

Manufactured By:





- Iodine Tincture is an over-the-counter product used to treat minor bacterial skin.
- Iodine Tincture contains iodine which is an antiseptic. It is for use on minor wounds, cuts and scrapes.

#### **Direction For Uses:**

- Do not use for long periods.
- Do not use on large open wounds.
- Do not cover with a dressing after use.
- This medicine should not be used in your eyes, inside your body, or over large areas of skin. If this medicine does get in your eyes, nose, or mouth, rinse it off right away.
- Wash your hands with soap and water before and after you use this medicine.

#### **Composition:**

Iodine USP 2 %w/v Sodium Iodide USP 2.4 % w/v Alcohol USP 44 to 50 % v/v

Pack Size: 20ml / 100ml







**HOSPIT** | An exclusive hospital range

Manufactured & Marketed By:



C-10. M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration

For Feedback & Queries: Call Customer Care: +91 8100 77 8100 Email: customercare@healthsecure.co.in Website: www.healthsecure.co.in



- It is common disinfectant in OPD, Operation theaters, Surface cleaning.
- It is use for Patient sterilization.
- It is use for Surgical Instrument Sterilization.
- It is use to remove stains from clothing.

#### Safety:

- Store in well-Ventilated area.
- Avoid Inhalation.
- Keep away from eyes.

#### Composition:

Special Denatured Spirit

Pack Size: 400 ml/5 L











C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration

For Feedback & Queries: Email: customercare@healthsecure.co.in Website: www.healthsecure.co.in



- Surgical Spirit acts to tighten, harden and disinfect the outer layer of the skin.
- Used to clean wounds and cuts.
- To prevent bed sores.

#### **Direction For Uses:**

• Apply directly to the skin with cotton wool.

#### **Composition:**

Methyl Salicylate BP 0.5 % v/v Diethyl Phthalate BP 2 % v/v Castor Oil BP 2.5 % v/v Industrial Methylated Spirit QS

Pack Size: 100 ML/400 ML/5 L





Manufactured & Marketed By:



C-10. M.I.D.C. Taloia, Dist. Raigad Maharashtra - 410208 INDIA

"Trademark Under Registration

For Feedback & Queries:
Call Customer Care: +91 8100 77 8100
Email: customercare@healthsecure.co.i
Website: www.healthsecure.co.in



SuperDTOL destroys all disease causing organisms, including viruses, bacteria, fungi, protozoa, yeasts and spores, making it ideal for routine disinfection of floors, walls and ceilings of livestock pens, stables and poultry houses.

#### **USES:**

- 1) SuperDTOL is use to cleanse and help protect against infection from minor skin cuts, scratches and insect bites.
- 2) It can also used as a household disinfectant on surfaces.
- 3) To freshen linen by adding it to your laundry rinse cycle.
- 4) SuperDTOL is a highly effective all purpose disinfectant and cleaner, for use on all surfaces.
- 5) SuperDTOL is non-staining and non-corrosive, making it a convenient disinfectant.

#### **DIRECTION FOR USES:**

#### Use as an antiseptic 1:20 diluted mixture

- Feel refreshed and really clean, add 30 ml while bathing
- Freshen linen, nappies or laundry items, add 30 ml to the rinse cycle
- Disinfect surfaces 1:20 diluted mixture

#### **COMPOSITION:**

Chloroxylenol IP Terpineol IP Alcohol Absolute Denatured 4.8 % W/V 9 % V/V

13.1 % W/V





**HOSPIT** | An exclusive hospital range

Manufactured & Marketed By:



Trademark Under Registration



# SuperFOG

## सुपरफॉग

Aerial Fumigant Surface and Water Disinfectant Solution.







#### **Uses:**

This Silver Nitrate (Silver Ion) and Hydrogen Peroxide Disinfectant Liquid 1 Litre or 5 Litre CDC and WHO approved forumations is most widely used to disinfect indoor surfaces such as Furniture, Desks, Door Knobs, Carpets, Sofas.

#### For aerial terminal disinfection

Prepare 20% solution i.e. 200 ml. of SuperFOG into 800 ml of water Room should be thoroughly cleaned before fogging Put on A.C. after 1 hour of fogging Fogger should be adjusted ar 45 degree Adjust flow rate.

Dilution ratio/Cu.ft. area			
Area Cu.ft	Dilution Ratio	Fogging duration at lowest setting	Contact time
1000	200 ml in 800 ml	20 min	1h
2000	400 ml in 1600 ml	40 min	1h
3000	800 ml in 2200 ml	80 min	1h

#### For mopping & surface cleaning

Prepare 5% solution of SuperFOG 50 ml into 1 Litre of water Mop or wipe surface of furniture and floor of O.T. gently with lint free clothes for water disinfection.

Dosage V	Vater
500 ml SuperFOG into 1	000 litre 8 hrs 000 litre 6 hrs 000 litre 2 hrs

#### Pack Size: 1 Litre /5 Litre

#### **Composition:**

Stabilized Hydrogen Peroxide 11% w/v Diluted Silver Nitrate Solution 0.01% w/v





**HOSPIT** | An exclusive hospital range

Manufactured & Marketed By:




C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration

For Feedback & Queries: Call Customer Care: +91 8100 77 8100

Email: customercare@healthsecure.co.in
Website: www.healthsecure.co.in



#### **Areas of Application:**

- Electronic devices, imaging machines, respirators, ventilators, cardiac monitors, emergency trolleys, CT scanners, haemo-dialysis systems, operation tables, and lights etc.
- Emergency disinfection of operation theatre in between surgeries, ICU, ICCU, NICU, CT Scan.
- Pharmaceutical sterile sections.

#### **Precautions:**

No disinfection to be done when combustible vapours are present within the room. Hot surfaces must be cooled sufficiently before using SuperEQP. Do not use if electronic devices are in use.

#### **Composition:**

Each 100 gm contains 2-Propanol IP 40 gm. 1-Propanol 22 gm.





HOSPIT An exclusive hospital range


Manufactured & Marketed By:



C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

TM\_ Trademark Under Registration For Feedback & Queries:

Call Customer Care: +91 8100 77 8100 Email: customercare@healthsecure.co.in Website: www.healthsecure.co.in



Broad Spectrum Bactericidal, Fungicidal, Virucidal, Sporicidal Antiseptic

Microbicidal Powder



- SuperDON POWDER belongs to the class of medications called 'antiseptic and disinfectant' primarily used to treat and prevent skin soinfections in minor burns, lacerations (deep cut in the skin), cuts, and abrasions.
- It also helps to treat infections of the lining of the mouth and throat, such as gingivitis and mouth ulcers.
- SuperDON POWDER is also used in infection control during insertion and care of urinary catheters, circumcision (removal of the foreskin from the human penis), suture removal and dressing changes.
- It is also used for degerming the intravenous devices in blood transfusions, hyperalimentation (artificial supply of nutrients), cutdowns, and central venous line

#### **COMPOSITION:**

Povidone-lodine 5% w/w, (Available iodine 0.5% w/w)

PACK SIZE: - 10gm





**HOSPIT** An exclusive hospital range





Effective against all Bacteria & Fungi Chlorine Free Formula



SuperFAB is useful For Cleaning and Disinfection of

- Hospital linen.
- Reusable Surgical Dressings.
- Removing foul Smell.
- Linen with Blood stains.
- · Patients clothing.

#### **Features:**

- Extra high cleansing power.
- Fabric protectors.
- Excellent leave-behind fragrance, and removes all bad odors.
- Chlorine-free formula, therefore, excellent for white and colored linen.
- Blood dissolving capacity.
- Total disinfection without the addition of any other cleansing agent.
- Removal of fresh stains.
- Excellent moistening capacity.

#### Pack Size:

• 500 ml / 5 litres

#### **Directions For Use:**

- 1) For Infected Linen
- Pre-Soak Infected Linen in SuperFAB Solution for half hour.
- Use 100 ml of SuperFAB in 10 Litres of Water.
- 2) For Non-Infected Linen
- Pre-Soak Non-infected Linen in SuperFAB Solution for half hour
- Use 50 ml of SuperFAB in 10 Litres of water.

#### **Composition:**

Each 100 gms contain Didecyl Dimethyl Ammonium Chloride 7.0 gms Perfume 0.5 gms







HOSPIT An exclusive hospital range

Manufactured & Marketed By:



C-10, M.I.D.C. Taloja, Dist. Raigad Maharashtra - 410208 INDIA

Trademark Under Registration

For Feedback & Queries: Call Customer Care: +91 8100 77 8100 Email: customercare@healthsecure.co.in Website: www.healthsecure.co.in



SuperC-OFF Cough Formula

सुपर सी ऑफ

**Cough Syrup** 

Diphenhydramine Hydrochloride, Ammonium Chloride & Sodium Citrate Syrup

#### Uses

**Super C-OFF** Syrup is used to treat cough and cold, especially associated with phlegm. It is also used to relieve symptoms like sneezing, a runny nose, watery eyes and a stuffy nose. Take this medicine in the dose and duration as advised by your doctor. Check the label for directions before use. Measure it with a measuring cup and take it by mouth. Shake well before use. **Super C-OFF** Syrup may be taken with or without food, but it is better to take it at a fixed time.

#### **Medicine Activity**

Super C-OFF is a cough reliever made comprised of four different medicines: ammonium chloride, sodium citrate, diphenhydramine, and menthol. Ammonium chloride is an expectorant that acts by reducing the stickiness of airway secretions and assisting in their evacuation. Sodium citrate is a mucolytic, meaning it thins and loosens mucus (phlegm) to make coughing easier. Antiallergic diphenhydramine improves allergy symptoms such as runny nose, watery eyes, and sneezing. Menthol is an organic component that gives off a cooling sensation and soothes minor throat irritation.

#### **Composition:**

Each 5 ml Contains:

Diphenhydramine Hydrochloride IP

Sodium Citrate IP 50 mg
Ammonium Chloride IP 100 mg
Menthol IP 0.5 mg

Colour: Ponnceau 4R

In Pleasantly Flavoured Mentholated Syrup Base

#### **Side Effects**

The majority of side effects are minor and will go away as your body adjusts to the medicine. If they don't go away or you're concerned about them, see your doctor. Adverse Effects of Biodryl Syrup Stomach pain/epigastric pain, Allergic reaction, Sleepiness, Dizziness, Thickened respiratory tract secretions, Impaired coordination.

Pack Size: 100 ml

MRP: 80 Rs

Manufactured & Marketed Bv:

