
The Art **Of** Quartz






www.umistone.com

www.pompeiiquartz.com



Inspired by the beauty of natural stone, our team has mastered the creation of a surface that reflects a fresh natural complexion and compliments a modern lifestyle. Pompeii Quartz is recognized for its beauty, quality and effortless care. Our extensive color palette and variety of patterns and styles are sure to be the solution to all of your creative design projects.



ABOUT

Pompeii Quartz TM is a natural surface material made from pure and natural quartz. It is bound with resin, inorganic pigments and manufactured with the most advanced machinery, Breton Technology.

EXPERIENCE THE BENEFITS OF POMPEII QUARTZ

- Exceptionally resistant to heat, cracking, chipping, scratching and abrasion
- Remarkably stain resistant
- Highly resistant to chemicals and acids
- Resistant to molds, mildew and bacteria
- Extremely dense with minimal absorption
- Simple to clean with soap and water
- Limited 15-year warranty
- For Care and Maintenance (*Please visit www.pompeiiquartz.com*)

ECO-FRIENDLY PRODUCTION PROCESS


Pompeii Quartz is certified by NSF for food safety (ANSI 051). The Product is also certified by Green Guard as being free of volatile organic compounds, contributing to LEED status. Our products are certified safe for indoor air quality of commercial and residential facilities as well as for children and schools.

Pompeii Quartz surfaces are anti-microbial in accordance with ASTM D6329-98 (2003). The product is also non-porous, stain resistant and easy to clean requiring minimal maintenance. The plant and process for manufacturing of Pompeii Quartz does not pollute the environment and is controlled under the ISO 14001:2004 management system. All the processes preserve the environmental balance and comply with the strictest standards and does not release any polluting gaseous or sound emissions into the atmosphere. All water used in the production is recycled.

Disclaimer: Pompeii Quartz is made with natural stone products and shade variation is inherent. We make every effort to keep color variation to a minimum. These photos are representative of the color but may vary from the material you actually receive.

FLORIDA COLLECTION

A harmonic marriage between classic Italian roots and beauty of the Sunshine State, this premium line creates a luxurious interior space that compliments the environment.




Bianco Napoli

Bianco Napoli makes a creative use of thin but distinct veins with a cool white and grey background.



Lincoln - BQ8616



Venato - BQ8920



Greylac - BQ8738



Statuario - BQ8628






Misterio - BQ8815 www.pompeiiquartz.com



White Macaubas - BQ8669



Diamante

From Pompeii's Florida collection, Diamante features the same base as Argento but with a distinct dark vein. This selection is enhanced with a touch of sparkle, adding a bit of glamour to any space.




Argento - BQ8780



Avorio - BQ9606



Acacia - BQ9610



Thunder Grey - BQ8716



Tidewater

Influenced by Florida's coastline, surround yourself with the ocean blue waves of Tidewater, sure to create a space that is flowing with inspiration.



Cemento - BQ8730





Avalanche - BQ8829



Eclipse - BQ8840

VALLEY COLLECTION

Our newest addition to Pompeii Quartz, this collection impresses with subtle colors, adding sophistication to both space and budget.

(Recycled (**J3**) Jumbo Size Available in 3cm Slabs (**J2**) Jumbo Size Available in 2cm Slabs (**B**) Brushed Finish (J2)(J3)

BQ2600



Valley White demonstrates an alabaster base, infused with subtle speckles and soft veining throughout.

The Art **Of** Quartz



Valley Grey - BQ2607



Valley Frost - BQ2609



Valley Sand - BQ2605

NATURAL COLLECTION

(**J3**) Jumbo Size Available in 3cm Slabs

(**J2**) Jumbo Size Available in 2cm Slabs

В

(Recycled



Blue Savoy


Blue Savoy is a unique blend of thread-like veins fading in and out of a vibrant grey background.







Concreto Honed - BQ8860





Barcelona - BQ8430



Ondulato - BQ8710



White Lightning - BQ8440



Uliano - BQ8806



Dolce Vita - BQ8590

The Art **Of** Quartz





Icicle - BQ8668



Taj Mahal Pearl - BQ9453



Lagos - BQ8618



Chateau - BQ8370 www.pompeiiquartz.com

Cloud Nine - BQ8583



White Mist- BQ2088





Black Magic - BQ8812

(J3) Jumbo Size Available in 3cm Slabs (J2) Jumbo Size Available in 2cm Slabs











Willow - BQ9415



Galaxy - BQ9470



Cosmic - BQ9427



Milky Way - BQ9418



Keewaydin - BQ9420



Cashmere - BQ9419



Macchiato - BQ9310

Natural Collection





(**J3**) Jumbo Size Available in 3cm Slabs

(**J2**) Jumbo Size Available in 2cm Slabs




(Recycled





Inspired by natural stone of the same name, this material features white veins and sand flecks for a beautifully refined look.



Extra Extra - BQ100




Sparkle White - BC190



Rock Salt - BQ1080



Butter Creme - BQ8100



Moonstone - BQ940



Pure White - BQ200



White Cloud - BQ850



Beach White - BQ900



Stonewashed - BQ700



Sand Bar - BS160



Altea - BS182



New Aztec Gold - BQ9160



Cement - BS250



Captiva Cream - BS300



Sparkle Grey - BC217



Brown Sugar - BS170



Taupe - BQ8437



White Sand - BS390



Pepper Spice - BQ980



Autumn - BQ2030



Sunny Pearl - BQ370



Silver Lake - BQ982



Grey Emperador - BQ8712



Leather Jacket - BS120



Sparkle Black - BC1000



Espresso - BQ9250



Portabello - BQ2202



Wood Ash - BS124



Lavastone - BQ2020



Black Night - BQ2101

PRODUCT SIZES

PRODUCT REVIEW

MATERIAL	S	QUARTZ	GRANITE	LAMINATE	SOLID SURFACE
SCRATCH RE	ESISTANCE				
STAIN RESIS	TANCE				
CHIP AND C	RACK RESISTANCE				
HEAT AND BURN RESISTANCE					
RESISTANCE TO HOUSEHOLD CHEMICALS ACIDS AND SOLVENTS					
LOW MAINTENANCE					
NON-ABSORBENCY AND NON-POROSITY					
MOLD AND MILDEW RESISTANCE					
FLEXURAL STRENGTH					
COLOR CONSISTENCY					
IMMUNITY TO FREEZE AND THAW					
KEY	Excellent Good				

1.2 CM Regular and Jumbo slabs are available by special order. If size is not represented, material can be available by special order.

SLAB SIZES

Size	Thicknesses
65" x 130" (Select Colors)	3 cm Jumbo Slab 2 cm Jumbo Slab 1.2 cm Jumbo Slab
56" x 119"	3 cm Full Slab 2 cm Full Slab 1.2 cm Full Slab
28" x 119"	3 cm Half Slab 2 cm Half Slab

THICKNESS REPRESENTATION

______ 2 cm

3 cm

Jumbo Size 65" x 130"	

Regular size 56" x 119"

1/2 slab size 28" x 119"

REFERENCE INFORMATION

TECHNICAL SPECIFICATIONS


SPECIFICATIONS	TEST METHOD	RESULT	
	ASTM C97/C97M-09:2009	≤ 0.05%	
Water Absorption (% by weight)	EN 14617-1:2013	≤ 0.06%	
Associate Despite	ASTM C97 /C97M-09:2009		
Apparent Density	EN 14617-1:2013	2.2 -2.4 gr/cm	
Flexural Strength	ASTM C880/C880M-09:2009	>40 MPa	
	EN 14617-2:2008		
Dimension Stability	EN 14617-12:2012	Class A	
Electrical Stability	EN 14617-13:2013	Volume resistance (R _V)=0.9 x 10 ¹⁴ $\Omega_{\rm c}$ Volume resistance (P _V) = 4.88 x 10 ⁻¹ Ω m	
Impact Resistance	ASTM D1709:2015	· ≥30J	
Impact Resistance	EN 14617-9:2005	≤ 30 1	
Compressive Strength	ASTM C170/C170M-09:2009	≥ 155 MPa	
Compressive Strength	EN 14617-15:2005		
Mohs Scale of Hardness	ENIOI	6.0-7.0	
	EN101 ASTM C1243:2009		
Mohs Scale of Hardness Resistance to Deep Abrasion		6.0-7.0 • Volume of chord: V ≤ 195mm ³	
Resistance to Deep Abrasion	ASTM C1243:2009		
	ASTM C1243:2009 EN 14617-4:2012	- Volume of chord: V ≤ 195mm ³	
Resistance to Deep Abrasion	ASTM C1243:2009 EN 14617-4:2012 ASTM C1026:2013	Volume of chord: V ≤ 195mm ³ No defects after 15 freeze-thaw cycles	
Resistance to Deep Abrasion Freeze-Thaw Resistance	ASTM C1243:2009 EN 14617-4:2012 ASTM C1026:2013 EN 14617-5:2012	Volume of chord: V ≤ 195mm ³ No defects after 15 freeze-thaw cycles No defects after 25 freeze-thaw cycles	
Resistance to Deep Abrasion Freeze-Thaw Resistance Slip Resistance at Honed 400	ASTM C1243:2009 EN 14617-4:2012 ASTM C1026:2013 EN 14617-5:2012 DIN 51130:2004	Volume of chord: V ≤ 195mm ³ No defects after 15 freeze-thaw cycles No defects after 25 freeze-thaw cycles R9-R10	
Resistance to Deep Abrasion Freeze-Thaw Resistance Slip Resistance at Honed 400 Microbial Resistance	ASTM C1243:2009 EN 14617-4:2012 ASTM C1026:2013 EN 14617-5:2012 DIN 51130:2004 ASTM D 6329:2015	Volume of chord: V ≤ 195mm ³ No defects after 15 freeze-thaw cycles No defects after 25 freeze-thaw cycles R9-R10 Ranking 3: Resistant to Mold Growth	
Resistance to Deep Abrasion Freeze-Thaw Resistance Slip Resistance at Honed 400 Microbial Resistance Chemical Resistance to Acids	ASTM C1243:2009 EN 14617-4:2012 ASTM C1026:2013 EN 14617-5:2012 DIN 51130:2004 ASTM D 6329:2015 EN 14617-10:2012	Volume of chord: V ≤ 195mm ³ No defects after 15 freeze-thaw cycles No defects after 25 freeze-thaw cycles R9-R10 Ranking 3: Resistant to Mold Growth Class C ₄	
Resistance to Deep Abrasion Freeze-Thaw Resistance Slip Resistance at Honed 400 Microbial Resistance Chemical Resistance to Acids Thermal Shock Resistance Determination of Resistance to Immersion in Boiling	ASTM C1243:2009 EN 14617-4:2012 ASTM C1026:2013 EN 14617-5:2012 DIN 51130:2004 ASTM D 6329:2015 EN 14617-10:2012 EN 14617-6:2012 AS 2924:2-7: 1998	Volume of chord: V \leq 195mm ³ No defects after 15 freeze-thaw cycles No defects after 25 freeze-thaw cycles R9-R10 Ranking 3: Resistant to Mold Growth Class C ₄ No visual defects after 20 cycles Effect on surface (rating) : 5	

COLOR LIST

А	В	с	D	E	F	G	EXOTIC
Captiva Cream Cement Moonstone Portabello Silver Lake Stonewashed White Sand	Altea Beach White Brown Sugar Leather Jacket Pepper Spice Sand Bar Sparkle Black Sparkle Grey Sparkle White Valley Frost Valley Grey Valley Sand Valley White	Carrara Espresso Lagos Lavastone New Aztec Gold Pure White Rock Salt Sunny Pearl Taupe Urban White Cloud Wood Ash	Autumn Barcelona Black Night Butter Creme Chateau Espresso Brushed Pure White Brushed Rock Salt Brushed Uliano White Lightning White Mist Wood Ash Brushed	Blue Savoy Cashmere Concreto Honed Dolce Vita Eclipse Galaxy Grey Emperador Icicle Keewaydin Macchiato Milky Way Misterio Ondulato Taj Mahal Pearl Vanilla Ice Vanilla Ice Willow	Argento Black Magic Cemento Cloud Nine Cold Spring Cosmic Diamante Greylac Tidewater	Acacia Avorio Extra Extra Lincoln Thunder Grey White Macaubas	Arabescato Avalanche Bianco Napoli Calacatta Statuario Tuscany Venato White Fusion

Disclaimer: Brushed finish surfaces require additional daily maintenance and care than the polished surfaces. The area exposed on a brushed finish is more than the polished surface; hence any dirt, markings and scratches would be more obvious on a brushed finish surface than on a polished surface. These markings can be removed using non abrasive cleaning products.

Disclaimer: Pompeii Quartz is made with natural stone products and shade variation is inherent. Pompeii Quartz makes every effort to keep color variation to a minimum. These photos are representative of the color but may vary from the material you actually receive.



The Art **Of** Quartz



Products listed in this book are subject to change without notice.

www.umistone.com



Pompeii Quartz by Breton Technology

Naples 1615 Trade Center Way 239.593.6995

Tampa 5108 West Hanna Avenue 813.397.5094

Boynton Beach 1938 High Ridge Road 561.413.5196

CERTIFICATIONS



Microbial Resistance ASTM D 6329-98