

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Betty Lou's Ole Garage Cafe	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 205 South Washington St Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date November 27, 2018	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Condiment Cooler	26
Desert Cooler	28
Cooler	34
Freezer	-2

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 4
Repeated # 0
<p>4-602.13 - NONFOOD CONTACT SURFACES Observation: Soda machine needs cleaned. Corrective Action(s):</p>
<p>4-602.13 - NONFOOD CONTACT SURFACES Observation: Food residue in condiment cooler. Corrective Action(s):</p>
<p>4-602.13 - NONFOOD CONTACT SURFACES Observation: Food residue in cooler. Corrective Action(s):</p>
<p>4-602.13 - NONFOOD CONTACT SURFACES Observation: Food residue on walk-in cooler floor. Corrective Action(s):</p>

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian

Tim Zeigler