

1979 Pro Staff

by Ben Pearson



**“My tastes are simple.
I’m always satisfied by the best.”**

Why Pro Staff.

Because as the interest in archery continually increases, the need for better, more sophisticated bows comes into being.

Pro Staff is that bow. A bow designed without compromise to precision and quality. A bow designed for the most discriminating archer. A bow offered only through carefully selected pro shops and service oriented dealers.

Pro Staff is to archery what Rolls Royce is to automobiles. And this reputation has been earned by years and years of bow building. It's happened through design innovations and a long history of engineering, solely directed

to achieve the ultimate in modern bow construction. After all, we've been in this business of bow manufacturing longer than any other company.

If you find yourself among those who expect nothing less than perfection, then you will find yourself wanting a Pro Staff bow.

Enjoy our catalog. The Pro Staff line for 1979 is complete with bows for every hunting or target need. But to read and see photos of these bows is one thing. To actually shoot a Pro Staff bow will give you a whole new dimension in archery.

Pro Staff is what all other bows try to be.

Limited One Year Warranty

Your Ben Pearson bow is a quality designed and built product. It is warranted by Ben Pearson Archery, Inc., against defects in materials (exclusive of string and cables, if any) and workmanship for a period of one (1) year from date of purchase. If within such one (1) year period a defect shall occur and such defect shall not result from modification of the bow, misuse or improper stringing, Ben Pearson Archery, Inc., will, at its option and without cost to you, repair or replace the bow.

To obtain service on any Ben Pearson bow, other than a compound bow, return it shipping prepaid to Ben Pearson Archery, Inc., Attention: Factory Customer Service Department, Route 1, Box 405, Pine Bluff, Arkansas 71601.

To obtain service on a Ben Pearson compound bow, you may send or take it to the nearest authorized Ben Pearson Service Center.

There are no express warranties other than as provided herein. Any warranties implied by law shall

not extend beyond one (1) year from date of purchase. Ben Pearson Archery, Inc., shall not be liable for any incidental or consequential damages of any kind or nature whatever.

Some states do not allow limitations on how long an implied warranty lasts and some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

All Pro Staff products photos, descriptions and specifications appearing in this catalog are current and accurate at time of publication. However, in our continued effort to provide you with the most up-to-date improvements in product quality and performance, products, specifications and materials could change without prior notice before the next publication of this catalog appears.

Pro Staff 3000

A superb, conventional,
three-piece take down
tournament bow.

- Title-taking speed and accuracy • Take-down convenience
- Improved high performance, interchangeable "Hyper-Kinetic" limbs • Adjustable tiller • Tiller adjustment bolt holes equipped with stainless steel "Helicoil"™ threaded inserts • Magnesium riser.

Pro Staff 3000-0

Length: 66", 68" or 70"

Draw weights: *25, 30, 35, 40, 45 or *50 lbs.

Riser: Sun Gold die-cast magnesium 24" length. Drilled and tapped for stabilizer, counterbalance, bow sights and cushion plunger. (Adjustable arrow pressure-point and T-300 rest standard equipment.) Limbs: "Hyper-Kinetic" full working recurve. Interchangeable laminated limbs with tapered maple cores. High gloss finish. Tiller: Adjustable. Sight window: ¼" center shot. Length 7". String (brace) height: 70" model, 9¾" to 10"; 66" model, 8¾" to 9"; 68" model, 9" to 9½".

String: (AMO) Dacron® with monofilament center serving. Bow weight: 2 lbs. 12 ozs.

Specify draw weight, bow length and right or left hand.


- Apertures for tiller adjusting bolts and stabilizers equipped with stainless steel "Helicoil"™ threaded inserts for maximum strength and support.

Optional colors of soft yellow, sky blue, or chevy silver. Shown on accessories page.

*25 lb. weight not available in 70" length.

*50 lb. weight not available in 66" length.

Suggested Retail: \$175.00





Pro Staff 4000

4-wheel compound with unexcelled speed.

- Extraordinary speed, great stability and quietness • Adjustable draw weight range
- Approximately 40% let-off at full draw
- New simple ratchet tuning adjustment
- Interchangeable, slotted, laminated, exclusive "Hyper-Flex" limbs with tapered maple cores and micarta reinforced tips • Removable non-slip contoured vinyl grip • Master weight adjusting bolt holes equipped with stainless steel "Helicoil"™ threaded inserts.

Pro Staff 4000-0 Hunting Model

Length: 49¼" (measured axle to axle)
Maximum adjustable peak draw weights: 50, 60, *70 lbs. (10 lb. weight adjustment range)
• Let-off at full draw: 40% • Maximum draw lengths: 26", 29", 30", 31". (One inch draw length adjustment range) String (brace) height: 9½" to 9¾". String length: 43" (AMO) Dacron® with monofilament center serving. Riser: Die-cast magnesium with Moss Gold powder coat finish. Length 24": Drilled and tapped for stabilizer, bow quiver, bow sights and cushion plunger. (Adjustable arrow pressure-point and T-300 arrow rest standard equipment.)
Removable non-slip contoured grip of molded vinyl.

Sight window: Length 7". Recessed ¼" past center for proper arrow clearance. Cable clearance: 7/16".

Bow weight: 3 lbs. 15 ozs.

Specify draw weight, draw length, and right or left hand.

Licensed under Allen patent No. 3,486,495.

*70 lb. weight not available in 26" draw length.

Suggested Retail: \$250.00


No. 4001-0 Tournament Model


Available in 40 lb., 50 lb. and 60 lb. maximum peak draw weights with Sun Gold magnesium riser and interchangeable white laminated "Hyper-Flex" limbs (10 lb. weight adjustment range). Drilled and tapped for stabilizer and counterbalance weights. White (AMO) Dacron® string with monofilament center serving. All other specifications same as above.

Optional colors of soft yellow, sky blue, or chevvy silver. Shown on accessories page.

*60 lb. weight not available in 26" length.

Suggested Retail: \$275.00





Pro Staff 6000

Unsurpassed stability. Self compensating 6-wheeler.

- Adjustable draw weight range • New “minute-tune” draw length adjustment feature
- Approximately 30% let-off at full draw
- Combines 2-wheel simplicity with 4-wheel stability and performance • Self-compensating design keeps the bow in perfect balance regardless of shooting style or method of release • Slotted, laminated, exclusive “Hyper-Flex” limbs with tapered maple cores and micarta reinforced tips. Interchangeable • Removable, non-slip contoured vinyl grip • Master weight adjusting bolt holes equipped with stainless steel “Helicoil”™ threaded inserts.

Pro Staff 6000-0 Hunting Model

Length: 49” (measured axle to axle)
Maximum adjustable peak draw weights: 50 lbs., 60 lbs., *70 lbs. (10 lb. adjustment range)

- Let-off at full draw: 30% • Maximum draw lengths: *26”, 29”, 30”, 31”. (One inch draw adjustment range). String (brace) height: 9” to 9½”. String length: 43” (AMO) Dacron® with monofilament center serving.

Riser: Die-cast magnesium with Moss Gold powder coat finish.



Length 24”. Drilled and tapped for stabilizer, bow quiver, bow sight and cushion plunger. (Adjustable arrow pressure-point and T-300 arrow rest standard equipment.) Removable non-slip contoured grip of molded vinyl.

Limbs: Interchangeable, slotted, laminated, “Hyper-Flex” limbs with tapered maple cores and micarta tips.

Sight window: Length 7”. Recessed ¼” past center for proper arrow clearance. Cable clearance: ½”.

Bow weight: 3 lbs. 15 ozs.

Specify draw weight, draw length and right or left hand. Licensed under Allen patent No. 3,486,495.

*70 lb. peak weight not available for 26” draw length.

Suggested Retail: \$225.00

No. 6001-0 Tournament Model


Available in 40, 50 or *60 lb. maximum peak draw weight (10 lb. adjustment range). Sun Gold magnesium riser with interchangeable white “Hyper-Flex” laminated limbs. Drilled and tapped for stabilizer and counterbalance weights. White Dacron® string with monofilament center serving. All other specifications same as above.

- Apertures for stabilizer and master weight adjusting bolts equipped with stainless steel “Helicoil”™ threaded inserts for maximum strength and support.

Optional colors of soft yellow, sky blue, or chevvy silver. Shown on accessories page.

*60 lb. weight not available for 26” draw length.

Suggested Retail: \$250.00



Pro Staff 2200

The hunter's bow.

What a hunting compound should be . . . totally efficient and trouble-free under all conditions. The 30% let-off is ideal for achieving speed and a crisp release. These are the keys to good hunting arrow flight and penetration. The tapered-core, slotted "Hyper-Flex" limbs are full working, storing more energy. That means this bow is going to shoot consistently, arrow after arrow, and be quiet about it. The magnesium riser is tough enough for any game trail, and it's light enough to pack tirelessly from sunrise to sunset.

Pro Staff 2200 Hunting Model

Length: 48 $\frac{3}{4}$ " (measured axle to axle)
Maximum adjustable peak draw weights: 55 lbs., 60 lbs., *65 lbs. (10 lb. weight adjustment range).

- Let-off at full draw: 30% or 50%
- Draw lengths: *25"-26", 28"-29" and 30"-31"
- String (brace) height: 9 $\frac{3}{4}$ " to 9 $\frac{5}{8}$ ". String Length: 43" (AMO) Dacron® with monofilament center serving. Riser: Die-cast magnesium with Moss Gold powder coat finish. Length 24". Drilled and tapped for stabilizer and quiver. (Adjustable arrow pressure-point and T-300 arrow rest standard equipment.)

Removable non-slip contoured grip of molded vinyl.

Limbs: Self-compensating interchangeable "Hyper-Flex" laminated limbs with tapered maple cores.

Sight window: Length 7". Recessed $\frac{1}{4}$ " past center for proper arrow clearance. Cable clearance: $\frac{1}{2}$ ".

Bow weight: 3 lbs. 11 ozs.

Specify draw weight, draw length and right or left hand.

Licensed under Allen patent No. 3,486,495.

*65 lb. weight not available in 25"-26" draw length.

Suggested Retail: \$200.00

No. 2201-0 Tournament Model

Available in 40 lbs., 50 lbs., *60 lbs., maximum peak draw weights with Sun Gold riser. (10 lb. weight adjustment range)


Other specifications same as 2200.

- Apertures for stabilizers and master weight adjusting bolts equipped with stainless steel "Helicoil"™ threaded inserts for maximum strength and support.

Optional colors of soft yellow, sky blue, or chevy silver. Shown on accessories page.

*60 lb. weight not available in 26" draw length.

Suggested Retail: \$225.00



Pro Staff 1000

Self-compensating, adjustable weight, ultimately versatile, economy 2-wheel compound.

- No fine tuning required • Quick, quiet and accurate
- Adjustable draw weight range • Approximately 50% let-off at full draw • Self-compensating, interchangeable, Pearsonite reinforced fiberglass limbs
- Master weight adjusting bolt holes equipped with stainless steel "Helicoil"™ threaded inserts.

Pro Staff 1000-0 Hunting Model

Length: 41 $\frac{3}{4}$ " (measured axle to axle)

Maximum adjustable peak draw weights: 50 lbs., 55 lbs., 60 lbs. (10 lb. weight adjustment range)

- Let-off at full draw: 50%

Draw lengths: 25"-26", 28"-29" and 30"-31"

String (brace) height: 10" to 10 $\frac{1}{4}$ "

String length: 37" (AMO) Dacron® with monofilament center serving.

Riser: Die-cast magnesium with Moss Gold powder coat finish.

Length: 20". Drilled and tapped for single stabilizer, bow sight, quiver and cushion plunger.

Adjustable arrow pressure-point, T-300 arrow rest standard equipment.

Removable non-slip contoured grip of molded vinyl.

Limbs: Interchangeable self-compensating Pearsonite reinforced fiberglass. Sight window: Length 4 $\frac{1}{2}$ ".

Recessed $\frac{1}{4}$ " past center for proper arrow clearance.


Cable clearance: $\frac{1}{2}$ "

Bow weight: 3 lbs. 9 ozs.

Specify draw weight, draw length and right or left hand.

Licensed under
Allen Patent
No. 3,486,495.

Suggested Retail: \$100.00






**No. 9922-0
Scope Sight**

Gives you better aim and clearer sighting, and it installs instantly. You can't beat this kind of performance. Fits most sight blocks. Has aiming dot and recessed bubble level for maximum visibility in any lighting condition. Special ground polished lens. Housed in high impact black plastic to prevent glare.



**No. 5289-0
Vari-Weight
Stabilizer System**

Three-piece stabilizer weight that allows you to vary the weight of your stabilizer ball and achieve the proper weight for your equipment and shooting style.



**No. 9932-0 Accra
Target Sight**

Many-featured target sight is highly popular. Has micrometer elevation and windage adjustment pins, bubble level adjustment, yardage pin corrector and patented micrometer scale for plotting the proper sight setting for any intermediate distance. Mounts right or left handed. (Sight only)

**No. 9934-0 Sight
Extension Bar**

Designed for the Pro Staff target sight. 8" rigid, black non-glaring aluminum. Fits most other sights also.




**Risers in Optional
Colors.**

Give your bow a little flair with one of these optional risers. Available in sky blue, soft yellow and chevy silver. Our deluxe design. Die cast magnesium riser with vinyl contoured grip. Fully tapped for all target accessories. Fits Pro Staff models 6001, 4001, 2201 and 3000.



**No. 1215-0
Pro Staff Visor**

Terry cloth visor keeps glare from your eyes. And, with the Pro Staff label sewn on, it shows your colors.




**No. 1236-0
Pro Staff Jacket**

Nylon windbreaker with Pro Staff logo. Specify size: Sm, Med, Lg, X-Lg. Soft yellow with brown print.



**No. 1225-0
Pro Staff Buckle**

Pro Staff belt buckle adds special style to your sports belt. Pewter buckle is handsome and fits most belts. Give your sport a plug.



**No. 1235-0
Pro Staff Shirt**

Designed with the proud archer in mind. Distinctive Pro Staff logo silkscreen on front. Specify size: Sm, Med, Lg, X-Lg. Soft yellow with brown print.



**No. 1210-0
Pro Staff Patch**

Show your colors, wear the distinctive black, gold and silver Pro Staff patch.



**No. 1230-9
Stabilizer Adapters**

Will fit any adjustable compound bow (AMO). Allows you to add double stabilizers to your bow.

Target Stabilizer

Improves accuracy by absorbing arrow release shock. Keeps the bow in better balance. Tempered alloy shaft with sun gold powder coat finish.

No. 5288-0 30"
Weight not included.

No. 5298-0 36"
Weight not included.



**No. 1556-0 Accra
Springie Rest**

No matter what the temperature flux, this rest never changes. Eliminates the problem of broken arrow rests. Minimizes bow hand torque and string oscillation. Adjusts vertically to super fine tune the nocking point.



himalayan

Two proud companies for the great outdoors.

BEN PEARSON ARCHERY, INC.
P.O. BOX 7465
PINE BLUFF, ARKANSAS 71611

HIMALAYAN INDUSTRIES, INC.
P.O. BOX 5668
PINE BLUFF, ARKANSAS 71611

TOLL FREE 800-643-1562 • 501-534-6411