

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Softball	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 149 Concrd Ave Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date March 24, 2017	Total Time Spent 0.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Cooler	39
Chest Freezer	-1.5
Freezer	16
Cooler	36

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 5</b>
<b>Repeated # 0</b>
 <i>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED</i> <i>Observation: Fryer needs cleaned.</i> <i>Corrective Action(s):</i>
 <i>4-602.13 - NONFOOD CONTACT SURFACES</i> <i>Observation: Microwave needs cleaned.</i> <i>Corrective Action(s):</i>
 <i>4-602.13 - NONFOOD CONTACT SURFACES</i> <i>Observation: Grease tray needs cleaned.</i> <i>Corrective Action(s):</i>
 <i>4-602.13 - NONFOOD CONTACT SURFACES</i> <i>Observation: Cabinet shelves need cleaned.</i> <i>Corrective Action(s):</i>


**4-602.13 - NONFOOD CONTACT SURFACES**  
*Observation: Refrigerator cooler needs cleaned.*  
*Corrective Action(s):*

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Sanitarian

**Tim Zeigler**