

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Philly Steak Subs Plus	Facility Type Food Service Establishment	
Licensee Name C. Spinnelli III, Inc.	Facility Telephone # 304 754-0104	
Facility Address 4150 Hedgesville Rd Hedgesville , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 09/17/2018	Total Time Spent 1.43

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Pizza cooler top	39
Pizza cooler bottom	38
Old true cooler	40
Glass door cooler	
Small glass door cooler backroom	
Sandwich cooler	39
Front sandwich case	38
Soda cooler	40
White Kenmore	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
SanitizerbucketGri llsanitizerbucket3 bay	chemchem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 2

ObservedNon-CriticalViolations

Total # 4

Repeated # 2

4-502.11 - GOOD REPAIR AND CALIBRATION

REPEAT OBSERVATION Gaskets need repaired on several units

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside the bottom of the pizza cooler needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Trays under the flour need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Tops of equipment in the kitchen needs dusted

Inspection Outcome

Comments

Disclaimer

Person in Charge



Carlos spinni;i

Sanitarian



Glenn GCO Ondick