

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Shenandoah Bible Concession	Facility Type Food Service Establishment	
Licensee Name Shenandoah Bible Concession	Facility Telephone # 304	
Facility Address 2251 Williamsport Pike Martinsburg , WV	Licensee Address 2251 Williamsport Pike Martinsburg , WV 25404	
Inspection Information		
Inspection Type Routine	Inspection Date 07/24/2018	Total Time Spent 0.52

Equipment Temperatures	
Description	Temperature (Fahrenheit)
refrigerator	30

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 0</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS This is a critical violation OBSERVATION: dishdrainer needs cleaned-dead fly and mouse droppings</p> <p>6-501.111 - CONTROLLING PESTS This is a critical violation OBSERVATION: few mouse droppings observed beneath 3 bay sink</p>

Observed Non-Critical Violations

Total # 6

Repeated # 0

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: upright freezer needs defrosted-seal not tight

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: crockpots need cleaned before using

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: chest freezer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: clean microwaves

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: counter trim needs repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: wall needs repaired (break-in damage)

Inspection Outcome


Comments

Disclaimer

Person in Charge

GN file

Sanitarian



Amy ARE Edwards