

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name War Memorial Park	Facility Type Food Service Establishment	
Licensee Name Parks and Recreation	Facility Telephone # 304	
Facility Address Tennessee Ave Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 05/25/2018	Total Time Spent 1.00

<b>Equipment Temperatures</b>	
Description Fridge cheese machine	Temperature (Fahrenheit) 39

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chemical				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 3</b> <b>Repeated # 4</b></p> <p><b>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> inside ice machine needs cleaned</p> <p><b>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> hand can openers and silverware tray need cleaned</p> <p><b>5-205.12 - PROHIBITING A CROSS CONNECTION</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> mop sink hose should be stored up and out of sink</p>

<b>Observed Non-Critical Violations</b>
<p><b>Total # 17</b> <b>Repeated # 4</b></p>

**4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY**

**OBSERVATION:** probe thermometer needs to be calibrated

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** clean and cover white coffee maker

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION inside empty cheese machine needs cleaned thoroughly before using (small amount of residue)

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION inside cabinets need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** crockpots need cleaned (empty)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** large drink coolers need cleaned before using

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** refrigerator/freezer needs to be cleaned

**5-501.116 - CLEANING RECEPTACLES**

**OBSERVATION:** mop sink needs cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** 2 ceiling lights not working

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** kitchen handsink needs new caulking

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION public restrooms need cleaned!

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** box fan needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** area behind soda stations needs cleaned-back of unit, floor, drain

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION restroom needs cleaned-toilet, sink, urinal, walls

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** ceiling light covers and vents need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** kitchen handsink needs cleaned

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

**OBSERVATION:** floor needs cleaned esp. along wall perimeters

**Inspection Outcome**

**Comments**

bleach, gloves, chlorine test strips, probe thermometer

Will inspect again during the summer season and all violations should be corrected-May be prior to date noted above

Disclaimer

A re-inspection to assess your correction of these violations will be conducted on, or about, 07/09/2018

Person in Charge



Sanitarian



Amy ARE Edwards