

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Kobe Japanese Steak House	Facility Type Food Service Establishment	
Licensee Name Kobe Japanese Steak House Co.	Facility Telephone # 304 260-5656	
Facility Address 220 Viking Way Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 11/08/2018	Total Time Spent 1.90

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Meat cooler	
Beer cooler	31
Walk in cooler	33
Salad cooler	33
Sushi cooler top	23
Sushi cooler bottom	30
Bar cooler	35

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishmachinesanitizerSushibucketBarbucketGrillbucket	chemchemchemchem		100		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 4**

**Repeated # 3**

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Vegetable slicer under sushi bar needs cleaned

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

**OBSERVATION:** Mold on shelves in walk in needs cleaned

**4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS**

**This is a critical violation**

REPEAT OBSERVATION Inside of ice machine needs cleaned, mold

**7-101.11 - IDENTIFYING INFORMATION, PROMINENCE**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Spray bottle with no label found with cleaning supplies

**Observed Non-Critical Violations**

**Total # 16**

**Repeated # 3**

**2-402.11 - HAIR RESTRAINTS**

**OBSERVATION:** Employee noted working in food preparation/cooking area without a hair restraint.

**3-305.12 - FOOD STORED IN PROHIBITED AREAS.**

**OBSERVATION:** Toilet paper needs to be stored up off of the floor

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Dented missing component rice cooker needs replaced

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Large white bin in walk in needs replaced, large crack in corner

**4-501.12 - CUTTING SURFACES**

REPEAT OBSERVATION Cutting boards need bleached and or resurfaced

**4-601.11(B) - COOKING EQUIPMENT AND UTENSILS**

**OBSERVATION:** Shelf under small wok needs cleaned, food debris

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Speed racks in walk in freezer need cleaned, dust and frozen meat

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Speed rack needs dusted in the walk in cooler

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Mixer stored on shelf in back hallway needs cleaned

**5-501.113 - COVERING RECEPTACLES**

**OBSERVATION:** Make sure dumpster lids are closed

**6-201.11 - FLOORS, WALLS, AND CEILINGS**

**OBSERVATION:** Walls need cleaned in several areas

**6-202.13 - INSECT CONTROL DEVICES, DESIGN AND INSTALLATION**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): Fly trap in use above clean dishes

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Lights need replaced in back hallway

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** wall in employee bathroom needs repaired by sink

**6-501.111 - CONTROLLING PESTS**

REPEAT OBSERVATION Fruit flies observed in kitchen

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Ceiling vents in seating area need cleaned, dust and grease

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Connie Pak

Sanitarian



Glenn GCO Ondick