Least Squares Wavelet Analysis

Ebrahim Ghaderpour and Spiros D. Pagiatakis

Department of Earth and Space Science and Engineering Lassonde School of Engineering, York University, Toronto

Montreal May 4th 2015



Outline

- Time series and Signals
- Least Squares Spectral Analysis (LSSA)
- Least Squares Wavelet Analysis (LSWA)
- Conclusions



- Time series?
- Sequence of measurements over a time interval



- Time series?
- Sequence of measurements over a time interval
- Signals?
- Constituents of interest in a time series



Unequally spaced



- Unequally spaced
- Systematic noise: trends, datum shifts



- Unequally spaced
- Systematic noise: trends, datum shifts
- Variable frequency




- Unequally spaced
- Systematic noise: trends, datum shifts
- Variable frequency
- Variable amplitude



- Unequally spaced
- Systematic noise: trends, datum shifts
- Variable frequency
- Variable amplitude
- Non-stationary



An example of an unequally spaced and non-stationary time series





- Fast Fourier Transform (FFT)
- FFT: stationary and equally spaced!



- Fast Fourier Transform (FFT)
- FFT: stationary and equally spaced!
- Least Squares Spectral Analysis (LSSA)
- How does the LSSA work?



Fits sinusoids to the entire time series



- Fits sinusoids to the entire time series
- Equally spaced & unequally spaced!




- Fits sinusoids to the entire time series
- Equally spaced & unequally spaced!
- Trends, datum shifts, ...



- Fits sinusoids to the entire time series
- Equally spaced & unequally spaced!
- Trends, datum shifts, ...
- Correlation among sinusoids



Example: $f(t) = 1.5 \sin 5t + 2 \sin 10t$




Shortcomings of the LSSA


Time series having constituents of:

- Variable frequency?!
- Variable amplitude?!



Example: $f(t) = \cos(\frac{230}{2.3-t}) + \cos(\frac{500}{2.3-t})$







Continuous Wavelet Transform (CWT)



- Continuous Wavelet Transform (CWT)
 - Not defined for unequally spaced



- Continuous Wavelet Transform (CWT)
 - Not defined for unequally spaced
 - No trends, datum shifts, ...



- Continuous Wavelet Transform (CWT)
 - Not defined for unequally spaced
 - No trends, datum shifts, ...
 - Loses power!



Fits sinusoids like LSSA



- Fits sinusoids like LSSA
- But to segments NOT the entire time series



- Fits sinusoids like LSSA
- But to segments NOT the entire time series
- How to segment?



Segment : window



- Segment : window
 - Place (location)



- Segment : window
 - Place (location)
 - Length



- Segment : window
 - Place (location)
 - Length
 - Size




- Window:
 - Dilates and shrinks




- Window:
 - Dilates and shrinks
 - Translates (slides)






































































































































































































































































































































































































































Example: $f(t) = \cos(\frac{230}{2.3-t}) + \cos(\frac{500}{2.3-t})$







LSWA Spectrograms: Variance (%) & PSD(dB)







Conclusions

- In the LSWA, time series do NOT have to be equally spaced.
- The LSWA considers trends, datum shifts and any systematic noise in time series.
- The LSWA shows perfectly the variability in amplitude and frequency of the components of the time series.
- The LSWA rigorously analyzes any time series.



Thank you for your attention!

Any questions or comments?

