

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Northside Station-new ownership	Facility Type Food Service Establishment	
Licensee Name GLB, LLC DBA Northside Station	Facility Telephone # 304 274-4093	
Facility Address 17 Rancho Drive Martinsburg , WV	Licensee Address 116 Catherine St Martinsburg , WV 25404	
Inspection Information		
Inspection Type Routine	Inspection Date 02/14/2017	Total Time Spent 0.50

Equipment Temperatures	
Description refrigerator	Temperature (Fahrenheit) 39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

ObservedNon-CriticalViolations
Total # 5
Repeated # 1
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR <i>OBSERVATION: floor tiles loose at back hall near men's restroom</i>
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR <i>OBSERVATION: ceiling light-replace bulbs or remove fixture</i>
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS <i>OBSERVATION: corner beside cash register and along wall perimeters very dusty-needs cleaned</i>
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS <i>OBSERVATION: ceiling vents, wall vent and top of refrigerator needs dusted</i>
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS <i>REPEAT OBSERVATION 3 bay sink-floor drain needs bleached, pipes and floor need cleaned</i>

Inspection Outcome

Comments
*Pest Control?

Disclaimer

Person in Charge

A handwritten signature in black ink, appearing to be 'ARE', written in a cursive style.

Sanitarian

A handwritten signature in black ink, reading 'Amy Edwards', written in a cursive style.

Amy ARE Edwards