

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Camp Frame	Facility Type Food Service Establishment	
Licensee Name 4-H Association	Facility Telephone # 304	
Facility Address 1362 Camp Frame Rd Hedgesville, WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 05/15/2018	Total Time Spent 1.08

<b>Equipment Temperatures</b>	
Description Walk in cooler	Temperature (Fahrenheit) 41.5* Check when freezer is serviced

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
dishmachine	chemical		100ppm		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 4</b> <b>Repeated # 3</b></p> <p><b>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> inside ice machine needs cleaned</p> <p><b>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> stored slicer needs cleaned</p> <p><b>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> floor mixer-splash guard and dough hook needs cleaned</p> <p><b>6-501.111 - CONTROLLING PESTS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> few mouse droppings observed in equipment storeroom-Clean equipment(buffalo chopper/lids to drink coolers)</p>

**Observed Non-Critical Violations**

**Total # 14**

**Repeated # 3**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** freezer not below 32-Repairman called for service

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Can opener blade rusty-replace

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** hot holding box-clean corners of bottom area

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION lids to storage totes need cleaned(back room)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** walkin shelving needs cleaned-No food

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** light cover cracked over kitchen table

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** faucet at dishmachine needs replaced-froze over winter-on order

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** ceiling needs repaired above dishmachine hood and in restroom hallway

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION wall corner needs repaired by the water heater

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** several broken floor tiles

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** restroom toilets need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** 3 bay sink floor drain needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** walls need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION ceiling light covers need cleaned(kitchen and restrooms) and ceiling vent in kitchen

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Sanitarian



**Amy ARE Edwards**