

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name Tracy's Corner Grocery	Facility Type Retail Food Store	
Licensee Name Tracy Gladden	Facility Telephone # 304 229-0222	
Facility Address 1806 Gerrardstown Rd Gerrardstown , WV	Licensee Address ,	
<b><i>Inspection Information</i></b>		
Inspection Type Routine	Inspection Date 04/03/2018	Total Time Spent 1.50

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Beer cooler	33
Milk Cooler	38
Juice cooler	38
Egg cooler	38
Soda Coolers	36-39

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 0</b>
<b>Repeated # 0</b>

**ObservedNon-CriticalViolations**

**Total # 5**

**Repeated # 0**

**4-302.12 - TEMPERATURE MEASURING DEVICES**

**OBSERVATION:** Thermometers needed in milk/egg coolers

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Gasket on small coke (egg cooler) needs replaced (torn)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Inside of single door pepsi (orange juice) refrigerator needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Inside of egg cooler (small coke) needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Inside of Milk cooler needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**Tracy Gladden**



**Keith Allison**