

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Peddler's Wagon	Facility Type Food Service Establishment	
Licensee Name Karl Eby	Facility Telephone # 304	
Facility Address 7475 Hedgesville Rd Hedgesville , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 04/26/2018	Total Time Spent 1.30

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Right Deli Cases	39.5
Prep Unit	41
Reach In Under Slicers	41
Left deli case	41

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
SprayBottle	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 1

ObservedNon-CriticalViolations

Total # 4

Repeated # 1

3-305.12 - FOOD STORED IN PROHIBITED AREAS.

OBSERVATION: Food stored on the floor and under the 3 bay sink needs moved from under the sink and at least 6 inches off the floor

4-501.12 - CUTTING SURFACES

REPEAT OBSERVATION Sandwich cuttingboard needs bleached or resurfaced

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Hand sink needs repaired , leaking water.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Electrical socket needs repaired behind icecream case, falling out of the wall

Inspection Outcome

Comments

Disclaimer

Person in Charge


sharon eby

Sanitarian



Glenn GCO Ondick