



v4

VATS

MICS

**WEXLER SURGICAL VATS / MICS PRODUCTS**

**A COMPLETE RANGE OF VATS & MICS INSTRUMENTS**

Wexler has developed a complete line of instruments and products for Video Assisted Thoracoscopic Surgery (VATS) and Minimally Invasive Cardiac Surgery (MICS). Our products have been manufactured by skilled instrument craftsmen, using only the highest quality materials. Every effort is made to manufacture the finest quality surgical instruments at exacting specifications.



Video Assisted Thoracoscopic Surgery




Minimally Invasive Cardiac Surgery

**UNIQUE DESIGNS**

- **Sliding-Shaft w/Conventional Standard Handles:** Allows for full function of the instrument either through a port or a small thoracic incision.
- **Ergonomic Aluminum Squeeze Handles:** Ergonomic, light-weight design provides surgeons with a comfortable, easy-to-use handle, which allows for more concentration on the surgical technique.
- **10 Year Warranty:** Warranty covers manufacturing and material defects for ten years.



**Atraumatic DeBakey Jaws**



**TC-Coated Jaws**



**TC-Inserted Jaws**

**CUSTOMIZING AVAILABLE**

Wexler combines your specifications, along with our experience in designing to produce the perfect instrument.




**Custom Jaws**



**Custom Handles**



**Custom Tips**




<b>VATS</b> .....	<b>4-29</b>
CLAMPS .....	4-7
FORCEPS .....	8-13
GRASPERS .....	14
NEEDLE HOLDERS .....	15-16
KNOT TIER/PUSHERS .....	17
SCISSORS .....	18-19
RETRACTORS .....	20
CHEST TUBE PASSER .....	21
HOOKS/SUTURE PULLER .....	22
SCALPEL HOLDER/SUTURE PUSHER .....	23
EXTENDER .....	24
SUCTION/BRUSH .....	25-27
ACCESSORIES .....	28-29

<b>MICS CORONARY</b> .....	<b>30-37</b>
FORCEPS .....	30
CLIP APPLIERS .....	31
NEEDLE HOLDERS .....	32
KNOT TIER/PUSHERS .....	33
SCISSORS .....	34
CHEST TUBE PASSER .....	35
CLAMPS .....	36
ACCESSORIES .....	37

<b>MICS VALVE</b> .....	<b>38-55</b>
CLAMPS .....	38
FORCEPS .....	39-41
CLIP APPLIERS .....	42
NEEDLE HOLDERS .....	43-45
KNOT TIER/PUSHERS .....	46
SCISSORS .....	47-48
CHEST TUBE PASSER .....	49
HOOKS/SUTURE PULLER/PUSHER .....	50
SCALPEL HOLDER/NEEDLE EXTENDER .....	51
SUCTION .....	52
BRUSH .....	53
CHORDAE SIZER/RONGUERS .....	54
ACCESSORIES .....	55

THORACOSCOPIC DEBAKEY CLAMPS

Ring Handle | Curved Jaws




STAINLESS STEEL



- AL8210.12 Thoracoscopic DeBakey Clamp - 60mm Curved 1x2 DeBakey Atraumatic jaws, 5mm Shaft, w/Ratchet, (21cm Working Length), Stainless Steel, 12.25" (31cm)
- AL8230.12 Thoracoscopic DeBakey Clamp - 65mm Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, w/Ratchet, (23cm Working Length), Stainless Steel, 12.75" (32cm)
- AL8240.12 Thoracoscopic DeBakey Clamp - 100mm Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, w/Ratchet, (25.5cm Working Length), Stainless Steel, 14.25" (36cm)
- AL8250.12 Thoracoscopic DeBakey Clamp - 100mm Curved 2x3 DeBakey Atraumatic jaws, 10mm Shaft, w/Ratchet, (25.5cm Working Length), Stainless Steel, 14.25" (36cm)

## THORACOSCOPIC DEBAKEY CLAMPS

Ring Handle | Straight / Curved Jaws



STAINLESS STEEL



- |           |  |
|-----------|--|
| AL8280.12 | Thoracoscopic DeBakey Clamp - 115mm Straight 1x2 DeBakey Atraumatic Tapered jaws, 10mm Shaft, w/Ratchet, (27cm Working Length), Stainless Steel, 14.75" (37.5cm) |
| AL8282.12 | Thoracoscopic DeBakey Clamp - 110mm Curved 1x2 DeBakey Atraumatic Tapered jaws, 10mm Shaft, w/Ratchet, (25.5cm Working Length), Stainless Steel, 14.5" (37cm)    |

VATS SEMB CLAMP

Ring Handle | Fully Curved Jaws




AL8268.12

STAINLESS STEEL

AL8268.12 VATS Semb Clamp – 140mm Fully Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, (31cm Working Length), w/Ratchet, Stainless Steel, 15.5" (39.5cm)

THORACOSCOPIC LAMBERT KAY CLAMP

Ring Handle | Curved Jaws




AL8274.12

STAINLESS STEEL

AL8274.12 Thoracoscopic Lambert Kay Clamp – Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, Angled Shanks, w/Ratchet, (21cm Working Length), Stainless Steel, 12.25" (31cm)

## VATS HARKEN CLAMPS

Ring Handle | Curved / Fully Curved Jaws



STAINLESS STEEL

- |           |   |
|-----------|---|
| AL8260.1  | VATS Harken #1 Clamp - 95mm Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, (25cm Working Length), Stainless Steel, 14" (35.5cm)                  |
| AL8260.12 | VATS Harken #1 Clamp - 95mm Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, (25cm Working Length), w/Ratchet, Stainless Steel, 14" (35.5cm)       |
| AL8264.1  | VATS Harken #2 Clamp - 95mm Fully Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, (25cm Working Length), Stainless Steel, 14" (35.5cm)            |
| AL8264.12 | VATS Harken #2 Clamp - 95mm Fully Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, (25cm Working Length), w/Ratchet, Stainless Steel, 14" (35.5cm) |

WEXLER DEBAKEY FORCEPS

Round Squeeze Handle | Straight Jaws



FL8598.1  
FL8600.1



FL8604.1  
FL8606.1



FL8608.1  
FL8610.1



1MM JAWS

FL8600.1

STAINLESS STEEL



FL8598.1	Wexler DeBakey Forceps - Straight 1mm jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
FL8600.1	Wexler DeBakey Forceps - Straight 1mm jaws, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
FL8604.1	Wexler DeBakey Forceps - Straight 2.8mm jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
FL8606.1	Wexler DeBakey Forceps - Straight 2.8mm jaws, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
FL8608.1	Wexler DeBakey Forceps - Straight 2x3 DeBakey w/ 3.2mm jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
FL8610.1	Wexler DeBakey Forceps - Straight 2x3 DeBakey w/ 3.2mm jaws, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)



## WEXLER RESANO AND SERRATED FORCEPS

Round Squeeze Handle | Straight Jaws



FL8612.1  
FL8614.1



FL8624.14



FL8628.1



FL8612.1



STAINLESS STEEL

- FL8612.1 MIS Resano Forceps – Straight Atraumatic jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
- FL8614.1 MIS Resano Forceps – Straight Atraumatic jaws, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
- FL8624.14 MIS Forceps – Straight 1mm jaws w/ TC Inserts, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
- FL8628.1 MIS Forceps – Straight 2.8mm Serrated jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)

## WEXLER RUSSIAN AND BIOPSY FORCEPS

Round Squeeze Handle | Curved / Straight Tips



FL8620.1



FL8634.1



FL8620.1



STAINLESS STEEL

- FL8620.1 MIS Russian Forceps – Curved Left Oval Serrated Tips, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
- FL8634.1 MIS Biopsy Forceps – Straight Oval Biopsy Tips, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)

## DISSECTOR FORCEPS


Ring Handle | Curved / Angled Jaws



FL8422.1  
FL8422.12 w/Ratchet



FL8426.1  
FL8426.12 w/Ratchet



FL8426.1F  
FL8426.12F w/Ratchet



CURVED

ANGLED

FL8422.12

STAINLESS STEEL



SHAPE	MODEL	DESCRIPTION
CURVED	FL8422.1	VATS Curved Dissector – Serrated jaws, 7mm shaft, 9.125" (23.3cm Working Length), 13.25" (33.5cm)
	FL8422.12	VATS Curved Dissector – Serrated jaws, 7mm shaft, 9.125" (23.3cm Working Length), w/Ratchet, 13.25" (33.5cm)
ANGLED	FL8426.1	VATS Right Angle Dissector – DeBakey/Cooley Serrated jaws, 10mm shaft, 9.5" (24cm Working Length), 13.5" (34cm)
	FL8426.12	VATS Right Angle Dissector – DeBakey/Cooley Serrated jaws, 10mm shaft, 9.5" (24cm Working Length), w/Ratchet, 13.5" (34cm)
	FL8426.1F	VATS Right Angle Fine Dissector – DeBakey/Cooley Fine Serrated jaws, 7mm shaft, 9.5" (24cm) Working Length, 13.5" (34cm)
	FL8426.12F	VATS Right Angle Fine Dissector – DeBakey/Cooley Fine Serrated jaws, 7mm shaft, 9.5" (24cm) Working Length, w/Ratchet, 13.5" (34cm)

## ALLIS FORCEPS

Ring Handle | Curved Shaft



FL8412.12



STAINLESS STEEL



FL8412.12 VATS Allis Forceps – Curved Left 6mm wide jaws, 7mm Shaft, w/Ratchet, 9.5”  
(24cm Working Length), 13.5” (34cm)

## VATS FOERSTER

Ring Handle | Curved Shaft



FL8438.1  
FL8438.12 w/Ratchet  
FL8439.12



FL8436.1  
FL8436.12 w/Ratchet



FL8430.1  
FL8430.12 w/Ratchet



20MM OVAL

FL8430.12

STAINLESS STEEL




<b>10mm OVAL</b>	FL8438.1	VATS Foerster Forceps – Curved Left 10mm Oval Serrated jaws, 7mm Shaft, 9.5" (24cm Working Length), Stainless Steel, 13.5" (34cm)
	FL8438.12	VATS Foerster Forceps – Curved Left 10mm Oval Serrated jaws, 7mm Shaft, w/Ratchet, 9.5" (24cm Working Length), Stainless Steel, 13.5" (34cm)
	FL8439.12	VATS K-Dyn Forceps - Curved Left 10mm Oval Serrated jaws, 5mm Shaft, w/Ratchet, 13.5" (35cm) Working Length, Stainless Steel, 17.5" (44.5cm)
<b>12mm OVAL</b>	FL8436.1	VATS Foerster Forceps – Curved Left 12mm Oval Serrated jaws, 7mm Shaft, 9.5" (24cm Working Length), Stainless Steel, 13.5" (34cm)
	FL8436.12	VATS Foerster Forceps – Curved Left 12mm Oval Serrated jaws, 7mm Shaft, w/Ratchet, 9.5" (24cm Working Length), Stainless Steel, 13.5" (34cm)
<b>20mm OVAL</b>	FL8430.1	VATS Foerster Forceps – Curved Left 20mm Oval Serrated jaws, 10mm Shaft, 9.5", (24cm Working Length), Stainless Steel, 13.5" (34cm)
	FL8430.12	VATS Foerster Forceps – Curved Left 20mm Oval Serrated jaws, 10mm Shaft, w/Ratchet, 9.5" (24cm Working Length), Stainless Steel, 13.5" (34cm)

## VATS DUVAL


Ring Handle | Curved Shaft



FL8440.12



FL8441.12



25MM JAWS

FL8441.12

STAINLESS STEEL




FL8440.12 VATS Duval Clamp - Curved Left 15mm Triangular Serrated ring jaws, 10mm Shaft, w/Ratchet, 9.25" (23.5cm Working Length), 13.5" (34cm)

FL8441.12 VATS Duval Clamp - Curved Left 25mm Triangular Serrated ring jaws, 10mm Shaft, w/Ratchet, 9.25" (23.5cm Working Length), 13.5" (34cm)

**NODE GRASPERS**

Ring Handle | Straight / Curved Shaft



CURVED

FL8429.12

STRAIGHT

FL8428.12

STAINLESS STEEL



<b>STRAIGHT</b>	FL8428.12	VATS Node Grasping Forceps - Straight 11mm Oblong Serrated jaws, 5mm Shaft, w/Ratchet, 9" (23cm Working Length), Stainless Steel, 13" (33cm)
<b>CURVED</b>	FL8429.12	VATS Node Grasping Forceps - Curved Left 11mm Oblong Serrated jaws, 5mm Shaft, w/Ratchet, 9" (23cm Working Length), Stainless Steel, 13" (33cm)

## MIS NEEDLE HOLDERS

Ring Handle | Straight Jaws



NL8402.13



STAINLESS STEEL



**STRAIGHT**

NL8402.13

MIS Needle Holder – TC Coated jaws, w/Lock, 5mm Shaft, 6.5”  
(16.5cm Working Length), Stainless Steel, 10.5” (26.5cm)

HEAVY & X-HEAVY NEEDLE HOLDERS

Ring Handle | Straight / Curved Jaws



NL8406.15



NL8408.15



NL8410.15



NL8412.15



X-HEAVY

NL8410.15

HEAVY

NL8406.15

STAINLESS STEEL



<b>HEAVY</b>	NL8406.15	VATS Heavy Needle Holders – Straight Heavy jaws w/TC Inserts, 7mm Shaft, w/Ratchet, (21cm Working Length), Stainless Steel, 13.5" (34cm)
	NL8408.15	VATS Heavy Needle Holders – Curved Heavy jaws w/TC Inserts, 7mm Shaft, w/Ratchet, (21cm Working Length), Stainless Steel, 13.5" (34cm)
<b>X-HEAVY</b>	NL8410.15	VATS X-Heavy Needle Holders – Straight X-Heavy jaws w/TC Inserts, 10mm Shaft, w/Ratchet, (21cm Working Length), Stainless Steel, 13.5" (34cm)
	NL8412.15	VATS X-Heavy Needle Holders – Curved X-Heavy jaws w/TC Inserts, 10mm Shaft, w/Ratchet, (21cm Working Length), Stainless Steel, 13.5" (34cm)




## KNOT TIER/PUSHER

Round Squeeze Handle | Angled Jaws



AL8450.1  
AL8450.12 (w/Lock)

AL8452.1  
AL8452.12 (w/Lock)



AL8450.1

STAINLESS STEEL



AL8450.1	MIS Knot Pusher - 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
AL8450.12	MIS Knot Pusher - 5mm Shaft w/Lock, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
AL8452.1	MIS Knot Pusher - 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 15" (38cm)
AL8452.12	MIS Knot Pusher - 5mm Shaft w/Lock, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 15" (38cm)

## MICS SCISSORS

Round Squeeze Handle | Curved / Strongly Curved / Full Curved



SL8618.1 | 15°  
SL8620.1



SL8622.1 | 30°  
SL8624.1



SL8626.1 | 70°  
SL8628.1



SL8618.1

STAINLESS STEEL



<b>CURVED</b>	SL8618.1	MIS Scissors - 15° Curved Blades, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	SL8620.1	MIS Scissors - 15° Curved Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
<b>STRONGLY CURVED</b>	SL8622.1	MIS Scissors - 30° Strongly Curved Blades, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	SL8624.1	MIS Scissors - 30° Strongly Curved Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
<b>FULL CURVED</b>	SL8626.1	MIS Scissors - 70° Full Curved Blades, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	SL8628.1	MIS Scissors - 70° Full Curved Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)

## THORACOSCOPIC - DISSECTING & METZENBAUM SCISSORS


Ring Handle | Curved Blades



SL8402.1S



SL8404.1S



METZENBAUM

SL8404.1S

DISSECTING

SL8402.1S

STAINLESS STEEL



- SL8402.1S Thoracoscopic Dissecting Scissors – Curved 3cm blades w/blunt tips, 5mm Shaft, 7.5", (19cm Working Length), Stainless Steel, 11.5" (29cm)
- SL8404.1S Thoracoscopic Metzenbaum Scissors – Curved 3.5cm blades w/blunt tips, 10mm Shaft, 7.75", (19.5cm Working Length), Stainless Steel, 11.5" (29cm)

FAN RETRACTOR

Straight Handle | Straight Articulating Shaft

STAINLESS STEEL



TL8402.1 Thoracoscopic Fan Retractor - Straight 5mm Articulating Shaft w/3 Fingers, 13" (33cm Working Length), Stainless Steel, 19.5" (49.5cm)


TL8404.1 Thoracoscopic Fan Retractor - Straight 10mm Articulating Shaft w/5 Fingers, 13" (33cm Working Length), Stainless Steel, 19.5" (49.5cm)

## CHEST TUBE PASSER

Ring Handle | Curved Shaft



AL1300.1  
AL1300.13 w/Ratchet  
AL1302.1  
AL1302.13 w/Ratchet



AL1302.1

STAINLESS STEEL



- |           |  |
|-----------|--|
| AL1300.1  | Chest Tube Passer – 10mm Curved Shaft, 6.75" (17.5cm Working Length), Stainless Steel, 9.75" (24cm)            |
| AL1300.13 | Chest Tube Passer – 10mm Curved Shaft, 6.75" (17.5cm Working Length), w/Ratchet, Stainless Steel, 9.75" (24cm) |
| AL1302.1  | Chest Tube Passer – 10mm Curved Shaft, 11" (28cm Working Length), Stainless Steel, 14" (35.5cm)                |
| AL1302.13 | Chest Tube Passer – 10mm Curved Shaft, 11" (28cm Working Length), w/Ratchet, Stainless Steel, 14" (35.5cm)     |

HOOKS

Round Handle | Angled Tips




AL1106.1F



AL1106.1



AL1108.1



AL1106.1F

STAINLESS STEEL



AL1106.1F Fine Nerve & Vessel Hook with Bead Tip - Round Handle, Stainless Steel, 13.75" (35cm)

AL1106.1 Nerve & Vessel Hook - Round Handle, Stainless Steel, 13.75" (35cm)

AL1108.1 Vessel Hook - Round Handle, Stainless Steel, 13.75" (35cm)

SUTURE PULLER

Round Handle | Straight Tip



HL1012.1



STAINLESS STEEL



HL1012.1 Suture Puller - Round Handle, Stainless Steel, 13.75" (35cm)

## SCALPEL BLADE HOLDER

Round Handle



STAINLESS STEEL



AL0199.1 Scalpel Blade Holder – Round Handle, Stainless Steel, 14.5" (37cm)

## SUTURE PUSHER

Round Handle



STAINLESS STEEL



HL1016.1 Suture Pusher - Round Handle, Stainless Steel, 13.75" (35cm)

NEEDLE/SYRINGE EXTENDER

Round Handle



STAINLESS STEEL




CL0730.1 Needle/Syringe Extender - 4mm tube, Nitinol, Malleable, 12" (30.5cm)



## SUCTION INSTRUMENTS

Straight Handle | Straight Shaft



STAINLESS STEEL



- AL1120.1 Suction Instrument – Straight 5mm tube, Yankauer Handle, 12.5" (32cm Working Length), Stainless Steel, 17.75" (45.5cm)
- AL1122.1 Suction Instrument – Straight 5mm tube, Yankauer Handle, w/Variable Suction, 12.5" (32cm Working Length), Stainless Steel, 17.75" (45.5cm)
- AL1124.1 Suction Instrument – Straight 10mm tube, Yankauer Handle, 12.5" (32cm Working Length), Stainless Steel, 17.75" (45.5cm)
- AL1125.1 Suction Instrument – Straight 10mm tube, Yankauer Handle, w/Variable Suction, 12.5" (32cm Working Length), Stainless Steel, 17.75" (45.5cm)

SUCTION INSTRUMENTS

Straight Handle | Curved Shaft



STAINLESS STEEL



- AL1126.1 Suction Instrument - Curved 3.2mm tube, Yankauer Handle, 6.75" (17cm Working Length), Stainless Steel, 12.25" (31cm)
- AL1128.1 Suction Instrument - Curved 3.2mm tube, Yankauer Handle, w/Variable Suction, 6.75" (17cm Working Length), Stainless Steel, 12.25" (31cm)
- AL1130.1 Suction Instrument - Curved 3.2mm tube, Yankauer Handle, 8.75" (22cm Working Length), Stainless Steel, 14.25" (36cm)
- AL1132.1 Suction Instrument - Curved 3.2mm tube, Yankauer Handle, w/Variable Suction, 8.75" (22cm Working Length), Stainless Steel, 14.25" (36cm)
- AL1114.1 Suction Instrument - Curved 5mm tube, Yankauer Handle, 8.75" (22cm Working Length), Stainless Steel, 14.25" (36cm)
- AL1115.1 Suction Instrument - Curved 5mm tube, Yankauer Handle, w/Variable Suction, 8.75" (22cm Working Length), Stainless Steel, 14.25" (36cm)
- AL1118.1 Suction Instrument - Curved 5mm tube, Yankauer Handle, 12.5" (32cm Working Length), Stainless Steel, 17.75" (45.5cm)
- AL1119.1 Suction Instrument - Curved 5mm tube, Yankauer Handle, w/Variable Suction, 12.5" (32cm Working Length), Stainless Steel, 17.75" (45.5cm)
- AL1136.1 Suction Instrument - Curved 5mm tube, Yankauer Handle, w/Variable Suction, 12.5" (32cm Working Length), Stainless Steel, 17.75" (45.5cm)

## SUCTION BRUSH SETS

Straight Handle

STAINLESS STEEL



- |        |  |
|--------|--|
| DL0700 | Brush Set for Straight Suction Instrument - 50cm x 5mm, White, Pack of 10 (Use with Wexler Item # AL1114.1, AL1115.1, AL1118.1, AL1119.1, AL1120.1, AL1122.1 and AL1136.1) |
| DL0701 | Brush Set for Straight Suction Instrument - 50cm x 10mm, White, Pack of 10 (Use with Wexler Item # AL1124.1 and AL1125.1)  |
| DL0702 | Brush Set for Curved Suction Instrument - 47.5cm x 4mm, Green, Pack of 10 (Use with Wexler Item # AL1126.1, AL1128.1, AL1130.1 and AL1132.1)                               |

## TROCAR | CANNULA INSTRUMENTS



STAINLESS STEEL



TL8470.1	Wexler Cannula - 5mm Cannula, Stainless Steel, 2.75" (7cm)
TL8471.1	Wexler Trocar - 5mm Trocar, Stainless Steel, 4.65" (11.8cm)
TL8475.1	Wexler Cannula - 7mm Cannula, Stainless Steel, 2.75" (7cm)
TL8476.1	Wexler Trocar - 7mm Trocar, Stainless Steel, 4.65" (11.8cm)
TL8480.1	Wexler Cannula - 10mm Cannula, Stainless Steel, 2.75" (7cm)
TL8481.1	Wexler Trocar - 10mm Trocar, Stainless Steel, 4.65" (11.8cm)
TL8485.1	Wexler Cannula - 12mm Cannula, Stainless Steel, 2.75" (7cm)
TL8486.1	Wexler Trocar - 12mm Trocar, Stainless Steel, 4.65" (11.8cm)
TL8490.1	Wexler Cannula - 15mm Cannula, Stainless Steel, 2.75" (7cm)
TL8491.1	Wexler Trocar - 15mm Trocar, Stainless Steel, 4.65" (11.8cm)

## WEXLER STERILIZATION TRAYS



DL2230



- |        |   |
|--------|---|
| DL2230 | Wexler Metal Sterilization Tray - Single level with 3 Silicone Brackets, 10.5" x 21.5" x 2.5" (26.6 x 53.3 x 6.3cm)   |
| DL2231 | Wexler Metal Sterilization Tray - Single level with Pin Mat, 9.63" x 18", 10.5" x 21.5" x 2.5" (26.6 x 53.3 x 6.3cm)  |
| DL2234 | Wexler Metal Sterilization Tray - Single level, 10.5" x 21.5" x 2.5" (26.6 x 53.3 x 6.3cm) (Holds 8 MICS Instruments) |

WEXLER FORCEPS


Round Squeeze Handle | Straight Jaws



FL8590.1



FL8598.1



FL8598.1

STAINLESS STEEL



FL8590.1 MIS CABG Forceps – Straight 1mm Serrated jaws, 3mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)

FL8598.1 MIS DeBakey Forceps - Straight 1mm jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)

## WEXLER MIS CLIP APPLIERS

Round Squeeze Handle



FL8639.1  
FL8640.1



FL8641.1  
FL8642.1



FL8640.1

STAINLESS STEEL



- |          |  |
|----------|--|
| FL8639.1 | MIS Clip Applier – For use with Small SLS/Vitalitec Clips, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)  |
| FL8640.1 | MIS Clip Applier – For use with Small SLS/Vitalitec Clips, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)     |
| FL8641.1 | MIS Clip Applier – For use with Medium SLS/Vitalitec Clips, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm) |
| FL8642.1 | MIS Clip Applier – For use with Medium SLS/Vitalitec Clips, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)    |

WEXLER MICS NEEDLE HOLDERS

Round Squeeze Handle | Straight / Curved Jaws



NL8590.13



NL8592.13



STRAIGHT

NL8590.13



CURVED

NL8592.13

STAINLESS STEEL



NL8590.13 MIS CABG Needle Holder – Straight TC Coated jaws w/Lock, 3mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)

NL8592.13 MIS CABG Needle Holder – Curved TC Coated jaws w/Lock, 3mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)




## WEXLER KNOT TIER/PUSHER

Round Squeeze Handle | Angled Jaws



AL8450.1  
AL8450.12 (w/Lock)

AL8452.1  
AL8452.12 (w/Lock)



AL8450.1

STAINLESS STEEL



- |           |   |
|-----------|---|
| AL8450.1  | Knot Pusher - 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)        |
| AL8450.12 | Knot Pusher - 5mm Shaft w/Lock, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm) |
| AL8452.1  | Knot Pusher - 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 15" (38cm)             |
| AL8452.12 | Knot Pusher - 5mm Shaft w/Lock, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 15" (38cm)      |

WEXLER MICS SCISSORS

Round Squeeze Handle | Curved / Angled Blades



SL8618.1 | 15°



SL8640.1 | 25°



SL8642.1 | 45°



SL8648.1 | 125°



SL8618.1

STAINLESS STEEL




<b>CURVED</b>	SL8618.1	MIS Scissors – Curved Blades, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
<b>ANGLED</b>	SL8640.1	MIS Scissors – 25° Angled Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	SL8642.1	MIS Scissors – 45° Angled Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	SL8648.1	MIS Scissors – 125° Angled Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)

## WEXLER CHEST TUBE PASSER

Ring Handle | Curved Shaft



AL1300.1  
AL1300.13 w/Ratchet  
AL1302.1  
AL1302.13 w/Ratchet



AL1302.1

STAINLESS STEEL



- |           |  |
|-----------|--|
| AL1300.1  | Chest Tube Passer – 10mm Curved Shaft, 6.75" (17.5cm Working Length), Stainless Steel, 9.75" (24cm)            |
| AL1300.13 | Chest Tube Passer – 10mm Curved Shaft, 6.75" (17.5cm Working Length), w/Ratchet, Stainless Steel, 9.75" (24cm) |
| AL1302.1  | Chest Tube Passer – 10mm Curved Shaft, 11" (28cm Working Length), Stainless Steel, 14" (35.5cm)                |
| AL1302.13 | Chest Tube Passer – 10mm Curved Shaft, 11" (28cm Working Length), w/Ratchet, Stainless Steel, 14" (35.5cm)     |

WEXLER DEBAKEY CLAMPS


Ring Handle | Curved Jaws



STAINLESS STEEL



AL2478.1 Tangential Occlusion Clamp - 34mm DeBakey Atraumatic jaws, Slightly Curved Shanks, Stainless Steel, 9.25" (23.5cm)



AL2125.1 DeBakey Aorta Clamp - Full Curved DeBakey Atraumatic jaws, Curved Shanks, Stainless Steel, 10.5" (26.5cm)

## WEXLER STERILIZATION TRAYS




DL2230



- |        |   |
|--------|---|
| DL2230 | Wexler Metal Sterilization Tray - Single level with 3 Silicone Brackets, 10.5" x 21.5" x 2.5" (26.6 x 53.3 x 6.3cm)   |
| DL2231 | Wexler Metal Sterilization Tray - Single level with Pin Mat, 9.63" x 18", 10.5" x 21.5" x 2.5" (26.6 x 53.3 x 6.3cm)  |
| DL2234 | Wexler Metal Sterilization Tray - Single level, 10.5" x 21.5" x 2.5" (26.6 x 53.3 x 6.3cm) (Holds 8 MICS Instruments) |

WEXLER THORACOSCOPIC DeBAKEY CLAMPS

Ring Handle | Curved Jaws



STAINLESS STEEL



- AL8210.12 Thoracoscopic DeBakey Clamp - 60mm Curved 1x2 DeBakey Atraumatic jaws, 5mm Shaft, w/Ratchet, (21cm Working Length), Stainless Steel, 12.25" (31cm)
- AL8230.12 Thoracoscopic DeBakey Clamp - 65mm Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, w/Ratchet, (23cm Working Length), Stainless Steel, 12.75" (32cm)
- AL8240.12 Thoracoscopic DeBakey Clamp - 100mm Curved 1x2 DeBakey Atraumatic jaws, 10mm Shaft, w/Ratchet, (25.5cm Working Length), Stainless Steel, 14.25" (36cm)
- AL8250.12 Thoracoscopic DeBakey Clamp - 100mm Curved 2x3 DeBakey Atraumatic jaws, 10mm Shaft, w/Ratchet, (25.5cm Working Length), Stainless Steel, 14.25" (36cm)

## WEXLER DEBAKEY FORCEPS

Round Squeeze Handle | Straight Jaws



FL8598.1  
FL8600.1



FL8604.1  
FL8606.1



FL8608.1  
FL8610.1



FL8600.1

STAINLESS STEEL



- |          |  |
|----------|--|
| FL8598.1 | Wexler DeBakey Forceps - Straight 1mm jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)   |
| FL8600.1 | Wexler DeBakey Forceps - Straight 1mm jaws, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)      |
| FL8604.1 | Wexler DeBakey Forceps - Straight 2.8mm jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm) |
| FL8606.1 | Wexler DeBakey Forceps - Straight 2.8mm jaws, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)    |
| FL8608.1 | Wexler DeBakey Forceps - Straight 2x3mm jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm) |
| FL8610.1 | Wexler DeBakey Forceps - Straight 2x3mm jaws, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)    |

WEXLER RESANO AND SERRATED FORCEPS

Round Squeeze Handle | Straight Jaws




FL8612.1  
FL8614.1  
FL8616.1



FL8624.14



FL8628.1



FL8612.1

STAINLESS STEEL



- FL8612.1 MIS Resano Forceps - Straight Atraumatic jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
- FL8614.1 MIS Resano Forceps - Straight Atraumatic jaws, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
- FL8616.1 MIS Resano Forceps - Straight Atraumatic jaws, 5mm Shaft, 11" (28cm Working Length), Round Squeeze Handle, Stainless Steel, 16" (40.5cm)
- FL8624.14 MIS Forceps - Straight 1mm jaws w/ TC Inserts, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
- FL8628.1 MIS Forceps - Straight 2.8mm Serrated jaws, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)



## WEXLER RUSSIAN AND BIOPSY FORCEPS

Round Squeeze Handle



FL8620.1



FL8634.1



FL8620.1

STAINLESS STEEL



- |          |   |
|----------|---|
| FL8620.1 | MIS Russian Forceps – Curved Left Oval Serrated Tips, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm) |
| FL8634.1 | MIS Biopsy Forceps – Straight Oval Biopsy Tips, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)       |

WEXLER MIS CLIP APPLIERS

Round Squeeze Handle



FL8639.1  
FL8640.1



FL8641.1  
FL8642.1



FL8640.1

STAINLESS STEEL



- FL8639.1 MIS Clip Applier – For use with Small SLS/Vitalitec Clips, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
- FL8640.1 MIS Clip Applier – For use with Small SLS/Vitalitec Clips, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
- FL8641.1 MIS Clip Applier – For use with Medium SLS/Vitalitec Clips, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
- FL8642.1 MIS Clip Applier – For use with Medium SLS/Vitalitec Clips, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)

## WEXLER NEEDLE HOLDERS - (STRAIGHT)

Round Squeeze Handle | Straight Jaws



NL8600.13



NL8598.15  
NL8600.15




Tapered

NL8608.15  
NL8610.15



NL8612.15  
NL8614.15



NL8600.15

STAINLESS STEEL



STRAIGHT	Model	Description
	NL8598.15	MIS Needle Holder - Straight jaws w/TC-Inserts, w/Lock, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	NL8600.13	MIS Needle Holder - Straight TC-Coated jaws, w/Lock, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	NL8600.15	MIS Needle Holder - Straight jaws w/TC-Inserts, w/Lock, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	NL8608.15	MIS Needle Holder - Straight Ryder jaws w/TC-Inserts, w/Lock, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	NL8610.15	MIS Needle Holder - Straight Ryder jaws w/TC-Inserts, w/Lock, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	NL8612.15	MIS Needle Holder - Short Straight Ryder jaws w/TC-Inserts, w/Lock, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	NL8614.15	MIS Needle Holder - Short Straight Ryder jaws w/TC-Inserts, w/Lock, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)

WEXLER NEEDLE HOLDERS - (CURVED)

Round Squeeze Handle | Curved Jaws



NL8602.13




NL8601.15  
NL8602.15



NL8603.15



NL8616.15  
NL8618.15



NL8602.15

STAINLESS STEEL



CURVED	Model	Description
	NL8601.15	MIS Needle Holder - Curved jaws w/TC-Inserts, w/Lock, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	NL8602.13	MIS Needle Holder - Curved TC-Coated jaws, w/Lock, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	NL8602.15	MIS Needle Holder - Curved jaws w/TC-Inserts, w/Lock, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	NL8603.15	MIS Needle Holder - Curved jaws w/TC-Inserts, w/Lock, 5mm Shaft, 11" (28cm Working Length), Round Squeeze Handle, Stainless Steel, 16" (40.5cm)
	NL8616.15	MIS Needle Holder - Short Curved jaws w/TC-Inserts, w/Lock, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	NL8618.15	MIS Needle Holder - Short Curved jaws w/TC-Inserts, w/Lock, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)

## WEXLER MIS NEEDLE HOLDERS

Ring Handle | Straight Jaws



NL8402.13



STAINLESS STEEL



**STRAIGHT**    NL8402.13    MIS Needle Holder - TC-Coated jaws, w/Lock, 5mm Shaft, 6.5"  
(16.5cm Working Length), Stainless Steel, 10.5" (26.5cm)

WEXLER KNOT/TIER PUSHER

Round Squeeze Handle | Angled Jaws



AL8450.1  
AL8450.12 (w/Lock)

AL8452.1  
AL8452.12 (w/Lock)



AL8450.1


STAINLESS STEEL



AL8450.1	Knot Tier/Pusher - 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
AL8450.12	Knot Tier/Pusher - 5mm Shaft w/Lock, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
AL8452.1	Knot Tier/Pusher - 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 15" (38cm)
AL8452.12	Knot Tier/Pusher - 5mm Shaft w/Lock, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 15" (38cm)

## MICS SCISSORS

Round Squeeze Handle | Curved / Strongly Curved / Full Curved / Angled Blades



STAINLESS STEEL




<b>CURVED</b>	SL8618.1	MIS Scissors - 15° Curved Blades, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	SL8620.1	MIS Scissors - 15° Curved Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
<b>STRONGLY CURVED</b>	SL8622.1	MIS Scissors - 30° Strongly Curved Blades, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	SL8624.1	MIS Scissors - 30° Strongly Curved Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
<b>FULL CURVED</b>	SL8626.1	MIS Scissors - 70° Full Curved Blades, 5mm Shaft, 6.75" (17cm Working Length), Round Squeeze Handle, Stainless Steel, 11.75" (30cm)
	SL8628.1	MIS Scissors - 70° Full Curved Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
<b>ANGLED</b>	SL8640.1	MIS Scissors - 25° Angled Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	SL8642.1	MIS Scissors - 45° Angled Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)
	SL8648.1	MIS Scissors - 125° Angled Blades, 5mm Shaft, 10" (25cm Working Length), Round Squeeze Handle, Stainless Steel, 14" (35.5cm)

THORACOSCOPIC - DISSECTING & METZENBAUM SCISSORS

Ring Handle | Curved Blades



SL8402.1S



METZENBAUM

SL8404.1

DISSECTING

SL8402.1

STAINLESS STEEL



SL8402.1S Thoracoscopic Dissecting Scissors - Curved 3cm Blades w/Blunt tips, 5mm Shaft, 7.5" (19cm Working Length), Stainless Steel, 11.5" (29cm)

SL8404.1S Thoracoscopic Metzenbaum Scissors - Curved 3.5cm Blades w/Blunt tips, 10mm Shaft, 7.75" (19cm Working Length), Stainless Steel, 11.5" (29cm)




## WEXLER CHEST TUBE PASSER

Ring Handle | Curved Shaft



AL1300.1  
AL1300.13 w/Ratchet  
AL1302.1  
AL1302.13 w/Ratchet



AL1302.1

STAINLESS STEEL



- |           |  |
|-----------|--|
| AL1300.1  | Chest Tube Passer - 10mm Curved Shaft, 6.75" (17.5cm Working Length), Stainless Steel, 9.75" (24cm)            |
| AL1300.13 | Chest Tube Passer - 10mm Curved Shaft, 6.75" (17.5cm Working Length), w/Ratchet, Stainless Steel, 9.75" (24cm) |
| AL1302.1  | Chest Tube Passer - 10mm Curved Shaft, 11" (28cm Working Length), Stainless Steel, 14" (35.5cm)                |
| AL1302.13 | Chest Tube Passer - 10mm Curved Shaft, 11" (28cm Working Length), w/Ratchet, Stainless Steel, 14" (35.5cm)     |

HOOKS

Round Handle | Angled Tips




AL1106.1F



AL1106.1



AL1108.1



AL1106.1F



STAINLESS STEEL

- AL1106.1F Fine Nerve & Vessel Hook with Bead Tip - Round Handle, Stainless Steel, 13.75" (35cm)
- AL1106.1 Nerve & Vessel Hook - Round Handle, Stainless Steel, 13.75" (35cm)
- AL1108.1 Vessel Hook - Round Handle, Stainless Steel, 13.75" (35cm)

SUTURE PULLER/PUSHER

Round Handle | Straight Tip



HL1012.1



HL1016.1



HL1012.1

HL1016.1



STAINLESS STEEL

- HL1012.1 Suture Puller - Round Handle, Stainless Steel, 13.75" (35cm)
- HL1016.1 Suture Pusher - Round Handle, Stainless Steel, 13.75" (35cm)

## SCALPEL BLADE HOLDER

Round Handle



STAINLESS STEEL



AL0199.1 Scalpel Blade Holder – Round Handle, Stainless Steel, 14.5" (37cm)

## NEEDLE/SYRINGE EXTENDER

Round Handle




STAINLESS STEEL



CL0730.1 Needle/Syringe Extender - 4mm tube, Nitinol, Malleable, 12" (30.5cm)

SUCTION INSTRUMENTS

Straight Handle | Curved Shaft




STAINLESS STEEL



- AL1126.1 Suction Instrument - Curved 3.2mm tube, Yankauer Handle, 6.75" (17cm Working Length), Stainless Steel, 12.25" (31cm)
- AL1128.1 Suction Instrument - Curved 3.2mm tube, Yankauer Handle, w/Variable Suction, 6.75" (17cm Working Length), Stainless Steel, 12.25" (31cm)
- AL1130.1 Suction Instrument - Curved 3.2mm tube, Yankauer Handle, 8.75" (22cm Working Length), Stainless Steel, 14.25" (36cm)
- AL1132.1 Suction Instrument - Curved 3.2mm tube, Yankauer Handle, w/Variable Suction, 8.75" (22cm Working Length), Stainless Steel, 14.25" (36cm)

## SUCTION BRUSH SETS

Straight Handle



STAINLESS STEEL

FLEXIBLE BRUSH  
& SHEATH

DL0702  
4MM TUBE

DL0701 Brush Set for Straight Suction Instrument - 50cm x 10mm, White, Pack of 10 (For use with Wexler Item # AL1124.1 and AL1125.1)

DL0702 Brush Set for Curved Suction Instrument - Pack of 10 (For use with Wexler Item # AL1126.1 and AL1128.1)

**CHORDAE SIZER**


Round Handle



STAINLESS STEEL

AL1190.1 Chordae Sizer - Blue Round Handle, 14.25" (36cm)

**RONGUERS**



STAINLESS STEEL

- AL1500.1 Ronguers - Straight 3mm x 10mm jaw, Stainless Steel, 7" (18cm)
- AL1506.1 Ronguers - Straight 3mm x 10mm jaw, Stainless Steel, 15.75" (40cm)
- AL1510.1 Ronguers - Angled 30° Up 3mm x 10mm jaw, Stainless Steel, 7" (18cm)
- AL1520.1 Ronguers - Angled 30° Down 3mm x 10mm jaw, Stainless Steel, 7" (18cm)

## WEXLER STERILIZATION TRAYS



DL2230



- |        |   |
|--------|---|
| DL2230 | Wexler Metal Sterilization Tray - Single level with 3 Silicone Brackets, 10.5"x21.5"x2.5" (26.6x53.3x6.3cm)   |
| DL2231 | Wexler Metal Sterilization Tray - Single level with Pin Mat, 9.63" x 18" 10.5"x21.5"x2.5" (26.6x53.3x6.3cm)   |
| DL2234 | Wexler Metal Sterilization Tray - Single level, 10.5"x21.5"x2.5" (26.6x53.3x6.3cm) (Holds 8 MICS Instruments) |