

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Sara's Place	Facility Type Food Service Establishment	
Licensee Name Hossein Sadeghzadeh	Facility Telephone # 304 283-2010	
Facility Address 3058 Charlestown Rd Kearneysville , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 08/06/2018	Total Time Spent 1.00

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Cold Beverages	38
Pepsi	38.5
Coca-Cola	39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 3

ObservedNon-CriticalViolations

Total # 5

Repeated # 3

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Chest freezer and upright freezer needs defrosted

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Wires above chest freezer needs secured

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Paper Towel dispenser at handsink needs repaired/replaced

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Hole in wall below 3-Bay sink needs sealed/repared

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

REPEAT OBSERVATION Any unused equipment should be removed from premises. Billiards room needs cleaned and organized

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Diane Housden



Keith Allison