

**West Virginia Department of  
Health & Human Resources  
Berkeley County Health  
Department**



**Public Health**  
Prevent. Promote. Protect.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>	
Facility Name JT's Bar & Grill	Facility Type Food Service Establishment
Licensee Name John Tobin Jr.	Facility Telephone # 304 229-3731
Facility Address 6332 Winchester Ave Inwood, WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date January 17, 2017	Total Time Spent 1.30

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in cooler	39
Sandwich cooler	38
Bartender salad cooler	38
Cooler beer	39
Wine cooler	41

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Scalloped Potatoe	139
Corn and greenbeans	156

<b>Warewashing Info</b>						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	
3 bay sink Dish machine Bar sanitizer	bleach Chem Chem					

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
Total # 1 Repeated # 0
<b>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION</b> <i>This is a critical violation</i>

**OBSERVATION:** Out of date items, 1-13, cocktail sauce 1-13, ham 1-14

**Observed Non-Critical Violations**

**Total # 6**

**Repeated # 2**

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**REPEAT OBSERVATION** Gasket needs repaired, torn.

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Walk in cooler shelves need repaired, rust

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Grill stand needs cleaned, grease

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** WHite with yellow lid dry product containers need cleaned on the outside

**4-602.13 - NONFOOD CONTACT SURFACES**

**REPEAT OBSERVATION** Bulk soda shelves need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floors behind and under equipment needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



John Tobin

Sanitarian



Glenn GCO Ondick