

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Rocky's Pizza	Facility Type Food Service Establishment	
Licensee Name Vincenzo Schiano Dicola	Facility Telephone # 304 274-0500	
Facility Address 29 Forever Green Drive Falling Waters , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 11/03/2017	Total Time Spent 1.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Beverage Air	40
Pizza Prep	40
Sandwich Prep	40
Pepsi	39
Vendo	39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 1 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: Mixer needs cleaned

ObservedNon-CriticalViolations
Total # 7 Repeated # 1 4-302.12 - TEMPERATURE MEASURING DEVICES OBSERVATION: (CORRECTED DURING INSPECTION): Thermometer needed in Pepsi refrigerator 4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Bottom of upright GE freezer needs repaired (rust) 4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Gaskets on Beverage Air (dough proofer)/Artic Air freezer need replaced (torn) 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Vent covers in Vendo refrigerator need cleaned 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Shelving throughout establishment needs cleaned (including shelving in refrigerators) Grease build-up 6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER REPEAT OBSERVATION Area outside back door needs cleaned/organized (old equipment/weeds need cleared) Possible rodent harborage 6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: Dry storage room needs cleaned/organized

Inspection Outcome

Comments

Disclaimer

Person in Charge



Vincenzo DiCola

Sanitarian



Keith Allison