

# 2017/2018 MODEL SEDONA ELITE 3200

BY BC ROASTERS

The Sedona Elite 3200 is a great Roaster for a coffee shop or bakery as well as a wholesale or retail roastery. It can roast from about one pound up to 7 or 8 pounds per roast and as many as 5 roasts per hour making it one of the most affordable yet productive roasters in its class. It has all the features that most companies consider add-ons built into the base price model. You have complete control of heat with a needle gas valve. Complete airflow control with a high end manual dial damper system as well as drum speed control. Every feature you need in a roaster are included at no extra cost: Computer profiling from the Fuji Digital Temperature controls via USB allow you to record and save your roast profiles to repeat the 'recipe' over and over for consistence in your roasts. Attention to every detail in the design of unit allows you to focus on the art of roasting. The Sedona uses only high quality food grade 304S stainless steel in hopper & cooling tray while featuring a double wall carbon steel drum. The Sedona 3200 is built to utilize a small footprint so you can get the most out of limited retail spaces.

**The Search for the perfect roast begins in Sedona!**



| SEDONA 3200                 | GAS TYPE                 |
|-----------------------------|--------------------------|
| Batch Size                  | 1-8lb.                   |
| Roasting Time               | 12-15 minutes            |
| Production                  | 35-40lb.hr               |
| Heat Source                 | NG/LPG                   |
| Voltage                     | 220V/110V with regulator |
| Wattage                     | 500W                     |
| Drum Type                   | Double Wall Carbon Steel |
| AirFlow System              | MDDS                     |
| Cooling Tray                | 304S                     |
| BTU                         | 45,000                   |
| NG PRESSURE                 | 5-7WC                    |
| LPG PRESSURE                | MAX. 16-20WC             |
| Gas Consumption             | 0.6kg/hr                 |
| Roaster Dim.                | 44x29x50"                |
| Roaster Weight with packing | 396lb.                   |

## FEATURES


DRUM TYPE  
DATA LOGGING  
THERMOCOUPLES  
CONTROL PANEL  
WARRANTY  
PARTS AVAILABLE  
110V CONVERTER  
TYPE  
DATA LOGGING

Double Wall Carbon Steel  
2 Fuji CONTROLS w/BT & ET  
K-TYPE for BT & ET  
BT & ET VEIW ON PANEL  
1 YEAR PARTS & INSTRUCTION  
10 Year Parts Available Guarantee  
Unit runs on 110V with included 110V  
Voltage Converter available.  
Choice of USB data logging or BT

[BCROASTERS.COM](http://BCROASTERS.COM) Buckeye, AZ 85326 623.332.1360

# 2017/2018 MODEL SEDONA ELITE 3200

BY BC ROASTERS



## **INSTALLATION SETUP:**

Roaster is best setup on a stand from 12-24" tall with clearance on all sides of at least 18". You may use any **positive pressure single or double wall CLAS 111 exhaust pipes** with a temperature rating of 500F. If running both pipes together a blast or backdraft damper must be attached to cooling exhaust where it meets the main exhaust.

**Typical High Exhaust Temperature....400-450F**  
**Typical Chaff Collector High Exhaust temperature 300F**  
**Typical high cooling tray temperature 185F**

# 2017/2018 MODEL SEDONA ELITE 3200

BY BC ROASTERS

**TYPICAL PIPE INSTALLATIONS ARE SHOWN BELOW**  
(You may request drawings & Nordfab piping to meet your building needs from [cody@aircleaningspecialists.com](mailto:cody@aircleaningspecialists.com))

