

Advanced Assault

FRG Indirect Fire Data Chart

Weapon	Value (HE)	Max ROF	ICM	Incend Smoke	Chem Smoke	Minimum Range (Hexes)	Maximum Range (Hexes)	Ammo Supply							
								HE	ICM	Incend Smoke	Chem Smoke	Illum.	CLGP	RAP	FASCAM
K6 120mm Mortar (Dismounted)	12	X6	—	4	—	3	26	16	—	10	—	10	—	—	—
M113 Pzm 120mm Mortar	12	X6	—	4	—	3	26	12	—	8	—	8	—	—	—
M119 105mm Howitzer	5	X5	—	2	2	5	70	20	—	4	4	8	—	2/78	—
M109A3 155mm Howitzer	6	X4	X4	1	1	9	72	20	15	3	5	4	4	2/120	4
FH70 155mm Howitzer	8	X5	X3	1	1	9	96	20	15	3	5	4	4	2/120	4
PzH2000 155mm Howitzer*	6	X6	X5	1	1	9	120	25	15	4	5	4	4	2/240	4
M110 203mm Howitzer	4	X4	X3	—	—	10	100	14	4	—	—	—	—	2/120	—
110mm LARS **	12	—	—	—	1	14	56	4	—	—	4	—	—	—	4 AT
M-270 MLRS	50	—	X2	—	—	34	180	2	3	—	—	—	—	—	—

Values are per strength point.

Ammo supply is the number of turns of fire except for smoke, which is the total number of smoke screens allowed.

*PzH2000 is not required to deploy prior to firing any fire mission

** LARS Light Artillery Rocket System FASCAM ammunition is AT-mines only